CANCER RESEARCH

This journal is sponsored by The American Association for Cancer Research, Inc. The Anna Fuller Fund, The Jane Coffin Childs Memorial Fund for Medical Research, The Elsa U Pardee Foundation, The American Cancer Society, and the National Cancer Institute, Public Health Service

> HAROLD P RUSCH, Editor-in-Chief ELIZABETH B POHLE. Technical Editor

Editorial Advisory Board

JOSLPH C AUB JOHN J BITTNER AUSTIN M BRUES DALE R COMAN E V COWDRY HUGH J CREECH M DEMEREC F DURAN-RLYNALS JACOB FURTH W U GARDNER ALERED GELLHORN

SAMUEL GRATE HARRY S N GREENE JESSE P GREENSTEIN THEODORE S HAUSCHKA ERICH HIRSCHBERG CHARLES HUGGINS ARTHUR KIRSCHBAUM ALBERT L LEHNINGER C C LITTLE BALDUIN LIICKÉ G Burroughs Mider

IRA T NATHANSON C P RHOADS A J RIKER MICHAEL B SHIMKIN PAUL E STEINER C CHESTER STOCK ROBERT E STOWELL ALBERT TANNENBAUM SHIELDS WARREN ARNOLD D WELCH

JAMES A MILLER

NOTICE TO MEMBERS OF THE AMERICAN ASSOCIATION FOR CANCER RESEARCH

Officers for 1953-54

President Vice-President

HAROLD P RUSCH, University of Wisconsin, Madison 6, Wis AUSTIN M BRUES, Argonne National Laboratory, P O Box 299, Lemont, Ill Scoretary-Treasurer Hugh J CREECH, Institute for Cancer Research, Fox Chase, Philadelphia 11, Pa

Changes of address of members of the American Association for Cancer Research should be sent promptly to Dr Creech for recording in the files of the Association and also to insure receipt of the journal CANCER RESCARCH by active members of the Association

CANCER RESEARCH is published monthly for Cancer Research, Inc., by the University of Chicago Press, 5750 Ellis Avenue, Chicago 37, Illinois Subscriptions are by volume only and are payable in advance The subscription price is \$12.50 per volume, the price of single issues is \$1.25 Orders for less than a full volume will be charged at the single-issue rate Postage is prepaid by the publishers on all orders from the United States and its possessions. No extra charge is made for countries in the Pan American Postal Union. Postage is charged extra as follows For Canada and Newfoundland, 50 cents per volume (total \$18 00), 5 cents per issue (total \$1 30), for all other countries in the Postal Union, \$1 00 per-volume (total \$13 50), 10 cents per issue (total \$1 35) The following is an authorized agent

For the British Empire, except North America and Australasia

Cambridge University Press, Bentley House, 200 Euston Road, London, NW 1, England Prices of subscriptions and of single copies may be had on application

Business communications, remittances (in United States currency or its equivalent), and subscriptions should be addressed to The University of Chicago Press, 5750 Ellis Avenue, Chicago 37, Illinois All other communications should be addressed to Harold P Rusch, M D, McArdle Memorial Laboratory, University of Wisconsin, Madison 6, Wisconsin

Claims for missing numbers should be made within the month following the regular month of publication The publishers expect to supply missing numbers free only when losses have been sustained in transit and when the reserve stock will permit

No responsibility is accepted by the Editors, by Cancer Research, Inc., or by the publishers of CANCLR RISI ARCH for opinions expressed by contributors

Notice to Subscribers. If you change your address, please notify us and your local postmaster immediatch

Intered as second-class matter, February 15, 1949, at the post office at Chicago, Ill, under the Act of M rch 5 1570

Acceptance for mail and special rate of postage provided for in United States Postal Act of October 3, 1917, Section 110, amended I chruiry 28, 1925, authorized June 1, 1950

Copyright 1953 by Concer Research Inc

CANCER RESEARCH

The Official Organ of the

AMERICAN ASSOCIATION FOR CANCER RESEARCH, INC

DECENNIAL INDEX

Volumes 1-10 1941-1950

Fdirot of Irdex
I RICH HIRSCHBI RG, Pit D

Foreword

THE DECENNIAL INDEX is largely based on the yearly indices to the separate volumes. It therefore represents the combined efforts of the former editors of the journal. Two of these editors, Drs. Baldum Lucké and Paul E. Steiner, kept the original entry cards of some of the earlier volumes and graciously put them at our disposal. We are especially indebted to Dr. Erich Hirschberg, the editor of this index, for the tremendous task involved in its preparation. He is responsible for making it more than a compilation of ten annual indices into one large one. He divided it into author and subject indices and made many new additions to the latter. His devotion of many hours to this project will effect a saving in time for many others. Appreciation for this task will accrue for many years.

All original articles are listed The abstracts of papers presented before the American Association for Cancer Research, 34th–41st Annual Meetings, and at the AAAS Gibson Island Research Conference on Cancer in 1946 are indicated by italics. No entries have been made for book reviews, announcements, abstracts of reports appearing in other journals, or papers presented before the American Association for Cancer Research which are listed in the journal only by title

Harold P Rusch
Editor-in-Chief

.

AUTHOR INDEX

(Numbers in italies indicate abstracts) A A A S Gibson Island Research Conference on Cancer 1946 mice following long-orn' hard administration of extra-7 37 1 359 and Collins V J Attempts at early du gross of Abels, J C See Dobriner, K 9 595 - See Singher, H O 4 444 cancer of the cervix experimentall' induced in mire 3 12. -, Jones, F L , Craver, L F , and Rhoads, C P Metabo-Allen, H. Hempelmann L. H., Jr. and Womack N. A. E. Coct of insoluble radiophosphorus (chrom um phosphate when lism of pyruvate by normal and leukemic white cells 4 149 Rhoads, C P Posturadiation changes in levels of organic applied interditially in treatment of adenomic norms of mamma in mice 5 239 phosphorus in blood of patients with leukemia 1 771 Allen, J G See Brunschwig 1 4 45 Kensler, C J, Young, N F, and Homburger, F Allen, O K See Creech H J 7 297 Changes of carbohydrate metabolism in patients with gastric Allison, J B , Wase A W Leathern J H and Wain o W W cancer and in mice bearing sarcoma 180 7 720 Some effects of 2-acetylaminoflusione on the dog 10 29 - Kupel, C W, Pack, G T, and Rhoads C P Metabolic Allsopp, C B Effects of ultraviolet radiation on Sibenz studies in patients with cancer of gastrointestinal tract pyrene and other polycyclic aromatic hydrocarbor • III XIII 4 145 6 24 -, Pack, G T, and Rhoads, C P Metabolic studies in - See Fell, H B 8 145 177 9 238 patients with cancer of the gastrointestinal tract XVII -, and Szigeti B Fffects of ultraviolet radiation on \$4-3 177 benzpyrene and other polycyclic aromatic hydromators. I -, Revers, P E, Martin, H, and Rhoads, C P Relation-6 14 ship between dietary deficiency and occurrence of papillars - ---- II 6 22 - and atrophy of tongue and oral leukoplal ia 2 381 Altschul, R , and Friesen, A M Volume of cell ruclei in ampu-Treves, N., Herrmann, J., Singher, H. O., Kensler, C. J., and Rhoads, C. P. Clinical effects of aldehyde bisulfites tation neuromas and in reurofibromas 9 225 American Association for Cancer Pesearch Inc Soth Annual in patients with cancer I 4 438 Meeting Proceedings 1 71 Ackermann, W W, and Potter, V P Enzyme inhibition in - 34th Annual Meeting Proceedings of Bu ness Secrelation to chemotherapy 9 602 sion = 1 754 Acuña, J See Lipschütz A 5 515 - Proceeding of Scientific Sessions 1 729 Adair, F E See Mellors R C, 8 996 9 552 - 35th Annual Meeting Proceedings of Business Sec-510ns 3 1º7 Adair, F L See Watts R M , 1 638 Proceedings of Scientific Sessions, 3, 120 Adams, J R , Jr See Hartwell, J L 3 122 - 36th Annual Meeting Proceedings of Bu ness See-Adams, W E See Thornton, T F Jr 4 55 nons 5 595 Afffi, M A Cancer mortality in Egypt 7 537 Proceedings of Smontific Sessions 5-5% 37th Annual Meeting Proceedings of Bu new Sec-Alapy, H Persistence of growth inhibition in young rats insions 6 505 duced by 1, 2, 5 6-dibenzanthricene 1 499 Proceedings of Scientific Seisons 6, 455 Albaum, H. G., and Potter, V. R. Biocatalysts in cancer tissue - 35th Annual Meeting Proceedings of Bu no a Sec-II 3 303 sions 7 788 Albert, S See Johnson R M, 9 612 10 227 - Proceedings of Scientific Sessions 7,709 Cohen, J, Heard, R D H, and Le Blond, C P Local - 39th Annual Meeting Proceedings of Busines & ization of steroids in normal and cancerous tissues by use of *1011 9 567 radioactive isotopes and histochemical methods 7 709 Proceedings of Scientific Service 9 543 Johnson R M, and Cohan, M S Acid soluble lipid - 40th Annual Meeting Proceedings of Bullet See and protein phosphorus in normal pregnanci stimulated sions 9 632 and cancerous mammars glands of inbred mice 10 201——, and Keller, P J Distribution of phosphorus-containing compounds in mammars glands and mammars Proceeds good Sment for Sec one 9 und - 41st Annual Mosti g Proceedings of Secret for Sec-S1078 10 201 tumors of mice by radiobiological methods 9 611 Amtman, L See Mever K 1 8 513 Alfin-Slater, R B Larack, A M and Petermann M L Andersont H B Industrict [] shall at a upon sure port Preparation and properties of mitochondria and submicroof mice to trin plant the n d p ntarecus tun m 1 " scopic particles of normal and leukemic mouse organs 9 215 See Green tein J P 3 127 Alford C See Klopp C T 10 229 See White J 3 101 and Donn T.B. comp blis of the Crownian amin amiclus e 7.7. Algire G H Vascular reaction of normal and reoplastic tissues to bacterial polysaccharide from Bacillus prodigionas culture Anger H Sec Tol . (1 9 f filtrate 6 191 Anlyan A J Sec It 1 Blood pressure men urements in transplanted tu nors of W H 7 unrue thetized mice 9 623 -- See Hesselbich M I 7 721 - Gamble J.F. and Hos er H.A. 1. "15 T 4 CF " - See Merwii R M 9 C D
- See You igner I S 9 0 Cl
- and Chalkler H W Insular resetion of mouse to re luman lump 1 _ 1, 1 -mp1c 9 1 1 Aptropol W. and Unes F I Foot feet Tax no mal ai direcpla fic tra plants a d weu de 5 . 50 Invitate relationship and I erallais F I Greath retect tree pla ted turn in relation to late it period and hold vascular reliction Allaben G R Ser Schiel R & So

a~ --

1,1

Allen F See Ple Ger (1 5 749 8 97

and Gardne W. U. Concern formate for come in 1 x 3 m 2

Apperly, F L Relation of solar radiation to cancer mortality in North America 1 191

-, and Cary, M K Deterrent effect of light on incidence of spontaneous mammary cancer in mice 5 697

Appleman, D, Skavinski, E R, and Stein, A M Catalase studies on normal and cancerous rats 10 498

Aptekman, P M, King, H D, and Lewis, M R A sarcomaproducing factor extractable from transplanted rat fibro-sarcoma 3 856

Ariel, I See Steadman, L T, 3 471

, Bishop, F W, and Warren, S L Studies on the effect of hypothermia I 3 448

, and Warren, S L Studies on the effect of hypothermin II 3 454

– III **3** 464 –, and *–*

Arkin, A M, and Sugiura, K Effects of increased pressure upon sarcoma 180 10 272

Armaghan, V Scc Shear, M J, 6 490

Armstrong, M I See Grav, A E, 10 221

-, and Ham, A W Effects, particularly anemia, produced in chicks by growth in their yolk sics of mouse mammary tumors 7 481

 Demonstration of milk factor in C3H mouse mammary tumor after tumor had been transferred 31 times in fertile eggs 10 201

Arnesen, K See Dulancy, A D, 9 217

-, Goldsmith, Y, and Dulaney, A D Antigenic properties of nuclei segregated from spleens of normal and leukemic

Arnold, H. See Zimmerman, H. M., 1 919, 4 98

and Zimmerman, H M Experimental brain tumors IIÍ 3 682

Arnold, J See Brunschwig, A, 6 560

Ashbel, R Sce Seligman, A M, 9 624, 10 240

Ashworth, E See Bloor, W R, 10 205

Atkinson, W B See Gusberg, S B, 9 554

Au, M H See Lansing, A I, 7 726

Aub, J C This business of cancer research 10 399

See Bucher, N L R, 7 724, 10 207 See Franseen, C C, 1 393, 489

See Karnofsky, D A, 4 772
See Kennedy, B J, 9 551

—, Karnofsky, D A, and Towne, L E Sex hormone excretion rates in high and low tumor strains of mice 1 737

-, Tibbetts, D M , and Nathanson, I T Metabolic effects of treatment of carcinoma of prostate 7 723

, and Wislocki, G Comparison of growth of deer antler and of osteogenic sarcoma 3 120

Influence of testosterone on growth of deer , and antlers 6 501

Avnet, N L See Kaliss, N, 10 228

Awapara, J Use of chromatographic technics in study of metabolites of human tumors 10 202

Ayres, W W Method of staining nucleoli of cells in fresh benign and malignant tissues 8 352

Bachmann, W E See Bradbury, J T, 1 685

Bacon, R L See Kirkman, II, 10 122

Baer, M See Quastler, H , 9 553, 10 604

Bagshaw, M A, and Strong, L C Histopathologic and genetic study of tumors of forestomach in mice treated with single subcutaneous injection of methylcholanthrene 9 603

Bain, J A, and Rusch, H P Carcinogenesis with ultraviolet

radiation of wave length 2,800-3,400 Å 3 425
—, —, and Kline, B E Effect of temperature upon ultraviolet carcinogenesis with wave lengths 2,800-3,400 Å 3 610

Baker, C F See Werthessen, N T, 10 679

Baker, C G, and Greenberg, D M Studies with radioactive earbon-labeled acetate on cholesterol metabolism in rats fed 4-dimethylaminoazobenzene 9 701

Baker, L A See Schrek, R, 10 49

Balı, T Mast cells in neoplasm 9 558

, and Furth, J Morphological and biological characteristics of x-ray induced transplantable ovarian tumors 9 449 -, and - Types of transplantable ovarian neoplasms induced by x-rays and their pathogenesis 9 621

Ball. H A Effect of intravenous glycogen administration on rate of growth of Walker carcinosarcoma 256 and sarcoma 180 2 823

Melanosarcoma and rhabdomyoma in two pine snakes (Pituophis melanoleucus) 6 134

-, Schott, H F, and Samuels, L T Glycogen in Walker tumor 256 2 146

Ball, Z B See Barnum, C P, 6 499, 7 522

Sec Huseby, R A, 5 40

-, Huseby, R A, and Visscher, M Influence of caloric restriction on ovarian function in relation to mouse mammars cancer incidence 3 131

-, and --- Effect of dietary pseudohypophysectomy upon development of mammary glands and mammary tumors in mice receiving diethylstilbestrol 6 493

Ballantyne, R M, and McHenry, E W Vitamin Be and biotin in human cancer tissue 9 689

Ballard, G P See Schrek, R, 10 49

Bang, F B See Gey, G O, 9 598, 10 219

Barken, H B See Leathem, J H 10 231

Barlow, H See Ludford, R J, 4 694, 5 257

Barnes, W A See Furth, J, 1 17

-, and Cole, R K Effect of nursing on incidence of spontaneous leukemia and tumors in mice 1 99

Barnett, D J Sce Brunst, V V, 10 206

Barnum, C P See Huseby, R A, 10 516
—— See Kretchmer, N, 7 714, 9 564

—, Ball, Z B, and Bittner, J J Some properties of mammary tumor milk agent 6 499

-, and - Partial separation of mammary tumor milk agent and comparison of various sources of agent 7 522 -, and Huseby, R A Chemical and physical characteristics of preparations containing milk agent virus A review 10 523

Barrett, M K Antigenic nature of purified chicken tumor ngent 1 543

-, and Morgan, W C A "maternal influence" on growth of transplantable tumor in mice 9 603

Barrett, R See Hanks, J H , 7 728

Barron, E S G See Spurr, C L, 7 51

Barry, G T Cytoplasmic proteins Partial physical and chemical characterization of cytoplasmic proteins 10 694

Barton, A D, Boutwell, R K, and Rusch, H P Some changes in amino acid metabolism associated with chronic calone restriction 10 202

Bass, A D, and Feigelson, M Response of normal and malignant lymphoid tissue to methyl-bis-(\$\theta\$-chloroethyl) amine and ethyl carbamate (urethane) in adrenalectomized and non-adrenalectomized mice 8 503

, and Probert, C Response of transplantable lymphosarcoma to colchicine 10 420

Bassett, A M See Craig, F N, 1 869
— See Salter, W T, 1 751

Bateman, J See Klopp, C T, 10 229

Bather, R Sce Franks, W R, 10 216

Bauer, W H, and Byrne, J J Induced tumors of parotid gland 10 755

Baumann, C A See Clayton, C C, 9 575, 623

See Gried, J B, 4 768
See Grese, J E, 5 337, 6 679
See Griffin, A C, 7 731, 8 135, 279, 9 82

See Jacobi, H P, 2 175
See Kline, B E, 3 825, 6 1, 5
See I avik, P S, 1 181, 2 189, 3 749
See Miller, E C, 5 713, 6 289 - See Miller, J A , 1 699, 3 217, 223, 849, 4 153, 756, 5

157, 162, 227

```
- See Miner D L 3 296
- See Ru ch H P 2 183 5 431
   - See Sauberlich H F, 9 613
Beard, H H Iffect of injection and ingestion of amiro acids
 upon appearance growth and regre ion of Perr arcoma in rats 3 122

    Results of biological test for malignancy 9 631

    - Libert, S L, and Halperin, B Correlation of biological
  test with clinical diagno is in human malignance 7 710
Beatty, P R See Riegel, C 10 495
Beck, F F, and Krantz, J C, Jr Tumor glvcolysis IV 1 188
Beck, L V Lethal and tumor-damaging effects of certain tri
  valent ar enicals as modified by 23-dimercaptopropanol
  (BAL) and by adrenal extracts 10 202
   - See Berl owitz, D , 9 560
  — See Diller I C, 8 551 591
   - Berkowitz, D, and Seltzer, B Physiological studies on
  tumor inhibiting agents III 8 162
   -, Diller, I C Blauch, B, and Fisher M Reduction in
  toxicity of Serratia marcescens poly acchange to tumor-
  bearing mice produced by I pjohn Co beef adrenal extract
    - and Fisher, M. Physiological studies on tumor inhibiting
  agents II 6 410
            - I ffect of S marce cent poly accharate on rectal
    and -
  temperatures in normal and tumor bearing mice 6 489

    Perrault, E, and Gillespie, J Relative toxicity to nor-

  mal and tumor bearing mice of certain aromatic trivalent
  arsenicals which induce histological damage in sarcoma 37
Beck, S, Kirby, A H M, and Peacock, P R Tumors induced
  with heated cholesterol 5 135
Becker, M M See Sanford K h 10 238
Behrens, O K See Burk, D, 1 733
Beidler, J L See Burchenal J H, 9 606
Belding, T C See Burmester, B R 6 189
Belkin, M. Iack of influence of di (hydroxymethyl) peroxide
  on incidence and growth of transplanted induced and
  spontaneous mouse tumors I 2 264
    - and Bucker, E D Histochemical phosphatase reaction in
  mouse sarcomas CR 180 and 37 following administration of
  bacterial polysaccharide 7 725
    - and Stern, K. G. Metabolism of Yale careinoma 1 3 164
  Tobie, E J., Kahler, J., and Shear, M. J. Absence of effect of lived T. cruzi preparations on sarcoma 37 9 560
Bell, M See Skipper II I 10 166 862
Bellamy, A W Sec Hall G C 10 223
Bellin, J See I asrlo D 10 200
      See Schilling A 10 2 9
Bender, D H, Friedgood, C E, and Lee, H F Transplanta
  tion of heterologous tumors by intravenous inoculation of
  chick embryo 9 61 117
Benditt, E P See Green I W Ir 10 769
Bennett, J G See Stewart H I 9 618
Bennett I L. Jr See Mitchell I H Ir 10 647
Sec Skipper H 1 10 106 510
— Skipper H F Mitchell J H, Jr and Suriura, K
  Studies on distribution of radioactive 5-azaguanire (gua
   nazolo) in mice with I 0771 tumors 10 644
Bennett W A See Higgin G M 10 30)
Bennison B E I ffect of splenectoms on development of
   mammars tumors in mice containing mill age t 9 (4)
Bercovitz A Cancer in Haina i Chira Suppleme tars sta
   to tical study of 4 d cases with pecual reference to ale and
   temical di tributio i ri d'etic! gi. 1 134
 Berenblum I Cocanin cerie eti referitorre in 145
  " Mechanim of carring on Stills of a care of coxarina eric action and related planter at 1 200"
```

a to Dimethall the entirence a della price

can in cal rabbit las 6 at

```
- ) was and action that some a street
   ing agent 9 61c
      - Cromfort D Holder E P and Subrema P Trul ...
   lim of "4 berzip men n m merden 11 3 151
    - and Schoenial P. Metabet me glacem as at more
   rate With an appendix clash and in spece tall I II II
   das 3 (56
   benzpyrepols in animal bed. Will an opposition of the
   tion spectra b. F. R. Helidas and I. N. Jepa 6 cen.
     - and --- Apparent artificent ogenia in a file in
   7 290
Berger P E See Pe to I I 10 14 esc
Bergmann, F. Olim of all most tum operation. I commit
   agents 2 cco
Berlowiz, D See Beel J \ 8 102
      - and Beck, L V Hirets of Serra to more tom t
   necrotizing pola acclarate on specific grant of mouse
   blood and pla ma 9 69
Bern, H. A. Some effects of long-continued e trigen tre tment
   on male Dutch rabbits 9 65
Bernhard A Rosenbloom, L and Eichen S St 1 cf 11
   organie pho phorus relea e recompa sing glacele a ch
   blood in cancer 8 2%
Berning Sister N See Fardon J ( 8 5%)
Berry, G P See Syserton J T 2 400 3 L 10 079 $40
      - See Warren, S. J. 3 128
Berry, N See Klopp C T 10 229
Bierman H R, Byron, R L, Jr and Lanman J T Desp
   pearance of leukemic cell in nonleukemin rengen te during
   transfu ions and cross-circulation studie 10 mm.
Hammon W McD, Eddie, B U Merer F F and
   Shimbin II B I ffect of virus and bacterial i feet seen
   neopla tie di cases 10 20
Biesele J J Diplochromosomes in a g ldr h tu i = 3 411
      - Chromo cme complexity in reger erating r tliver 4 2°2
  - Chrome ome size in normal rat organ in relation to B
   vitamin inbonucleic acid and runter veluing 4 329
      - Size and synthetic activity of cliron - residits o re-
   neoplasms 4 510
          Ribonucleic heid and heteroclinematin i ep termal
   carcinogenesis 4 737

    Chromosomal enlargement in heep's the raft to the

   5 179
  - and Berger R E I ffect of xiath pitch in the
   10 6 6
                                                                                           T : 1,
   2 6-diaminopurire and related sub ta ca 10 — and Biesele M. M. Alial ampli plane in
   under methylcholantlire eitreatment 4 Tol.
    - and Gasic G will imp reflect encin n
   leulemic and rermal lymph in te eff at m 7 f
      - and -- Chimpo most kinn tinte e
   mice 7 ~0
      - and Poyner H P 1 to not no
   enrementa elli na tire 3 -- 2
Biesele M M Ser Pene J J 4 " 1
Bischoff, F Co d i sire, els proteir ni i e 2 erii
   there as a
      - Introductioned or and one to
   efr maradi Maiba
  --- Ingraham L P and Clake C J I
  and Lene to I I are for any are not and a local transfer and a local transfer are not as a local transfer and a local transfer and a local transfer are not as a local transfer and a local transfer are not as a local transfer are not a local transfer are not as a local transfer are not a local trans
                 Pure J T and Caxe ( T )
   ( - - 1
```

-, and ---- Influence of toxic amounts of estrin upon intact and castrated male Marsh-Buffalo mice 2 198 -, and Rupp, J J Production of carcinogenic agent in degradation of cholesterol to progesterone 6 403

Bishop, F W See Ariel, I, 3 448

Biskind, G R, Kordan, B, and Biskind, M S Ovary transplanted to spleen in rats effect of unilateral castration, pregnancy, and subsequent castration 10 309

Biskind, M S See Biskind, G R, 10 309

Bittner, J J Changes in incidence of mammary carcinoma in mice of A stock 1 113

Variability of incidence of mammary carcinoma in inbred strains of mice 1 115

Influence of estrogens on incidence of tumors in foster nursed mice 1 290

Foster nursing and genetic susceptibility for tumors of breast in mice 1 793

Observations on genetics of susceptibility for develop-

ment of mammary cancer in mice 2 540

Possible relationship of estrogenic hormones, genetic susceptibility, and milk influence in production of mammary cancer in mice 2 710

Possible types of mammary gland tumors in mice 2 755 Mammary cancer in fostered and unfostered C3H breeding females and their hybrids 3 441

Observation on inherited susceptibility to spontaneous

mammary cancer in mice 4 159 Genetics and linkage relationship of inherited susceptibil-

ity to mammary cancer in mice 4 779 Genetic factors in etiology of mammary cancer in mice

Activity of mammary tumor milk agent as influenced by

age and hormonal stimulation in serial dilution studies 6 493

Transplantability of mammary cancer in mice associated with source of mammary tumor milk agent 7 741

Some enigmas associated with genesis of mammary cancer in mice 8 625, 9 543

Recovery of mammary tumor milk agent following transfer by male parent 10 204

See Barnum, C. P., 6 499, 7 522 See Davidsohn, I., 10 212

See Green, R G , 5 588, 6 499 See Heilman, F R , 4 578

See Huseby, R A, 6, 240, 494, 7, 722, 9, 550, 10, 226, 516 See Imagawa, D, T, 10, 226

- See Kirschbaum, 1,6 354, 484 - See Samuels, L. T., 7 722 - See Smith, F. W., 5 588

-, and Huseby, R A Relationship of inherited susceptibility and inherited hormonal influence in development of mammary cancer in mice 6 235, 493

-, and Imagawa, D T Assay of frozen mouse mammary carcinoma for mammary tumor milk agent 10 739

, and Watson, C J Possible association between por-

phyrins and cancer in mice 6 337, 498

Black, M M Changes in reducing power of serum or plasma of patients with malignant neoplastic disease 7 321

Sulfhydryl reduction of methylene blue With reference to alterations in malignant neoplastic disease 7 592

Changes in reducing power of plasma in patients with malignant neoplasia and therapeutic implications 7 718

See Bolker, H, 9 561

, Bolker, H, and Kleiner, I S Changes in heat congulation of plasma in malignant neoplasta 9 548

and Kleiner, I S Effect of inhibitors of intermediary

metabolism on advanced human neoplasia 7 717

-, and Bolker, H Energy mechanisms in malignant tumors in relation to chemotherapy 7 818 - Changes in heat coagulation of plasma -. and --

from cancer patients 8 79

-, ---, and ---- Glycolytic enzyme inhibitor therapy in human malignant neoplasia 9 314, 599

-, and Speer, F D Tissue respiration studies and tumor visualization by triphenal tetrazolium chloride 10 2015

Blades, C E See Sauberlich, H E, 9 613

Blaisdell, J S, Gardner, W U, and Strong, L C Adrenal glands of mice from strains with different susceptibilities to mammary carcinoma 1 283

Blandau, R J Experimental production of endometrial polyps in guinea pig 9 526

Blauch, B See Beck, L V, 7 725 - See Diller, I C, 8 581, 591

Bloch, K See Lewisohn, R. 1 799

Block, M H See Spurr, C L, 8 387

Bloom, F Intramedullary plasma cell myeloma occurring spontaneously in dog 6 718

—— See Paff, G H, 7 798

Bloom, W L See Lewis, G T, 9 103

-, Codgell, B, and Lewis, G T Basic proteins of cell nucleus 10 205

Bloor, W R See Haven, F L, 9 90, 511

. Haven, F L, and Ashworth, E Lipids of adrenals and blood plasma in cancer 10 205

-, and Randall, C Adrenal lipids in cancer 9 548

Blum, H F Sunlight as causal factor in cancer of skin 5 592 Quantitative description of carcinogenesis by ultraviolet radiation 9 545

See Grady, H G, 1 736, 3 128

, Kirby-Smith, J S, and Grady, H G Studies of tumors of skin of mice produced by ultraviolet radiation 1 742

Blumenthal, H T Effects of spontaneous and transplanted rat and mouse tumors on red and white cells in circulating blood and bone marrow 1 196

Homolotransplantation of spontaneous tumors into mice

bearing spontaneous tumors 2 56

See Suntzeff, V, 1 446
See Walsh, L B, 10 726
Walsh, L B, and Greuff, D Studies on effect of low temperatures on transplantability of normal and neoplastic tissue 10 205

Bock, G See Meyer, L M, 9 606

Bodenstein, D Effect of nitrogen mustards on proliferating embryonic tissues 7 49

Bolker, H See Black, M M, 7 818, 8 79, 9 314, 548, 599 -, Black, M M, and Kleiner, I S Chemotherapy of lymphomata in relation to adaptation 9 561

Bolyard, M N See Stemer, P E . 7 273, 709

Bonner, C D See Homburger, F, 10 225

Bonte, F J See Koletsky, S, 10 129

Boon, M C See Burk, D, 3 121

- See Furth, J, 2 280, 4 1, 7 241

- See McEndy, D P, 4 377

- See Saxton, J A , Jr , 4 401

Borges, P R F Mammary tumor milk agent given to adult female mice following splenectomy and vital staining 9 328

Boutwell, R K See Barton, A D, 10 202

See Rusch, H P, 9 607

, Brush, M K, and Rusch, H P Stimulating effect of dietary fat on carcinogenesis 9 741

-, and --- Influence of vitamins of B complex on induction of epithelial tumors in mice 9 747

-, Rusch, H P, and Brush, M K Some physiological effects of caloric restriction as related to retardation of tumor formation 9 552

Stimulating effect of dictary fat on --, and · carcinogenesis 9 607

Bowman, M C Sec Mendel, B, 6 495

Bowman, R O, and Mottshaw, H R Failure to find carcinogens in urine from patients with cancer 1 308

Boyland, E I ffects of chlorethylamines on tumors 8 388

Bradbury, J T, Bachmann, W E, and Lewisohn, M G Production of cancer by some new chemical compounds Factors affecting latent period of tumor production 1 685

```
Author Index
Bradsher, C K See Harms P \ , 6 487 671
Brandt, E L See Griffin, A C , 10 222
Braun, A C See White P R , 2 597
Braun H A See Lusly I M, 7 667
Breedis, C Induction of acces ory limbs in salamanders with
  mixtures containing carcinogens 10 205
   - See I ucl ε, B, 8 473
   - Robertson, T, Osenkop, PS, and Furth, J Character of
  changes occurring in course of transplantation of 2 inbred
  strains of lung tumors in mice 2 116
Brewer, A K See Lasnitzki, 1 E 1 776 2 494
Brezezinski, A See Zondel B , 3 198
Briggs, J B, and Briggs, R W Iffects of water-coluble
  carcinogen on early frog development 3 1
                                                                sarcoma) 10 2/2
Briggs, R W Transplantation of kidnes carcinoma from adult
  frogs to tadpoles 2 309

See Briggs, J B 3 1
    - and Grant, R Growth and regres ion of frog kidnes
  carcinoma transplanted into tails of permanent and normal
  tadpoles 3 613
Brindley, P See Selle, W 1, 1 618
                                                                liver 10 524
Bronk, T T, and Appel, M Intratracheal transplantation with
  Brown Pearce carcinoma 9 228
Broquist, H P See Burchenal, J H, 10 208
Broughton, M C See Faloon, W W 10 215
                                                                9 62
Brown, E Sec Fuller, R H, 1 130
                                                                biotic rats 10 207
Brown, R K See Miller, E C . 9 504, 617
Brown, W H See Greene, H S N , 3 53
Browning, G B See Eichwald, E J, 10 483
Brues, A. M. Introduction to chemotherapy symposium. Aims
  and methods 8 384
     See Cohn, W E 3 135
      See Inckson I B 1 494
      See I 1800 H , 7 721
      Sec Neal W 9 562
    - See Sacher G A 9 620
    and Cohn, W E Phosphatase metabolism of normal and
  tumor tissues in culture 1 734
     Finkel, M P, Lisco, H, and Sacher, G A Age and
  lymphoma incidence in (F-1 mice 9 60)
      and Jackson, E B Resistance of tumor cells in tissue
                                                                mt 1 227
  culture to growth inhibiting action of amine  1 557
     Lisco, H, and Finkel, M P Carcinogenic action of some
  substances which may be a problem in certain future indus-
  trics 7 48
    - Marble B B, and Riegel B Failure to induce sarcoma
  in rats with wheat germ oil preparations 1 815
     and Rietz, L. Isolation and morphology of mammalia
  chromosomes 10 206
                                                                inno 9 41
  — Sacher G A, Finkel M P and Lisco H Comparative carcinogenic effects by x radiation and Pr 9 745
     Tracy M M, and Cohn W E Relation of nucleic acid
  metabolism to growth 3 1°6
Brunschwif A Vitamin C and tumor growth 3 550
   - See Dunham I I 6 54 238
- See Kelsey I I 7 551
- See Klüver II 7 C27
- See Steiner P I 2 704
 ----, and Allen J. G. Specific injurious action of allower upon
                                                                clen miletr
   panerestic islet cells and ec isoluted tubules of kidnes
   Comparative study in rall it dog and that Attempted
  chem themps of in alin producing a let-cell care cma as
```

man 4 45

- Arrold J and Edgeomb J Str. ulation and retardate no fine pla tic growth by ulfbydral comp. 44 6 263

- and Rasmussen P A Rel to felicitable plan throughput as clerity carl 1 ml

coute tilga incesni ina 6 201

and Thereton T F Jr Exper-

- Dunham L J and Nichols S I in a nationly n

told of thems!

spread of ep derm disquir m moon is more as a min reaction of such learn to mound hat at az = = 4 515 Brunst V V Barnett, D J, and Figgs F H J Effect of 1 and x ray irmd ation upon devel green of o soung mouse 10 276 Sheremetiera-Brunst E A Barner D J and Fgre F H J Stimulating effect of x ray innd - non de selopment of soung axole! 10 2 m Brush, II K See Bot well P K 9 772 7 741 747 - See Rusch H P 9 607 Bruzzone S See Lipschulz, 1 4 179 5 515 Bryan, C E See S' ipper H F 10 163 Bryan P S See Stetlar M R 9 515 Bryan W.P. Lorenz E. and *feloney J.B.S. under effect in effect of x radiation on exert of classes turner I (Pous and Riley, V. T. Studie on purificial and agen-chicken tumor I. 7.716 Buchanan, G See Kahle- II 9 7,7 Bucher, N L R and Frantz I D , Jr Tum more f C 11 16/61 alanine and glycine in pro eins of rat liver 10 27 and Glinos A D Fflect of age on regeneration of me - and Aub J C Effect of agrica regeneration of me liver following partial hapatectoms 7 2.4 - Loftfield, R B and Frantz I D Jr Effect of regenera tion on rate of protein syntle is and degradation i rat line-- Scott J F and Aub J C Regeneration of livers p ra Buchwald, K. W., and Hudson L. Dierbution of imm and copper in malignant reoplastic disease 4 (%) and — Phospholipids in human respin me 5 1 Buckley S M Stock C C, Crossley " L and Phoads C P Inhibition of Crocker mount streams 150 b cortai ethyleneimine derivative, and related companies 10 25 Bueler, E D See Belkin M 7 72 Bunting H Notes on histopathological finding to paper by Duran Revnals F 2 Si3 Burack E See Danzi M V 1 705 - Danzi M V Wolfe J H and Wright A W Inc force of spontaneous fbroadenor a in Alba v to clinit 4 410 - Wolfe, J M Lansing W and Wrigh A W If me cf age upon connective tis thick uterus comix and visita of Burchenal J H See Karnel ks D A 7 / 8 Beidler J L and No ting J Hart of 4 ami -> * methylpteroyl glutamic and and 20-damin pinne en leukocytes of normal and leukeme m - Cremer M A and Wuliams B S (c to t geffect of folio antago is to and nitrogen multant ica leuke - Johnston S.F. Broquis. H.P. and Jukes T. H. I.renting of anti-leukemo effect of 4 mm = Nt of st ptemolglutamone this cital am factor 10 c. Free of 24 C triebalenem ... to The state of prinders to splanted mountement a 10 Exercises spraced modeletter is 10.

Exercisely D. A. Erser A. J. Case. L. P. and Rhoads. C. P. (Linguille) last on of a non-conditional delivations in leukemia. 8.000 - ard Riler J B Ni narm , , , أعجم مما بمملح فأمهيتهم - --- and Lever P A Non- - - - - - - - - - them from melluker a non a R Sink C.C. and Physics C.P. 1874, for Bude e " J T e े। ने की महाराष -- 1/ ŧ 1 -1

-1-

-, and Strong, L C Comparison of methyl salievlate and benzene as solvents for methylcholanthrene 1 939

-, and --- Inheritance of susceptibility to tumors induced in mice I 3 13

Burk, D. See Hearon, I, 7 715

See Hearon, M. I. 7 724

See Kidd, J. G. 4 547 See Riley, V. T. 9 614 See Wight, K. 9 609

See Winzler, R I, 3 135

- See Woods M W , 9 554

 Behrens, O K, and Sugiura, K Metabolism of butter yellow rat liver cancers 1 733

-, Earle, W R , Hesselbach, M L , Fischer, C E , Shelton, E, and Schilling, E L Correlated decreases in glycolysis and moculation take of in intro-induced sarcoma cells upon prolonged subculture 9 558

-, Hesselbach, M L , and Fischer, C E Inhibiting action of amorphous and crystalline penicillin and streptomycin preparations on metabolism of tumors and other tissues

-, Hearon, J, and Schade, A L Interrelationships between biotin, carbon dioxide, and heavy metals (Co, Cu) in tumor glycolysis, fermentation, and dehydrogenution 6 497

, Spangler, J M, du Vigneaud, V, Kensler, C, Sugiura, K, and Rhoads, C P Biotin-avidin balance in p-dimethyl-

aminoazobenzene tumor formation 3 180

-, Sprince, H, Boon, M C, and Furth, J Metabolism of mouse tissues in preleukemic state 3 121

-, Kabat, E A, and Furth, J Metabolism of chicken tumors and leukoses 1 782

Burke, E M, and Thibaudeau, A A Malignant melanoma 3 133

Burmester, B R Cytotoxic effect of axian lymphoid tumor antiserum 7 459

Studies on transmission of avian visceral lymphomatosis II 7 786

Lifect of storage at low temperature on viability of

several avian lymphoid tumor strains 10 708

 and Cottral, G E Propagation of filtrable agents producing lymphoid tumors and osteopetrosis by serial passage in chickens 7 669

, and Denington, E M Studies on transmission of avian visceral lymphomatosis I 7 727, 779

-, and Prickett, C O Immunity reactions obtained with

transmissible fowl tumor (Olson) 4 364

—, and —— Development of highly mulignant tumor strains from naturally occurring a vian lymphomatosis 5 652 -, and Belding, T C Filtrible agent producing lymphoid tumors and osteopetrosis in chickens 6 189

Burns, E L See Schenken, J R, 3 693

-, and Schenken, J R Spontaneous primary hepatomas in mice of strain C3H II 3 691

—, and — Spontaneous primary hepatomas in mice of strain C3H IV 3 697

, and — Transplantation of spontaneous primary hepatomas in mice of strain C3H 5 587

Burrows, H Decline in incidence of mammary cancer in mice of inbred strain 1 121

, and Hoch-Ligeti, C Effect of progesterone on development of mammary cancer in C3H mice 6 608

-, Roe, E M F, and Schober, B Potential differences in skin of mice during carcinogenesis 5 524

Burt, J C See Odell L D . 9 362

Busch, H See Potter, V R, 10 206, 353

Busk, T See Clemmesen, J , 7 281, 286, 8 129 9 411, 415

Butros, J M Effect of saponin on tissue and cancer cells in ritro 8 221

I umor in fresh-water mussel 8 270

- I ffect of methylcholanthrene on viscosity of Paramecium 8 317

See Djanian 1 1 9 520

Buxton, L See Dulanev, 1 D , 9 217

Byrne, J J See Bruer, W H, 10 755

Byron, R L , Jr See Bierman, H R , 10 208

Cahili, W M, Dunning, W F, and Smith, A H Free choice dictary study of tumor-bearing rats 3 830

Caldwell, A L Scc Roberts, E, 9 350

Calvery, H O See Nelson, A A, 2 11 3 280

Cambel, P Fluorescence studies of carcinogens in rit's skin 9 628

Cameron, G See Chambers, R, 3 293

—— See Goldfeder, A, 8 465, 9 559

—— See Grand, C G, 1 660, 3 183, 6 502

See Kopac, M J, 3 290

Kensler, C J, and Chambers, R Action of heptanal sodium bisulfite methylsalicylate and of 2,1,6-trimethylpyridine on tissue cultures of human and mouse carcinoma and rat lymphosarcoma 4 495

Kopac, M J, and Chambers, R Neoplasm studies IX

Cantarow, A See Paschkis, K E, 7 731, 8 257, 390, 10 204

 Sce Stasney, J. 7 356, 9 565, 617, 10 283, 775
 Paschkis, K. E., and Stasney, J. Influence of progesterone on mammary tumors induced in rats by acetaminofluorene 9 595

-, and Rothenberg, M S Influence of sex hormones upon hepatic lesions produced by 2-acetaminofluo-

rene 6 492, 610

-, Stasney, J, and Paschkis, K E Influence of sex hormones on mammary tumors induced by 2-acetylamino fluorene 8 412

Carmichael, N See Taylor, A, 7 78, 8 264, 9 498

Carrie, A W, and Ham, A W Experimental study of effects of malignancy and diabetes on each other 9 629

Carruthers, C Effect of circinogens on hepatic vitamin A stores of mice and rats 2 168

Chemical studies on transformation of mouse epidermis to squamous-cell carcinoma A review 10 255

See Costello, C J, 6 486, 7 642

Sec Miller, H , 10 636

See Roberts, E, 9 350 See Simpson, W L, 5 1

See Suntzeff, V, 3 431, 5 572, 6 179, 574, 7 439, 727, 8 390

, and Stowell, R E Influence of heptaldehyde on preg nancy in rats 1 724

-, and Suntzeff, V Chemical studies on mode of action of methylcholanthrene on mouse epidermis 3 744

, and — Desovy ribosenucleic held in epidermal careinogenesis induced by methylcholanthrene 6 8

- Calcium, copper, and zinc in epidermal car-, and cinogenesis of mouse and man 6 296

-, and -- Succinic dehydrogenase and cytochrome ovidase in epidermal carcinogenesis in mice induced by methylcholanthrene 6 486, 7 9

-, and --- Some chemical changes induced by methylcholanthrene in transformation of mouse epidermis to squamous-cell carcinoma 7 46

, and — Studies with polarograph on lipids of epidermis

during normal and rapid growth 9 210

- Polarographic studies on lipids of epidermis , and undergoing carcinogenesis with methylcholanthrene 9 600

, and -- Further studies on polarographically reducible substance, nature of which changes during carcinogenesis **10** 209

 Further evidence for alteration in structure of polarographically reducible substance in carcinogenesis 10 339

Cary, M K See Apperly, F L, 5 697

Casas, C B See Frantz, M J, 9 550

- See King, J T, 9 436

-, King, J T, and Visscher, M B Effect of caloric restriction on incidence of mammary tumors in castrate hormonized C3II mice 7 722

-, and --- Effect of reversed restriction on mam mary tumor incidence in ovariectomized C3H mice 9 506

```
Casey A E Experiments with a material from Brown-Pearce
                                                                                        - and Wich embrane H T Is grown - ---
                                                                                     مراكبة الماس بالمعتملة وعلمان بالا بالمساد
  tumor 1 134
     - Blood cosmophil factor in rest tance of rabbit to Brown-
                                                                                     9 531
  Pearer tumor 3 121
                                                                                  Cian I E Con Worker W C 1 -
     - and Dryzdale, G. P. Hereditar eo nophile levels in ac-
                                                                                  Cloudman A ? Pro ref = + + + + = 1 + + + + CI = 3
  quired re a tance of rabbit to Bros r Pearce tumor 7 728
      Pearce L, and Posahr, P D A omation of blood cell
                                                                                       - Organ et intende cerciter, tegen e
  factors with transplantability of Brown Pearce turnor 2 28$
                                                                                             6 / 735
                                                                                     mo
        --- and ---
                         - Blood cell factor in metal tagg of Brown-
                                                                                       Per I more that in the
  Pearce tumor 2 401
                                                                                      Caralieri L F See Sugium K 10 178
Chalkley, H W See Algire G H , 5 587
                                                                                  Clowes G H A 300 In- P N 6 , 7 7 102 170 9
     - See Greenstein J P 5 792
Chambers, P. Isolation of visible protoplasmic structures
                                                                                  Codgett B See Bison W I 10 2 7
  10 210
                                                                                  Cohan If S See Albert S 10 21
  See Cameron G 3 251 4 195

See Grand C G 3 127

See Koppe, M J 3 290
                                                                                       - Sec Tol 1 " R M 10 22"
                                                                                  Cohen I See Albert S 7 700
 -- See Worl en B 10 230
                                                                                  Cohen, P. P. Glackala e actuats of hier fam me feel and
     - Cameron, C. G., and Kopac, M. J. Neoplasm studies. VI
                                                                                     direth laminar be seen 5 626
  3 293
                                                                                      - See Time T C 10 707
     - and Grand, C G Radiosensitivity of mouse surcoma 180
                                                                                       - and Helhuis G L Tmr am at min tum - faul
  in tissue culture 3 127
                                                                                     ti un and regenerating li er 1 620
                                                                                              - and Sober E K Trop or all interior orate
Changus, G W See Dunlap C F 9 610
                                                                                     fed butter vell v 2 305
Chanutin, A See Dillard G H I 9 661 665
                                                                                       - and Sober, E. K. Glioxola e activity of emiliarite
   - See Gjessing T C, 6 503

and Gjessing, E C Hiect of introgen mustards on
                                                                                     from cancerou rate and hi man subject 5 Col
                                                                                  Cohen, P See Seligman A M 10 2 0
  nucleic acid viscosity and spectrophotometric measure-
  ments 6 496
                                                                                  Cohn W E See Bruss 1 M 1 774 3 17
    - and - Iffect of nitrogen mu tards upon ultraviolet
                                                                                       - and Brues A II Permenblits and metals tim of em
  absorption spectrum of thymonucleate urneil and purines
                                                                                     bryonic and malignant cells in culture 3 1 ,
  6 599
                                                                                  Cole. P. E. Ceretic re stance to a true mi. I'm a green in
Chapman, J B See Slipper, H F 9 158 10 166 362
                                                                                     fowl 1 714
                                                                                     - See Barnes W 1 1 99
Charles, D. R., and Luce-Clausen, E. M. Kinetics of papilloma
                                                                                     - See Furth I 1 7 7 2 250
  formation in henzpyrene treated mice 2 261
                                                                                       - and Furth J Experimental studies on go text of
Cheever, F S See Creech H J 3 100 7 290
    - See Tavorite G O 1 186
                                                                                     spontaneous leukemia in mice 1 957
  — and Janeway, C A Immunity induced against Brown Pearce carcinoma 1 23
                                                                                  Coley B L See Naute H C 6 205
                                                                                  Collies V J See Allen F 3 124
     - and Morgan, H R Mechanism of tumor immunity as
                                                                                       - See Strong L C 3 21
  investigated by means of intraocular inoculation of Brown-
                                                                                       - Gardner W U and Strong L C Experimental gather
  Petree carcinoma 2 675
                                                                                     tumors in mice 3 29
Chipps, H D, and Kraul, L H Cytologic alterations in pul
                                                                                  Coman, D. R. Human neoplasms in trace curre 2 CIS

Human reoplasms in its un culture II 3 520
  monary tuberculosis which stimulate carcinoma 10 210
Chitre, R G See Khanolkar V R 2 567 4 128
                                                                                       - Decreased mutual adlessione a a property cleek from
    - and Khanolkar, V. R. Studies in esterase (butyric) activ-
                                                                                     squamous-cell carcinomas 4 625
  its II 3 89
                                                                                         Induction of peoplesia in erro with a single I spenment
Chu, C H U Growth of sarcoma 37 before and after vascular-
                                                                                     with rabbit slin grown in to the cultive a dwift a pe
                                                                                     papilloma virus 6 602
  ization 10 210
                                                                                         See deLeng R P 10 212 513
See McCutcheon M 7 879
     - and MacCardie, R. C. Study of histogenesis of sarcoma 37
  implants 9 627
                                                                                  -- See Midman I 10 °57
Chu I T See Osgood F F 10 98
                                                                                       - deLeng P. P. and Zeidman I. (almun ant p.
Clark, A. M., and Kelly, E. M. Differential radiosensitivity of
                                                                                     content of regenerating to the 9 fla
   haploid and diploid prepupae and pupae of Habrobracon
                                                                                       - Eisenberg R B and McCutchenn M I mira Water
   10 335
                                                                                     di tribution of tim mercha tasce expension to a 1 V ca
Clarke G J See Bischoff I 2 52 198 5 579
                                                                                     current of rabbits 2 C49
                                                                                       - and McCu cheon M Stuter citizens of the con-
Claude, A., Porter F. R., and Pickels E. G. Hectron micro-
                                                                                     adhesise essel mal mant ce in sam
                                                                                                                                         ) --
   scope study of chicken tumor cell 6 502 7 421
                                                                                    9 - 2
Claus P E See Guver M 1 2 16 7 842
                                                                                              - and Zeidman I Is morts
Clayton C C See Gie e J 1 6 C79
                                                                                    ereasona service tempt in 7 4 4
See Griffin A ( 9 82 and Baumann C A Diet and are die tumors effect of
                                                                                  Cook H See Garan 1 ( 9 1-
                                                                                  Conter Z F See Let - H ( 4 200
   diet during a period when die is not fed 9 57 C23
                                                                                    France H I sed Peter P C T competibility and the competibility of the co
Clemmesen J , and Busk, T Cancer mortality among males
  and fer i des in Denmark I igland and Switer land 1 7 281
--- ard --- 11 7 x56
                                                                                  Cope and D P 'col - I I 9
 -- and --- III 8 120
                                                                                      - her malar on II D or Car
     - and -- --- IV 9 411
 --- and --- \ 9 415
                                                                                    .... to where A B 9 ft 10 ft to
                                                                                       - and Free! P W Fretzm mintem
Cheton F F Filiot D W and Nero & J O'merati rece
                                                                                    Imirgan's military sor.
   antipe tecletic reacts is of serum of more strain samats as
                                                                                  Correcte F L her we 1 " + 9
   8 422
```

Corner, J A See Wilson, J W , 10 249

Comman, I See Karnofel v, D A 7 50 - See Ormsbee, R A, 7 717, 8 381

Cortell, R Production of tumors in livers of rats fed m'methyl p-dimethylaminonzobenzene 7 158

Costello, C J, Carruthers, C, and Kamen, M D Uptake of Pr in phospholipid fraction of mouse epidermis undergoing carcinogenesis by methylcholanthrene 6 486

-, and Simoes, R L Uptake of radiophosphorus in phospholipid fraction of mouse epidermis in methylcholanthrene carcinogenesis 7 642

Cottral, G E See Burmester, B R, 7 669

Cowdry, E V International Cancer Research Commission 7

See Gopal-Ayengar, A R, 7 1

- See Paletta, Γ λ, 1 942 - See Roberts, Γ, 9 350 - See Suntzeff, V, 5 572 6 179, 7 439, 727, 8 390

- See Tatum, I L , 6 486

-, van Dyke, J H, and Geren, B B Localization of stratum of maximum initotic frequency in epidermal methylchol inthrene careinogenesis in mice 6 620

Cowing, L F See Warren, S. 4 113

Cox, A J, Jr See Wilson, R II, 1 595, 7 444, 450, 453

-, Wilson, R H, and DeEds, F Carcinogenic activity of 2-acetaminofluorene characteristics of lesions in albino rats 7 617

Crabb, E D Ir insplantable 9,10-dimethyl-1,2-benzanthracene sarcoma in Syriin hamster 6 627

Crabtree, H G Stimulation of tumor induction by inhibitor of cell glycolysis 1 34

 Retardation of rate of tumor induction by hydrolyzing chlor-compounds 1 39

Influence of bromobenzene on induction of skin tumors

by 3.1 benzpyrene 4 688

 Influence of unsaturated dibasic acids on induction of sl in tumors by chemical carcinogens 5 346

 Some effects of aromatic hydrocarbons on sulfur met abolism and tumor induction in mice 6 553

Craig, T N Sec Salter, W T, 1 761

-, Bassett, A M, and Salter, W T Artificial benigning of neoplism VI 1 869

Cramer, W On geographic distribution of gistric cincer in the

states of the t mon 3 126

See Simpson, W L, 3 362, 515, 604, 5 1, 5, 449

See Stowell, R 1, 2 193

and Simpson, W L Mist cells in experimental skin carcinogenesis 4 601
—, and — Sensitization as first phase in skin carcino-

genesis Traum i and cancer 5 593

-, and Stowell, R E Carcinogenesis in mouse's skin by infrequent application at long intervals of methylcholanthrene 1 819

 Skin carcinogenesis by a single application of , and -20 methylcholanthrene 3 36

-, and -- Quantitative evaluation of experimental skin carcinogenesis by methylcholanthrene Tactors of dosage, time, spacing of applications and multiplicity of carcinogenic response 3 668

Craver, L F See Abels, J C , 1 771, 4 149

—— See Burchenal, J II , 8 987

—— See Hoster, II \ , 8 1, 49

- See Singher, II O, 4 144

Creech, H J See Jones R N, 3 134 See Wharton, D R A, 9 561

-, Hamilton, M A , and Diller, I C Comparative studies of immunological, toxic, and tumor-necrotizing properties of polysaccharides from Serratia marcescens (Bacillus prodigiosus) 8 318

-, Nishimura, E T, and Shear, M J Comparative studies of immunological, toxic, and tumor-necrotizing properties of S marcescens polysaccharides 7 716

-, Nishimura, E T, and Hankwitz, R F, Jr Influence of antibody-containing fractions on lethal and tumornecrotizing actions of polysaccharides from Serratia marcescens (Bacillus prodigiosus) 8 330

, and Hankwitz, R F, Jr Further studies of immunological properties of polysaccharides from Serratia marcescent

(Bacillus prodigionis) III 9 589

-, and Wharton, D R A Further studies of immunological properties of polysaccharides from Serratia

marcescens (Bacillus prodigiosus) I 9 150
—, Jones, R N, and Cheever, F S Chemical and immuno logical properties of conjugates prepared from proteins and

carcinogenic hydrocarbons 3 153

Oginsky, E L, and Allen, O N Immunological studies of hydrocarbon-protein conjugates II 7 297

-, and Cheever, F S Immunological studies of hydro carbon-protein conjugates I 7 290

-, and Tryon, M Immunological studies of hydroearbon-protein conjugates III 7 301

-, Wharton, D R A, Nishimura, E T, and Hankwitz, R F, Jr Studies of immunological properties of Serratia marcescens polysaccharides I 9 561

, Wharton, M W, Hankwitz, R F, Jr, Wharton, D R A, and Diller, I C Properties of products of hydrolysis of Serratia marcescens polysiccharides 9 598

Cremer, M A See Burchenal, J II, 9 594

Crossley, M L See Buckley, S M, 10 207 - See Burchenal, J. II, 10 208

Crowfoot, D Sec Berenblum, I, 3 151

Cunningham, L See Griffin, A C, 10 222

-, Griffin, A C, and Luck, J M Liffect of carcinogenic azo dye on liver cell structure Isolation of nucleic and cytoplasmic granules 10 194

-, and --- Desoxyribonucleic acid content per nucleus in normal, precancerous, and cancerous tissues of the rat 10 211

Curtis, M R See Dunning, W F, 5 644, 6 61, 256, 668, 7 134, 511, 8 83, 9 354, 546 608, 10 213, 319, 454

Daff, M , Hoch-Ligeti, C , Kennaway, E L , and Tipler, M M Effect of careinogenic compounds on ascorbic acid content of liver in mice and rats 8 376

Dalton, A J See Morris, II P , 6 492

- See Peters, V, 6 490 - See Robertson, W v B, 7 712

- See Shear, M J , 6 490

-, and Peters, V Cytopathological changes in sarcoma 37 produced with single subcutaneous injection of organic compounds 6 490

D'Amour, F E Sec Smith, D L, 2 40

Daniel, J H See Lorenz, E, 3 123

Danish, A, and Klopp, C T Effects of hormones on concentration of vitamin A in blood of eincer patients 10 211

Danzi, M V See Burack, E, 4 410

, Burack, E , and Wright, A W Abnormalities of breeding behavior in rate of Albany (A-S) strain 1 795

Darling, H H See Wood, D A, 3 509

Dascomb, H E See Syverton, J T, 2 436, 10 370, 140, 474 - See Warren, S L , 3 128

Dauben, W G, and Mabee, D Distribution of radioactivity and metabolic degradation in mouse of 20-methylcholan threne-11-C14 9 612

Daughaday, W Comparison of x-zone of adrenal cortex in two inbred strains of mice 1 883

Davenport, H A See Orbison, J L, 1 891

-, Savage, J L , Dirstine, M J , and Queen, F B Induction of tumors in rats by carcinogens in various lipids 1 821

Davidsohn, I, and Stern, K Natural and immune antibodies in mice of low and high tumor strains 9 426, 605

-, and - Further studies on natural antisheep agglutining in mice of inbred strains 10 211, 571

- and Bittner, J J Mill agent and natural antisheep agglutinins in mice of inbred strains 10 212

Davidson, J R, and Leslie, I Nucleic acids in relation to tissue growth A review 10 587

Davis, C L See Neubuerger, K T. 3 243

Davison, C See Kelly, M G 9 555

de Bruyn, W M A lymphopenia-cauring agent, probably a virus found in mice after injection with tumor tisue and with cell free filtrates of lymphospreoma T 86157 (MB) 9 395

- Study in ritro of a strain of lymphoblast-lile cells MB 13 derived from mouse lymphosarcoma MB (T 86157) 9 593 - Korteweg, R, and van Waveren, E K Transplantable mouse lymphosarcoma T 86157 (VIB) studied in riro in ritro, and at autopsv 9 282

DeEds, F See Cox A J Jr, 7 647 - See Wilson, R H 1 595 7 444 450 453

de Hostos, E See Duran Revnals I . 5 11

deLong, R P See Coman D R 9 614

-, and Coman. D R Studies on metastasis effect of anatomical location on growth of tumor implants 10 212

-, and - Relative susceptibility of various organs to tumor transplantation 10 513

Denington, E M See Burmester, B R, 7 727, 779

Denton, R W, Sheldon, P, and Ivy, A C Attempts to produce gastric carcinoma experimentally in gastric ulcer 10 691

Denues A R T Discussion of electronic theory of carcinogenesis 9 627

- See Simpson, W. L. 9 602

de Oliveira, J R See Hones, E L. 8 419

DeOme, K B See Strut L A 7 310 8 231

Deringer, M K See Heston W F, 9 544 60)

- See Lorenz, I , 6 487 - and Heston, W E Relationship between lethal vellow (1) gene of mouse and susceptibility to spontaneous pul monary tumors 7 719

de Ropp, R S Tumor formation on stem fragments in ritro 8 519

Detty, W E See Hartwell J I 9 597

Deutsch, H F, Miner D L, and Rusch, H P I ffect of careinogenic hydrocarbons and related compounds on autoxidition of oils 1 818

DeVita, J See Hooker, C W, 5 590

Devor, A. W. See Winzler R. J. 6, 496

Dewey, V C See Kidder G W 9 610

Dexter, S O See Kensler C 1,2 1

Dictions, F See Weil Mallierbe II, 4 425 6 171

and Weil-Matherbe, H. Inctors affecting carcinogenesis I 2 560

- and - Investigation into possible carcinogenic activaits of wood smoke 2 650

 and —— Metabolism of normal and tumor tissue XX 3 7 >

- and -Inctors affecting enremogenesis III 6 161

Dickie M M See Woolley G W 7 722 9 104

- and Woolley G W Spontaneous basophilic tumors of pituit irv glands in gonadectomized mice 9 872

Dillard G H L, and Chanutin, A Protesse and artiprotes c of plasmas of patients with cancer and other diseases 9 CCs - Pearsall H R and Chanutin A Hectrophoretic nitro-

con lipide and enryme studies of pla mant diplas raifric tions in cancer 9 Ct1

Diller I C Degenerative changes a duced in tu por cells by Serra ia mercescere polissiccharide 7,000

- I ffect of similtar ecus adminitration of bacterial p. is succh ride and adre in cortex extract on cells of the setting transfer at donadre in glands of host 7.71.

- Turgi associated with tumor trains 10 2/2

- See Bred L 1 7 725

Ser Creech H J 7 71 8 315 9 70

- Beck L V and Blanch B Ffirst of adminal end miles tract on growth of certain mountumers 8 591

Blauch B, and Beck L V Pittelormic angree m adrenal gland of turnor bear ig mice invested on I Series a marre rene polyarenande aline and in combination with adrenal cortical extract 8 391

and Fisher II I olation of functions transported chemically induced and spontaneous tum = I 10 595

and Shear, If J Citcharal efforts of S man more polysacchande on tumo- 6 188

Di Mano, M See Duffield T J 1 -1"

Dirstine II T See Daverport H A 1 921

Dische, Z See Lewi of n R 2 818

Dittmer, K See Ken ler C J 3 823

Djanian, A. Y. Shanklin W. M. and Butros J. T. I Fred c. tubercle bacilli extracts on induced tumor c ret 9 20

Dmochowski, L. Reported production of turner by record liver cells of mice bearing tumos produced by mathylat I rethrene 3 608

Dobriner, K Sec Stevenson L S 2 160

- Sugium K 10 233

- Gordon, E , and Rhoads C P Studies of exerction of stero d in urine of normal pirrons, cancer patient, and patients with adreral hyperplasia 3 1 2

Lavin G I, and Rhoads, C P Spectro copic study of biological extracts I 2 79

Lieberman S. Abels, J. C., Homburger F. Pelfens'ein E. C., Jr. and Phoads, C. P. Steroid exerction in gastrecancer 9 295

- and Rhoads, C. P. Exerction in upper functabilities of adrenal co-tical hormones in Fealth and deca is cluding neopla tie growtl 7 711

- Wilson, H and Rhoads C P Adre alfunction in

patients with neoplastic disease 10 21

Rhoads C P and Larin G I Spectro copic tuly of biological extracts II 2 95

Dodds E C , Lawson W and Williams P C Te in core on gen analogues for carcinogenic activity 5 + >

Dolgoff S See Schrek R 10 49

Doljanski, L. See Goldhaber, G. 4, 110

See Halber 'nedter I 2 28

See Mi zur II B 5 422 See Pilovski M 7 00, 10 1

- See Tenerbaum F 3 355

- Goldhaber G and Halberstandter L Compunitive studic on ridio-ensitivity of normal and rolling a if cell in culture II 4 106

- and Pikovski, II Cultures in miro of bissel on! bile marro and myocardium from leuke in fire 125

- and -- Agent of foullous of sints occuliated 2 (? - and Tenenbaum E Studies on Icci is in in in in it vated in - tro I 2 776

Dorfman R I See Ro & M 1 52 Ion

Dosne C Inactivate a chantifliamateur a to are progo term e and de oxycortico terme necet te in liver 4 ul?

Dougherty J H and Dougherty T F S 1 ! د ع مهمه د م المتمس العمور of in or of a uniplems (4 a limplation unself on 9 (

Dougherty T.F. Sr. Do girets J. H. O. c.

- >cc> -(cha (r \ 10 -

Doun e A L and Shanes se P P Lasere ! lune and legen and 10 10 %

Dowdy A H % H 'l G (10 "

Downey & work refer al and fre

- Selvie J. 9

---, Hartwell, J L, Leiter, J, and Shear, M J Effect of single injection of colchici e colchicire derivatives and re-Inted composido o i mouse tumors 9 598

Drabkin, D L See Rosenthal O 4 487

Drasher, M L See Zall, P A, 7 658

Dratman, 11 B See Hoster, H A 8 1, 49

Drysdale, G R See Cases, 1 F , 7 728

DuBilier, B and Warren, S L Fffect of colchicine on mitotic activity of Brown-Pearce rabbit epithelioma 1 966

Dubnik, C S See Morris, H P , 6 492 7 750 8 590 10 233

Duboff, G S Study of iodorcetate inhibition of thermocongulation of serum protein in cancer and tuberculosis 10 217

— See Hirshfeld S 6 57

DuBois, K. P., See Potter, V. R. 3 1.3

-, and Potter, V R Biocatalists in cancer tissue I 2 290

Du Buy, H G See Woods M W 8 391 9 571

Duchesne, E. See I vans. V. J. 9, 778

—— See Sanford. K. K. 9, 378, 10, 238

Ducoff, H See Neul W , 9 562

Duffield, T J, and Di Mario, M Cancer mortality in Nev York City 1901 to 1935 1 113

Durgar, B M See Hildebrandt, 1 C 6 368

Dulancy, A D See Arnesen, K, 9 669

Goldsmith, Y., Arnesen, K., and Buxton, L. Serological study of cytoplasmic fractions from spleens of normal and leukemie mice 9 217

Dunham, L. J. See Brunschwig, A. 6 250

-, and Brunschwig, A. Calcium and potassium content of secretions from noncancerous and cancerous stomachs 6 54

- Nichols, S, and Brunschwig, A Potassium and calcium

content of curcinom is in dipopullomas of colon 6 233

Dunlap, C. E. Sc. Jones R. N. 4 200, 218

and Changus, C. W. Acid phosphatase activity of gastric contents of patients with exemoma of stomach 9 610

-, and Warren, S Chemical configuration and carcino-

Bene is 1 ~ 0.959

- and — Incidence of primary lung tumors in mice with ii duced sarcomas 2 CS5

- and —— (arcmogenic activity of some rew derivatives of aromatic hydrocarbons I 3 606

- and --- II 6 154

Dunn, M S, Feaver, E R, and Murphy, E A \mino acid composition of fibrospreoma and its normal homologous tissue in rat 9 306

Dunn, P See Polya I B 10 543

Dunn, T B See Andersont H B 7 7 0

-- Sec I in I W 9 606

- See Marker, M. I., 5, 591
- See Morris, H. P. 7, 7,0, 8,390
- and Lehmann, S. Necrosis produced in transplanted mouse execution is with S marcescens poly-recharide 6 488

Dunning, W F See Cahill, W M , 3 830

See Reich C 3 245

- and Curtis, M R Respective roles of longevity and geretic specificity in occurrence of spontaneous tumors in hybrids between two inbred lines of rats 6 61

-, and --- Multiple peritoneal sarcoma in rats from intraperitonial injection of washed ground Taenia larvae 6 668
and Friedgood, C E Incidence of benzpyreneinduced sircomas in alloxan-diabetic rats 8 83

-, and --- Incidence of benzpyrene-induced sarcomes in diabetic and alloxan-refractive rats of three strains

9 -,, ____ - and Madsen, M E Induction of neoplasms in five strairs of rats with acets laminofluorene 7 134

- and Maun M E Spontaneous malignant mixed turner of rat a disucces ful transplantation and separation c' boil components from mammars tumor 5 644

- and - Effect of dietary fat and carbohydrate on diethylstilbestrol-induced mamman cancer in rats 9 354

-, ---, and --- Ffrect of added dietary tryptophane on occurrence of induced cancer in rats 10 213

-, ---, and --- Effect of added dietary tryptophane on occurrence of diethyl-tilbestrol-induced mammary cancer in rats 10 319

 Effect of added dietary tryptophane on --, and -occurrence of 2-acety laminofluorene-induced liver and bladder cancer in rats 10 454

-, and Segaloff, A Methylcholanthrene squamouscell carcinoma of rat prostate with skeletal metastases and fulure of rat liver to respond to same carcinogen 6 256

-, and - Strum differences in response to diethylstilbestrol and the induction of mammars gland and bladder cancer in rat 7 511

- and Reich, C Studies on morphology of peripheral blood of rats II 3 258

—, and — - III 3 266

Durand, E A See Strong L C, 3 21

Duran-Reynals, F Studies on Rous virus in foreign species 1 729

Reciprocal infection of ducks and chickens with tumorinducing viruses. With notes on histopathological findings by Henry Bunting 2 543

Infection of turkeys and guinea fowls by Rous sarcoma virus and accompanying variations of virus 3 569

Immunological factors that influence neoplastic effects of

rabbit fibroma virus 5 25

Transplantability and presence of virus in spoataneous sarcomas and fibromas of chickens in relation to age of tumor-bearing animal 6 529

On transplantibility of lymphoid tumors embryonal

nephromas and carcinomas of chickens 6 545

- Study of three new duck variants of Rous chicken sarcoma 7 99

- Transmission to adult pigeons of several variants of Rous surcoma of chickens 7 103

- See Milford I I, 3 578 - See Shrigley, E W 5 356 7 15

-, and King, J W Reciprocal effects of natural immune bodies from chickens and ducks on variants of sarcoma virus 7 21

-, and Shrigley, E W Study of five transplantable chicken spreomis induced by viruses 6 535

, and de Hostos, E Carcii ogenesis induced by methylcholanthrene in pigeons, guinea fowls, and ducks 5 11

du Vigneaud, V See Burk, D, 3 130 - Scc Kensler, C J , 3 S2S

Dyer, H M See Evans, V J. 7 728

- Ross, H E, and Morris, H P Further study on recovery of acetylaminofluorene from rats following oral administration 10 214

Earle, W R Morphologic stability of six strains of malignant mouse fibroblasts growing in ritro 7 728

- See Burk, D , 9 578

See Evans V J , 9 558

See Sanford, K K, 9 558, 10 258

- See Shelton, E , 6 502

, Sanford, K K , Evans, V J , Schilling, E L , and Likely, G D Certain recently developed tissue culture procedures applicable to study of nutrition of normal and malignant cells 9 593

, Shelton, E, and Schilling, E L Results of injection of cultured fibroblasts into strain CSH mice 10 214

Eddie, B U See Bierman, H R, 10 203

Eddy, M S See Hummel, K P, 9 135

Edgcomb, J See Brunschwig, A 6 560

Edmonds, H W, and Hawkins, J W Relationship of twins, teratomas and ovarian dermoids 1 896

Edward, M F See Evans, V J, 9 558

Edwards, J E, and White, J Morphology of hepatic tumors in rats fed p-dimethy laminoazobenzene (butter vellow) 1 746

Edwards, P C See Skipper, H E, 10 166

Eggers, H E See Lauridsen, J , 3 43

Ehrenreich, T See Warren, S, 4 554

Eichelberger, L See Huggins, C, 4 447

Eichen, S See Bernhard, A, 8 295

Eichwald, E J Heterologous transplantation of cancer of childhood 8 273

Significance of the anterior chamber in tumor transplantation across strain barriers 10 214

-, Evans, R G, and Browning, G B Significance of anterior chamber in tumor transplantation I 10 483

Eisen, M J Tumor inhibition associated with secretory changes produced by estrogen in transplanted mammary adenocarcinoma of rat 1 457

Constancy under varying conditions of transplanted mammary carcinoma in inbred mice 2 489

Occurrence of benign and malignant mammary lesions in rats treated with crystalline estrogen 2 632

Betel chewing among natives of Southwest Pacific islands Lack of carcinogenic action 6 139

Induction of sarcoma of liver in rat with methylcholan-

threne and benzpyrene 6 421
—, and Woglom W H Nonspecific nature of induced resistance to tumors 1 629

Eisenberg, R B See Coman, D R 9 649

Ekman, B, and Strombeck, J P Tumor production and metabolism of azotoluene azotoluene split products and aniline in rats on various diets 9 618

Eliel, L P See Pearson, O H, 10 235

Ellerbrook, L D See Eriksen N 10 215

- See Thornton H 9 627 10 245

Rhees, M, Thornton, H, and Lippincott, S W Complement fivation in animal neoplasia II 9 604

Elliott, D W See Cliffton E E 9 422

Ely, J O, and Ross, M H Nucleic acid content in intestines of rats after x-radiation 8 285

-, and — Nucleic acid content in intestines of rats after neutron radiation 8 607

Emerson, W, Kennedy, B J, and Nathanson, I T Histological alterations in cancers of breast in patients treated with steroid hormones 9 551

Engel, R W Dietary factors influencing the carcinogenicity of 2-acetylaminofluorene 10 215

- See Copeland, D H , 10 211

and Copeland, D H Consistent production of rat mammary carcinoma by feeding 2-acetylaminofluorene 9 566

 Relation of diet to development of mammary tumors induced by feeding 2-acetylaminofluorene 9 608

Engelbreth-Holm, J Acceleration of development of mammary carcinomas in mice by methylcholanthrene 1 109 , and Iversen, S Effect of ultraviolet irradiation on car-

cinogenic potency of certain hydrocarbons 7 372 , and Lefevre, H Acceleration of development of leukemias and mammary carcinomas in mice by 9,10-dimethyl-1,2-benzanthracene 1 102

and Rask-Nielsen, R On sensitivity of different tissues in Street strain mice to 9,10-dimethyl-1,2-benzanthracene 7 129

Engelman, M Sec Gellhorn A 10 170

Engle, E T Tubular adenomas and testis like tubules of ovaries of aged rats 6 578

, Krakower, C, and Haagensen, C D Estrogen administration to aged female monkeys with no resultant tumors

Eriksen, N , Ellerbrook, L D , and Lippincott S W Studies of various tests for malignant neoplastic diseases I 10 215

Errera, M, and Greenstein, J P Desamidation of glutamine and asparagine in normal and neoplastic hepatic tissues 7 712

Erslev, A J See Burchenal, J H 8 387

Erwin, C P See Shetlar, M R 10 445

Eschenbrenner, A B See Lorenz, A B, 6 485 9 621 See White F R , 5 594

Escher, G C See Mellors R C, 8 386 9 552

Eshbaugh, D See Zanes R P Jr 9 601

Evans, H M See Moon, H D 10 297, 364, 549

Evans, R G See Eichwald E J 10 483

Evans, T C Effects of radioactive sodium on leukemia in mice 6 498

Evans, V J See Earle W R 9 593

- Dyer, H M, and Kelly, M G Use of purified fibrinogen with certain strains of normal and malignant fibroblasts in tissue cultures 7 728

 Earle, W R, Duchesne, E, Edward, M F, Wilson,
 E P, Likely, G D, and Schilling, E L Perforated cellophane as solid substrate substitute for heterologous clot used in tissue culture cancer studies 9 558

Eveleth, M S, and Wetzel N C Rapid growth of bronchiogenic carcinoma 1 721

Everett, M R See Shetlar M R 9 515 10 445 681

Fahl, J C See Rosenthal O 10 237

Falk, H L, Goldfein, S, and Steiner, P E Products of pyrolysis of cholesterol at 360°C and their relation to carcinogens 9 438

Faloon W W, Owens, L A, Broughton, M C, and Gorham, L W Effect of testosterone on pituitary-adrenal cortex mechanism in patients with breast cancer 10 215

Fardon, J C, Prince, J E and Berning, Sister N Effect of beef spleen extract on mitosis in small intestine of mouse

Farrow, J H See Mellors R C, 8 386 9 552

Favata, B V See Schilling J A 9 592

Favorite, G O, and Cheever, F S Observations on Brown-Pearce carcinoma in roller tube tissue cultures 1 136

Fawcett, D W Bilateral ovarian teratomas in a mouse 10 705 Feaver, E R See Dunn M S, 9 306

Feigelman, H See Frantz I D Jr 9 619

Feigelson, M See Bass A D, 8 503

Feinstein, R N Effects of growth inhibitor and other factors on tissue cathepsins of tumor-bearing rats 10 93

, and Volk, M E Effects of growth inhibitor and other factors on phosphoprotein phosphatase of tumor-bearing rats 10 96

Fekete, E Comparative study of ovaries of virgin mice of dba and C57 black strains 6 263

— See Woollev G W, 3 120 — and Little C C Observations on mammary tumor incidence of mice born from transferred ova 2 525

- and — Histological study of adrenal cortical tumors in gonadectomized mice of ce strain 5 220

Fell H B, and Allsopp, C B Action of mustard gas $(\beta\beta'$ dichlorodiethylsulphide) on living cells in ritro I II 8 145 - Effect of repeated application of minute quantities of mustard gas (83'-dichlorodiethylzulphide) on

skin of mice 8 177
— and — Tissue culture experiments on biological action of methyl bis (β-chloroethyl) amine and its hydrolysis

products 9 238

Field J B Prothrombin activity in rats with mammars tumors 8 172

-, Baumann, C A , and Link K. P Prothrombin activity in rats with hepatic and other tumors 4 768

Field, N S See Werthessen > T 10 679

Figge, F H J Fluorescence studies on cancer I 4 465

Luminescence-porphyrin photo-ensitization theory of carcinogenesis 6 498

Influence of cosmic radiation on induction of cancer 7 721

12 See Brunst V V 10 205 See Hueper W C, 5 328 See Jones I G, 4 472 See Strong L C, 6 466 - Jores, E G, and Wolfe, G F Fluorescence studies on cancer III 4 183 and Strong, L C Xanthine oxidase (dehydrogenase) activity in livers of mice of cancer-susceptible and cancerresistant strains 1 779 porphyrins in Harderian glands and susceptibility to spontaneous mammary carcinoma in mice 2 335 -, and Weiland, G S Studies on cancer detection and therapy affinity of neoplastic embryonic, and traumatic tissue for porphyrins and metalloporphyrins 9 549 -, Wolfe, G F, and Figge, R Y Influence of certain sulformule drugs on cancer susceptibility and reproduction in mice 9 630 Figge, R Y See Figge, I II J, 9 630 Fink, H See Mever, I M, 9 562 Finkel, M. P., See Brues A. M., 7 48, 9 545, 604 Sec I 1500, H , 7 721 Firminger, H I Ultraviolet absorption studies of interstitual cell lipoid of testis in normal and in stilbestrol treated mice **10** 2i6 - See Cooper, 7 K 4 617 Fischer, C E See Burk, D, 6 397, 7 712 9 558 - See Hesselbach M I , 7 724 Fisher, M. See Beek, L. V. 6, 410, 489, 7, 725 —— See Diller, I. C. 10, 595

Fishman, W H See Homburger, F 10 225

-, and Aniyan, A. J. β -(elucuronidese ectivity in human tissues. Some correlations with processes of malignant growth and with physiology of reproduction 7 808 - Kasdon, S C, and Homburger, F Tactors in eviluation

of β flucturonidase activity in cancer of uterine cervix 10 216

-, Marlus, R L, Pfeisser, P H, and Homburger, F eta-Glucuronidase activity and lactic acid content of body fluids of patients with and without cancer 9 609

, Wayne, A, and Homburger, F Evaluation of diagnostic tests for cancer II 9 681

Fish, A A See Greene, H S N , 7 502

Fitzhugh, O G See Nelson, 1 1, 2 11 3 230

Flory, C M Production of tumors by tobacco tars 1 262 Furth, J, Saxton, J A, Jr, and Reiner, L Chemo the repeutic studies on transmitted mouse leukemin 3 729

Fluharty, R G See Rawson, R W, 8 382

Fogg, L C, and Warren, S Some cytologic effects of therapeutic ridiation 1 649

, and --- Some cytologic effects of repeated doses of ridiation on mouse sarcoma 180 2 517

Fong, C See Thornton, II, 10 215

Ford, I R See Reiman, M S, 10 467

Foster, J V See Shetlar, M R, 9 515

Frankel, S Sec Roberts F , 9 231, 548, 645 10 237

Franks, W R, Bather, R, and Thompson, J S Influence of hormones playing role in normal metamorphosis on chemie il e ireinogenesis 10 216

, and Meek, G A Influence of background radiation on methylcholanthrene carcinogenesis in mice 10 217

Franseen, C C, Aub, J C, and Simpson, C L Experimental production of fibrospreoms of bone 1 393

 and —— 1 speriment il tumors in lymph nodes and in ei docrine ind salivary glands 1 489

Frantz I D , Jr See Bucher \ I R , 9 620, 10 207 - See Jameenik P C 9 547, 612

-, and Feigelman, H. Biosynthesis of amino acids uniformly labeled with radioactive carbon for use in study of growth 9 114

Frantz, M J See Kirschbaum 1,6 707

, and Kirschbaum, A Sex hormone secretion by tumors of adrenal cortex of mice 9 257, 596

-, ---, and Casas, C B Endocrine interrelationship and spontaneous tumors of adrenal cortex in NH mice 9 550

Freed, J. H., and Pendergrass, E. P. Diagnosis and treatment of primary ovarian carcinoma with special reference to radiation therapy 8 361

Freeman, D, and Zimmerman, H M Experimental brain tumors V 4 273

Friedell, H L Sec Koletsky, S, 10 129

Friedenwald, J S Recent studies on cornerl metabolism and growth \review 10 461

Friedgood, C E See Bender, D H, 9 61 557

See Dunning W F, 8 S3 9 546

-, and Green, M N Studies on effect of furnem on growth of a fibrosarcoma in mice 10 217

-, and --- Effect of nitrofurazone on growth of fibrosarcoma in mice 10 613

Friedman, F See Hirnly, M H, 9 604

Friedman, N B Germinoma of the pineal Its identity with germinoma ('seminoma') of testis 7 363

Morphogenesis and evolution in malignant tumors Spontaneous maturation and regression of testicular neoplasma 7 719

Comparative morphogenesis of extragenital and gonadal teratoid tumors 10 218

Friedman, O M See Seligman, A M, 9 624

-, and Rutenburg, A M Study of N-iodorcety lamino acids

in relation to inhibition of tumor growth 9 599

-, and --- Study of relative toxicity of N-iodorcetyl amino acids and of tissue distribution of radioactive analogues containing I131 in relation to inhibition of growth of sarcoma 37 in Swiss mice 9 619

, ---, and Seligman, A M Distribution studies with nitrogen mustards labeled with radioactive iodine 10 218

Friedmann, B See Shav, II, 10 241, 797

Friesen, A M See Altschul, R, 9 225

Fuenzalida, F See Lipschitz, A, 4 179

Fuller, R H, Brown, E, and Mills, C A Invironmental temperatures and spontaneous tumors in mice 1 130

Fulton, G P See Lutz, B R, 10 231

Furth, J Transplantability of induced granulosa cell tumors and of luteoma in mice and secondary effects of these growths 6 503

See Bali, T, 9 149, 621 See Breedis, C, 2 116

- See Burk, D , 1 732, 3 121

- See Cole, R K, 1 957 - Sec Flory, C M, 3 729

See Gottschalk, R G , 9 594

— See Hall, V Е, 2 411

- See McLndv, D P, 3 121, 4 377

- See Saxton, J A, Jr, 4 401

-, and Barnes, W A Differences between malignant blood cells from induced and spontaneous leukemins of mice 1 17 -, and Boon, M. C. Induction of overlan tumors in mice by 1-rays 7 211

, and Kaliss, N On genetic character of neoplastic cells as determined in transplantation experiments. With notes on sometic mutation theory 4 1

-, and Cole, R K Role of heredity and extrinsic factors in causation of leukemic 1 789

-, and Boon, M C Effect of maternal influence upon spontaneous leukemia of mice 2 280

-, and Sobel, H Transplantable luteoma in mice and as-

sociated secondary changes 7 246 Neoplastic transformation of granulosa cells in . and -

grafts of normal ovaries into spleens of gonadectomized mice 7 710

Gal, E M See Greenberg, D M, 10 221

Galinsky, I Uptake and distribution of radioactive phos-

phorus in chicken eggs containing rapidly growing mammary tumor of C3H mouse 10 642

See Taylor, A, 9 622

Galt, R M See Orbison, J L , 1 891

Gamble, J F See Anlyan, A J, 9 610

Garai, F Heptyl aldehyde sodium bisulfite toxicity and effect on spontaneous mammary carcinoma in mice 1 144

Garcia, M See Pearson, B . 3 132

Gardner, L I, Sniffen, R C, Zygmuntowicz, A S, and Talbot, N B Biopsy and steroid excretion studies in congenital adrenal cortical hyperplasia 10 218

Gardner, W U Effect of estrogen on incidence of mammary and pituitary tumors in hybrid mice 1 345

Estrogenic effects of adrenal tumors of ovariectomized mice 1 632

Persistence and growth of spontaneous mammary tumors and hyperplastic nodules in hypophysectomized mice 2 476

Testicular tumors in mice of several strains receiving triphenylethylene 3 92

Spontaneous testicular tumors in mice 3 757

Some influences of hormones on growth and persistence of transplanted testicular tumors 5 497

Hormonal factors in growth of transplanted testicular tumors in mice 5 590

Incidence of mammary tumors and structure of mammary glands of estrogen plus testosterone-treated mice 6 493

Steroid hormones in induction of cancer 7 37

Hormonal imbalances and tumors of endocrine glands 7 709

Hormonal imbalances in tumorigenesis 8 397

 Effect of estradiol benzoate and testosterone propionate on x ray-induced leukemia in mice 10 219

See Allen, E , 1 359 3 124 See Blaisdell, J S , 1 283 See Collins V J , 3 29

- See Li M H 7 38, 549, 710 9 35 10 162

See Miller, O J 10 233
See Pan, S C 8 337, 613 9 549
See Smith F W 9 193

- See Wolstenholme, J T, 10 249

-, Dougherty, T F, and Williams, W L Lymphoid tumors

in mice receiving steroid hormones 4 73 -, and Li, M H Influence of age of host and of ovaries on tumorigenesis in intrasplenic and intrapancreatic ovarian grafts 9 595

and Pan, S C Malignant tumors of uterus and vagina in untreated mice of PM stock 8 241

and ---- Uterine and cervical tumors in untreated and hormone-treated mice 9 549

Gasic, G See Biesele, J J. 7 65

Gates, O See Warren S 1 65

Geiser, R C See Ray F E, 10 616

Geisse, N C See Kirschbaum, A, 9 622 10 762

and Kirschbaum, A Transplanted mouse leukemia as test object for evaluation of chemotherapeutic agents 10

Gellhorn, A, Engelman, M, Shapiro, D, M, Graff, S, and Gillespie, H Effect of 5 amino-7-hydroxy-1 H-r-triazolo (d) pyramidine (guanazolo) on a variety of neoplasms in experimental animals 10 170

Gemmell, A A Observations on colloidal vanadate reaction (Bendien reaction) in series of cases of carcinoma of cervix

Geren, B B See Cowdry, E V, 6 620

Gessler, A E, Grey, C E, Schuster, M C, Kelsch, J J, and Richter, M N Notes on electron microscopy of tissue sections I 8 534

-, ---, and --- II 8 549

Gey, G O Cytological and cultural observations on transplantable rat sarcomata produced by inoculation of altered normal cells maintained in continuous culture 1 737

See Hanks, J H . 7 728

, and Bang, F B Factors influencing stability of cultured strains of normal and malignant cells 9 593

, and Study of effect of virus of Eastern equine encephalomyelitis on normal and tumor cells in tissue culture and by electron microscopy 10 219

, and Gey, M K Further observations on conversion of normal into malignant cells in ritro 7 729

Gey, M K See Gey, G O . 7 729

Giese, J E , Clayton, C C , Miller, E C , and Baumann, C A Effect of certain diets on hepatic tumor formation due to m'-methyl-p-dimethylaminoazobenzene and o'-methyl-pdimethylaminoazobenzene 6 679

, Miller, J A , and Baumann, C A Carcinogenicity of m'methyl-p-dimethylaminoazobenzene and of p-monomethyl-

aminoazobenzene 5 337

Gilbert, J B See Hamilton, J B , 2 125

Gilder, H See Summerson W H , 8 381

Gillespie, H See Gellhorn A 10 170

Gillespie, J See Beck, L V 9 626

Gilson, P R See Stevens, C D 9 139

Gjessing, E C See Chanutin A 6 496 599

and Chanutin, A Effect of nitrogen mustards on viscosity of thymonucleate 6 593

Glinos, A D Effect of regeneration on growth capacity of rat liver in ritro 9 593

— See Bucher, N L R 7 724 10 324

Glücksmann A Histogenesis of benzpyrene-induced epidermal tumors in mouse 5 385

Goerner, A , and Goerner, M M Vitamin A and toxic action of dibenzanthracene on thsues 3 833

Goerner, M M See Goerner, A, 3 833

Goetsch, J B See Salter W T . 7 723

Gofstein, R See Rutenburg A M 10 113 - See Seligman A M, 9 366 601

Gogek, C J See Jones R N , 4 209 218

Goland, P P See Lewis, M R , 7 718 9 736

Goldfeder, A Effects of reduced temperatures upon growth and metabolic changes of sarcoma 180 grown in rito 1 220

Cell viability as factor in inducing resistance to malignant growth 3 127

 Further studies on relation between radiation effects, cell viability and induced resistance to malignant growth III

Effect of dried spleen upon production of liver malignan cies in rats by p-dimethylaminoazobenzene 6 487

Effects of radiation on mammalian tissue cell normal and malignant 8 383

Relative metabolism in ritro of analogous mammars

tumors I 9 622 10 89

 Physiological and cytological characteristics of analogous mammary tumors and their relation to radio ensitivity **10** 219

and Cameron, G Growth in tissue culture of analogou. mouse mammary carcinomas and their response to radia tion 8 465 9 559

Goldfein, S See Fall H L 9 438

Goldhaber G See Doljanski L 4 106

See Halberstaedter L . 2 28

See Miszurski B 5 422 See Pikovski M 7 393

Doljanski, L , and Halberstaedter L Comparative studies on radiosensitivity of normal and malignant cells in culture III 4 110

Goldsmith, E D See Harnly, M H, 9 604

and Harnly, M H Reversal of action of folic acid antagonist 4-aminopterovlglutamic acid in Drosophila melanogaster 10 220

, Schreiber, S S, and Rigrelli, R F Effect of pterovlglutamic acid antagonist on response of amphib an immature oviduct to estrogen 9 605

Geldsmith, & See Ameson K 9 669 - See Dulates A D 9 217

Gol z, H. L. See Hoffman J. G. 3 126 237

- See Reinlard M (1 653 5 102 -- 'ce Warrer, > G 5 584

Gomori, G. Phosphamidase in neoplasms. 9 609

Gonz lez, S See I ip chutz 1,2 204

Goodman, S N See Taylor I 5, 10 360

Goral-Ayenrar, A P, and Cowdry, E V Desorvribose nucleic acid from isolated chromosome threads in experimental epidermal methylcholanthrene carcinogenesis in mice 7-1

-, and Simpson, W. L. Hvaluronidase and growth of malignant epithelial tumors 7 727

Gorbman, A Thyroid changes induced by prolonged feeding of thiouren 6 492

 Thyroidal and vascular changes in mice following chronic treatment with goitrogens and careinogens 7 746

Tumors of pituitary and tracher in mice after high dosages of radioactive iodine 9 596

and Gordon, M Structural and functional characteristics of spontaneous thyroid tumors in a swordtail fish species 9 605

Gordon, D See Segaloff, 1, 10 240

Gordon, E See Dobriner, K , 3 132

Gordon, M. Genetics of melanomas in fishes V 1 656

See Gorbman A , 9 605

See Grand, (G , 1 660

- See Levine, VI, 6 197
- See Nigrelli R I, 10 234
-, and Rigrelli, R F. Genetics and pathology of melanomas in hybrid offspring of two species of swordtails, Xiphophorus montezumae and Arphophorus hellerii 9 553

-, and --- I ffect of two linked color genes upon atypical growth of erythrophores and macromelanophores to form erythromelanomas in four generations of hybrid fishes 10

Gorer, P A Pathology of malignant histocytoma (reticuloendothelioma) of liver in mice 6 470

Antibody response to tumor inoculation in mice With special reference to partial antibodies 7 634

Gorham, L W Sec I aloon, W W, 10 215

Gormsen, H Micrometric investigations on my cloma cells and normal bone marrow plasma cells 7 729

Goth, A, and Littmann, I Ascorbic acid content in human cancer tissue 8 349

Gottesman, E D See Laszlo D 10 230 See Schilling, A., 10 239

Gottschall, R G Observations on chemically induced chicken tumor containing antigen related to that of a leukosis sarcompagent 3 649

I actors influencing stability of filtrable agent of chicken leukosis and sarcoma 6 270

and Furth, J. Polycythemia associated with transplantable luteoma 9 594

-, and Swartz, P Action of hormones on uterine and vaginal implants in mouse 10 221

Goulden, F See Warren, T L, 4 417

and Warren, F L Hemoglobin content of blood of mice of RIII and chastrains 4 421

Grad, B, and Stevens, C E Histological changes produced by single large injection of radiophosphorus (P3") in albino rats and in CSH mice 9 620 10 289

Grady, H G See Blum H F, 1 742

Blum, H F, and Kirby-Smith, J S Pathological features of tumors of stain A mice induced by ultraviolet radiation 1 736

and - Histologic types of cutaneous tumors ii duced by ultraviolet radiation in strain A mice 3 128

Graff S Studies on nucleic acid metabolism 8 382

- See Gellhorn A 10 170

—, Moore, D. H., Stanley, W. M., Randall, H. T., and Haagensen, C. D. Wilk agent 7 722

, Stanley, W M, Moore, D H, Randall, H T, and Haagensen, C D Isolation of mouse mammary carcinoma virus 9 611

Graham, J B See Saxton, J A, Jr, 4 168

Grand, C G Micromanipulation studies on physiological renction of muscle elements in rhabdomy osarcomn 6 504

Tissue culture studies of lymph nodes of Hodgkin's disease 7 49

Cytoplusmic inclusions and characteristics of Hodgkin's diseased lymph nodes in tissue culture 9 183

Production of agglutinins in rabbit by injections of puri fied extracts of biopsied Hodgkin's lymph nodes 10 221

-- See Chambers, R, 3 127 -, and Cameron, G Human lymph nodes of Hodgkin a disease grown in tissue culture 3 183

 Increased activity of Hodgkin's disease factor -, and by serial transplants in tissue culture 6 502

, and Chambers, R Effect of x-radiation on hypotomic cytolysis of sea urchin eggs 3 127

Gordon, M, and Cameron, G Neoplasm studies, VIII 1 660

Grant, R Sec Briggs, R W, 3 613

Grant, W C, and Krantz, J C, Jr Mechanism of action of certain urea derivatives on normal and tumor tissue 2 833

Gray, A E, Armstrong, M I, and Ham, A W Cultivation of p dimethylaminoazobenzene-induced rat liver tumors in fertile eggs 10 221

Green, E U On occurrence of crystalline material in lungs of normal and cancerous Swiss mice 2 210

On special condition of interphase nucleus in normal and cancerous cells 9 267

See Miller, G L, 10 141, 148

Green, J W, Jr, Benditt, E P, and Humphreys, E M Effect of protein depletion on host response to transplantable rat tumor Walker 256 10 769

, and Lushbaugh, C C Histopathological study of mode of inhibition of cellular proliferation by urethane effect of urethane on Walker rat carcinoma 256 9 199

 Histopathologic study of mode of inhibition of cellular proliferation effect of 4 dimethylaminostilbene on growth of Walker rat carcinoma 256 9 692

Green, M N See Friedgood, C E, 10 217, 613

Green, R G, and Bittner, J J Neutralization of mouse mammary cancer virus with antiserum 6 499

-, Moosey, M M , and Bittner, J J Antigenic character of cancer milk agent in mice 5 588

Greenberg, D M See Baker, C G, 9 701

, Irish, A J, and Gal, E M Effect of metabolite analogs on growth of transplantable tumors 10 221

Greene, H S N Heterologous transplantation of human fibrosarcoma 2 649

Participation of anterior chamber of eye in resistance phenomena related to tumor growth 2 669

Occurrence and transplantation of embryonal nephroma ın rabbit 3 434

· Heterologous transplantation of embryonic mammalian tissues 3 809

Heterologous transplantation of mouse tumors induced in citro 6 396

Use of heterologous transplants as aid to diagnosis and classification of human tumors 6 502

Use of mouse eye in transplantation experiments 7 491 Heterologous transplantation of Brown-Pearce tumor 9 728

See Shrigley, E W, 5 356, 7 15

, and Brown, W H Transplantable squamous-cell carcinoma in rabbit 3 53

, and Lund, P K Heterologous transplantation of human

-, and Murphy, E D Heterologous transplantation of mouse and rat tumors 5 269

, Newton, B L, and Fisk, A A Carcinoma of vaginal wall in rabbit 7 502

Greenfield, R E, and Meister, A Studies on inhibition of liver catalase in tumor bearing animals 10 222

Greenspan, E M, and Leiter, J Toxicity and hematologic changes produced by a peltatin, \beta-peltatin and podophyllotovin 9 *626*

-, and Shear, M J Action of peltatins on lymphomas and other tumors in mice 9 597

Greenstein J P Enzyme spectrum in normal and cancerous tissues of hepatic and of mammary orgin 3 120

Enzymatic activity in primary and transplanted rat hepatomas 6 495

- See Errera, M , 7 712

-, and Chalkley, H W Effect of nucleates on dehydrogenases in liver and hepatoma 5 592

-, Jenrette, W V, Mider, G B, and White, J Relative arginase activity of certain tumor and normal control tissues 1 732

-, and Leuthardt, F M Effect of added phosphate on glutamine desamidation in tumors 9 548

White, J, and Andervont, H B Liver catalase activity of normal and of tumor-bearing rats and mice 3 120

Greiff, D Sce Blumenthal, H T, 10 205

- Sec Walsh, L B, 10 726

Grey, C E See Gessler, A E 8 534 549

Grier, R S See Hoagland, M B, 10 629

Hoagland, M B, and Hood, M B Some observations on biochemical effects of beryllium 9 618

Griffin, A C See Cunningham, L, 10 194 211

-, and Baumann, C A Parallel effects of certain diets upon retention of riboflavin and formation of hepatic tumors in livers of rats 7 731

-, and --- Note on heat coagulation of homogenates from

normal and precancerous livers 8 135

 Hepatic riboflavin and tumor formation in rats and -fed azo dyes in various diets 8 279

Clayton, C C, and Baumann, C A Effects of casein and

methionine on retention of hepatic riboflavin and on development of liver tumors in rats fed certain azo dyes 9 82 -, Cook, H, and Luck, J M Precancerous changes in liver proteins of rats fed acetylaminofluorene 9 617

-, Cunningham, L , Brandt, E L , and Kupke, D W Incorporation of radioactive phosphorus, P22 in nucleic acids of normal and precancerous livers and of liver tumors 10

-, Nye, W, and Luck, J M Effect of azo dyes on liver proteins 9 563

Grismali, J See Lipschütz, A 4 186

Gross, J, and Schwartz, S Distribution of thyroxine labeled with radioactive iodine in C3H and C57 mice 10 222

Gross, L Influence of sex of mice on acquired resistance to transplantable sarcoma 1 880

Spontaneous recovery from sarcoma in castrated adult and in sexually immature mice 2 571 · Intradermal immunization of C3H mice against a sar-

coma that originated in an animal of same line 3 326 Importance of dosage in intradermal immunization

against transplantable neoplasms 3 770 Is cancer a communicable disease? 4 293

Gruenstein, M See Shav, H 10 241, 797

Grundhauser, W See Lisco H, 7 721

Gusberg, S B, and Atkinson, W B Histochemical observations on alkaline phosphatase in hyperplasia and adenocarcinoma of human endometrium 9 554

Gutmann, H R, and Wood, J L Effect of bromobenzene and 34 benzpyrene on metabolism of radioactive L-cystine 10 8

- Urinary excretion of mercapturic acids after , and administration of bromobenzene and S 4-benzpyrene 10 701

Guyer, M F See Mohs F E , 1 49 - and Claus, P E Increased viscosity of cells of induced tumors 2 16

and -- Tumor of lung in rats following injections of urethane (ethyl carbamate) 7 342

Haagensen C D See Engle E T, 3 858

— See Graff S 7 722 9 611

— and Pandall, H T Milk-induced mammary carcinoma in mice 5 352

Haam, E v See Hoster, H A 9 473

Haerem, A T Production of tumors in experimental animals with sulfanilamide 1 744

Hahn P F, and Sheppard, C W Use of radioactive manganese and gold colloids in treatment of malignancies 8 382 Halberstaedter, L See Doljanski, L 4 106

See Goldhaber G 4 110

Goldhaber, G, and Doljanski, L Comparative studies on radiosensitivity of normal and malignant cells in culture I 2 28

Hale, O M See Schaefer, A E 10 239 768

Hall, B E Radiophosphorus therapy 8 383

Hall, B V Growth of undifferentiated moule carcinoma in albino rat 10 223

Hall G C Penn H S, Dowdy, A H, and Bellamy, A W Clinical evaluation of tumor lipoid antigen 10 223

Hall, V E Metabolic studies in moule leukemia II 4 785 , and Furth, J Metabolic studies in mouse leukemia I 2 411

Hallett, S F See McConnell J R , 7 716

Halperin, B See Beard H H, 7 710

Halpert B Incidence of carcinoma of lung 1 900

Salivary gland tumors adamantinomas and craniopharvngiomas anlage tumors 6 504

See Wallace, S A, 10 246

-, and Tool C D Anlage tumors of salivary glands 7 346 Halter, C R See Sugiura K, 5 235

Ham, A W See Armstrong M I 7 481 10 201

See Carrie, A W 9 629 See Grav, A E , 10 221

Hamilton, J B Ectopic testis and tumorigenesis 1 974 , and Gilbert J B Studies in malignant tumors of testis IV 2 125

Hamilton, M A See Creech, H. J 7 716 8 318 330

Hammon, W McD See Bierman, H R, 10 203

Handler, A H See Lutz B R 10 231

Hanks, J H, Gey, G O, and Barrett, R Retardation of growth and metabolism of normal and malignant cells during continuous culture 7 728

Hankwitz, R F, Jr See Creech, H J, 8 330 9 150, 561 589

Harding W G Influence of syphilis in cancer of cervix uteri

Hare, W V See Stewart, H L 9 618

Harnly, M H See Goldsmith E D 10 220

- Goldsmith, E D and Friedman, F Effect of crowding on penetrance of hereditary melanoma of Dro. ophila melanogaster 9 604

Harris M Growth of alien strain tumors in parabiotic mice

Harris, P N Further observations on induction of sarcoma following injection of wheat germ oil 1 751

On failure of dietary modification to influence carcinogenesis by 2-acetylaminofluorene in rats 6 487

On production of sarcoma with wheat germ oil 7 26 Production of sarcoma in rats with light green SF 7 35

Production of tumors in rats by 2-aminofluorene and 2acetylaminofluorene Failure of liver extract and of dietary protein level to influence liver tumor production 7 88 Effect of diet containing dried egg albumin upon p-

dimethylaminoazobenzene carcinogenesis 7 178

Several factors that influence 4-dimethylaminoazobenzene carcinogenesis in rat 9 602

and Bradsher, C K Observations on carcinogenicity of

1234-diberropt chanthrene and its 9-methal and 10methyl derivatives in mice 6 497 671

- and Clowes, G H A Fffect of thiosaliev lie acid, thiouracil and folic acid upon 4-dimethy laminoazobenzene carcinogeneria 9 505

- Krahl, M E, and Clowes, G H A Effect of liver extract egg albumin eystine and cysteine upon p-dimethylaminoazobenzene carcinogenesis in rats 6 487

_____ and _____ p-Dimethylaminoazobenzene carcino-genesis with purified diets varying in content of cysteine, evetine liver extract protein, riboflavin, and other factors

 and —— Iffect of biotin upon p-dimethylaminoazobenzene carcinogenesis 7 176

Hartung, E. W., Jr. I flects of roentgen radiation on tumor incidence in Drosophila melanogaster 2 827

Hartwell, J L See Downing V, 9 598

See Leiter, J , 9 597, 625

See Peters, V , 6 190 See Shear, M I 6 190, 9 560, 625

- and Detty, W E Isolation, properties, and chemistry of a and \$ polition 9 597

-, and Shear, M J Chemotherapy of cancer Classes of compounds under investigation and active components of

podophyllin 7 716 and Adams, J R, Jr Nature of bacterial polysucharide which causes hemorrhage in mouse sarcoma 3 122

, Johnson, J. M., and Kornberg, S. R. L. Selection and synthesis of organic compounds 6 489

Kahler, H, and Turner, F C Properties of fraction of B -prodigiosus which produces hemorrhage in mouse Streoma 1 731

Hauschka, T S Trypanosoma cruzi in treatment of mouse tumore 7 717

Haven, F L See Bloor, W R, 9 548, 10 205 —— See McI wen, H D, 1 148

, Bloor, W R, and Randall, C Lipids of carcuss, blood plasmi, and adrenals of rat in cancer 9 511

, and Levy, S R Phospholipids of tumor cells and nuclei 2 797

, and Randall, C Citric acid content of tumor tissue and of tumor-bearing unimals 7 725

, -, and Bloor, W R Citric acid content of tumor tissue and of tumor-bearing rats 9 90

Hawkins, J W See Ldmonds, H W, 1 896

Heard, R D H Sce Albert, S, 7 709

Hearon, J See Burk, D , 6 497

, Schade, A L , Levy, H , and Burk, D Cobalt inhibition of tumor respiration and protection by histidine 7 713

Heidelberger, C See Stoesz, P A, 10 243 , and Jones, H B Metabolism in mouse of 1,2,5,6-dibenz-

anthracene labeled in 9-position with C14 7 720

—, and Wiest, W C Metabolic degradation of 1,2,5,6-dibenzanthracene-9,10 C14 II 10 223

Heilman, F R, and Bittner, J J Observations on mouse tumors cultivated in yolk sac of embryonic chick 4 578

Heiman, J Effect of androgens and estrogens on spontaneous benign mammary tumors 1 735

Effect of thorium dioxide on normal and estrinized tumor-bearing rats 2 25

Comparative effects of estrogen, testosterone, and progesterone on benign mammary tumors of rat 3 65

Effect of testosterone propionate on adrenals and on incidence of mammary cancer in RIII strain of mice 4 31 Spontaneous tumors of adrenal cortex in castrated male rat 4 430

Effect of progesterone and testosterone propionate on incidence of mammary cancer in mice 5 426

Tumors of salivary and parathyroid glands in rats fed with 2-acetaminofluorene 6 499

, and Meisel, D Tumors of salivary and parathyroid glands in rats fed with 2-acetylaminofluorene 6 617

Hein, R See White, J , 10 248, 249

Hekhuis, G L See Cohen, P P, 1 620, 2 405

Hempelmann, L H, Jr Scc Allen, H, 5 239

Henshaw, P S, Riley, E F, and Stapleton, G E Carcinogenic effect of pile radiation 7 48

Herbut, P A, Kraemer, W H, and Jacksen, J Effect of hepbisul (heptyl aldehyde-sodium bisulfite addition compound) and thyroxin on Walker rat carcinoma 256 10 224

Herger, C C, and Sauer, H R Further observation on serum acid phosphatase activity in carcinoma of prostate 2 398

Herly, L Studies in selective differentiation of tissues by means of filtered ultraviolet light 4 227

- Intraperitoneal sarcomas produced in mice with mouse ascitic fluid 6 131

Herrmann, J Sec Abels, J C, 4 438

Hertz, R Impairment of estrogen-induced tissue growth in

chick genital truct by folic acid antagonists 9 550
—, and Tuliner, W Inhibition of androgen-induced comb growth in chick by methylcholanthrene 9 551

Hesselbach, M L See Burk, D, 6 497, 7 712, 9 558

—— See Riley, V T, 9 614

- See Woods, M W, 9 554

, Burk, D , Algire, G H , Fischer, C E , and Legallais. Y Metabolic characterization of transplanted mouse melanomas by high oxidative response to p-phenylenediamine 7 724

Heston, W E Relationship between susceptibility to pul monary tumors and known genes in mice 1 740

Relation of genes to mammary tumor development in mouse 5 587

 Paths of gene action in mammary tumor development in mice 7 43

Carcinogenic action of mustards 10 224

See Deringer, M K, 7 719
See Larsen, C D, 5 592
See Lorenz, E, 6 485, 9 621
See Robertson W v B 7 712

, and Deringer, M K Relationship between hairless gene and susceptibility to induced pulmonary tumors in mice 9 603

and Levillain, W D Mammary gland tumors in line of C3H mice deprived of milk agent 9 544

Hieger, I Carcinogenic substance in human tissues 6 657

Higgins, G M, Woods, K A, and Bennett, W A Influence of cortisone (compound E) upon growth of transplanted rhabdomyosarcoma in C3H mice 10 203

Hildebrandt, A C, Riker, A J, and Duggar, B M Influence of crown-gall bacterial products, crown-gall tissue extracts, and yeast extract on growth in vitro of excised tobacco and sunflower tissue 6 368

Hilfinger, M F See Westerfeld, W W, 10 486

Hill, R M, Rutledge, E K, Ware, A G, Schultz, F H, and Livingston, W H Effects of lowered body temperatures on methylcholanthrene fibrosarcomas in rats 3 841

Ware, A G, and Schultz, F H Technic for production of hypothermia in albino rats 3 839

Hill, W T See Wartman, W B, 10 247

Hirschberg, E, and Rusch, H P Comments on recent experi ments with frozen and dried tissue as evidence for virus etiology of tumors 10 335

Hushfeld, S, Duboff, G S, and West, P M Demonstration of enzyme-inhibiting factor in serum of cancer patients (pre liminary study) 6 57

Hitchcock, C R See Kremen, A J, 9 174

Hitchings, G H See Biesele, J J, 10 204

See Sugiura, K, 10 178

Hoagland, M B See Grier, R S, 9 618 , Grier, R S, and Hood, M B Beryllium and growth I

-, and Hood, M B Observations on effect of beryllium on growth 10 224

Hoch-Ligeti, C Effect of prolonged x-radiation on Congo red index of rabbits 1 28

Studies on changes in lymphoid tissue of mice treated with carcinogenic and noncarcinogenic hydrocarbons 1 484 Effect of fresh milk on production of hepatic tumors in rats by dimethylaminoazobenzene 6 563

 Changes in succinoxidase activity of livers from rats during development of hepatic tumors on feeding p-dimethyl-

aminoazobenzene 7 148 — See Burrows H, 6 608

See Daff M , 8 376

Hodges, C V See Huggins, C, 1 293

Hofer, M J See Taylor A, 2 744, 752

Hoffman, J G See Murray W S, 1 298

-, Goltz, H L, Reinhard, M C, and Warner, S G Quantitative determination of growth of transplantable mouse adenocarcinoma 3 237

, and Warner, S G Quantitative study of rate of growth of transplantable mammary adenocarcinoma of mouse 3 126

Hoffman, S J See Meyer, K A 8 513

Holiday, E R See Berenblum I, 3 151, 686 699

Hollander, F See Kraus, S D, 9 344

Hollander, W F and Strong, L C Further studies on mutations from methylcholanthrene treated mice 9 565

Hollcroft, J., Lorenz, E., and Hunstiger, H. Effects of ionizing radiations on transplanted lymphosarcoma 10 220

Holloman, A L See Reimann S P, 6 489

Holmes, H F See Wells, H G 1 259

Holmgren, H, and Wohlfart, G Mast cells in experimental rat sarcoma 7 686

Homburger, F See Abels J C, 7 720

See Dobriner L , 9 595

See Fishman, W H, 9 609, 681, 10 216

See Potor, A 9 557

 Bonner, C D, and Fishman, W H Some observations in cancer patients receiving ACTH (adrenocorticotropic hormone of pituitary) 10 225

Potor, A, and Young, N F Defective plasma protein formation in patients with gastric cancer 7 725

Hood, M B See Grier, R S, 9 618
—— See Hoagland M B 10 224 629

Hooker, C W Experimental cellular alteration and decreased growth in transplanted tumor 10 225

- See Pfeiffer, C A, 3 124 762 - and Pfeiffer, C A Morphology and development of testicular tumors in mice of A strain receiving estrogens 2 759

 and DeVita, J Spontaneous interstitial cell tumors of testis in dogs 5 590

- and Strong, L C Experimental alteration of cells of transplanted tumor 7 723

-, and Strong, L C Ovarian tumor in hermaphroditic mouse 9 550

- and Pfeiffer, C A Spontaneous transplantable testicular tumor in mouse 6 503

Horwitt B N Sec Roskelley, R C 3 131 - See Segaloff A 10 240

Hospelhorn, V D See Huggins, C 9 753

Hoster, H A Etiologic studies in Hodgkin's disease 7 48

- See Anlyan A J, 9 610 - See Hoster M S 9 610 10 530

- See Reiman M S, 9 623 10 467

- Sec Zanes R P, Jr, 9 601 Dratman, M B Craver, L F, and Rolnick, H A

Hodgkin's disease I 8 1

- and -

, and Reiman, M S Studies in Hodgkin's syndrome X 10 423

and Zanes, R P, Jr Viral hepatitis and Hodgkin's disease 9 624

-, and Haam, E v Studies in Hodgkin's syndrome IX 9 473

Hoster, M S, McBee, B J, Rolnick, H A, and Hoster, H A Application of differential centrifugation and electron microscopy to segregation and visual study of human lymph node cell macromolecular particles in the size range of 20 to 300 mµ 9 610

van Winkle, Q, and Hoster, H A Macromolecular particles obtained from human neoplastic and non-neoplastic lymph nodes I 10 530

Howard, A Growth rates of nine inbred strains of mice 1 503 Howard, J W, Janzen, L J, and Salter, W T Studies in cancer VIII 4 337

Howes, E L Carcinogens and regeneration patterns after injury 6 298

-, and de Oliveira, J R Early changes in experimentally produced adenomas and adenocarcinomas of stomach 8 419

Hrenoff, M K See Strait L A 8 231

Hudson, L See Buchwald, K W 4 645 5 591

Hueper, W C Cutaneous neoplastic responses elicited by ultraviolet rays in hairless rats and in their haired litter

Morphological aspects of experimental actinic and arsenic carcinomas in skin of rats 2 551

Influence of epidermal cornification upon carcinogenesis

in hairless rats 5 331 Significance of industrial cancer in cancer problem 7 47 and Figge, F H J Porphyrin excretion of Harderian

glands in its relation to actinic carcinogenesis in hairless rats 5 328 and Ichniowski, C T Carcinoma of adrenal cortex in rabbit 4 176

-, and Martin, C J Tumor of adrenal medulla in castrated male rat 2 294

Huggins, C Serum proteins in cancer 9 321

See Jensen, E V 10 227 See Moulton S H, 9 547

and Eichelberger, L Studies on tumors of testis I 4 447

 and Hodges, C V Studies on prostatic cancer I 1 293
 Jensen, E V, Player, M A, and Hospelhorn, V D
 Binding of phenolsulfonephthalein by serum and by albumin isolated from serum in cancer 9 753

-, Miller G M and Jensen, E V Thermal coagulation of serum proteins II 9 177
— and Moulder, P V Estrogen production by Sertoli cell

tumors of testis 5 510

Russell, P, and Moulder, P V Lipids and lipid-rich tumors of testis 6 484

Humm F D See Salter W T, 7 723

Hummel, K P, and Little C C Studies on mouse mammary tumor agent I 9 129

– — III 9 137

— and Eddy М S —— П 9 135

Humphreys E M See Green J W, Jr, 10 769

Hundley, J M Jr See Jones E G 4 472

Hungate, R E See Taylor A, 3 537

, Taylor, A , and Thompson R C Relation to chick tissues of tumors produced by volk injection technic 4 289

Hunstiger, H See Hollcroft, J , 10 225

Hunter, S W See Kremen, A J, 9 174

Huseby R A See Ball Z B 3 131 6 493

See Barnum C P 10 523 - See Bittner J J, 6 235 493

, Ball, Z B and Visscher, M B Further observations on influence of simple caloric restriction on mammary cancer incidence and related phenomena in CSH ruce 5 40

— Barnum, C P and Bittner, J J Titration of milk agent virus in milk and lactating mammary gland cells 10 516

and Bittner, J J Comparative morphological study of mammary glands with reference to known factors influencing development of mammary carcinoma in mice 6 240

18 - and --- Comparative studies of estrous eveles in relation to mammary tumor milk agent 7 722 - and -- Some studies of estrogen androgen antagonism 9 550 and - Posterstration adrenal changes and the subsequent development of mammars cancer in several inbred stocks of mice and their hybrids 10 226 Smith F W, and Bittner, J J Genetic control of ovarian secretion as related to incidence of mammary cancer in mice 6 491 and -Incidence of mammary tumors in castrate and noncastrate male mice following ovarian transplantation 6 494 Hutchison, O S See Shipper, H F, 10 166 Ichniowski, C T See Hueper, W C, 4 176 Iglesias, R , Lipschutz, A , and Nieto, G Antifibromatogenic effects produced by intermittent action of progesterone , Sternberg, W H, and Segaloff, A Transplantable functional ovarian tumor occurring spontaneously in rat 10 Imagawa, D T See Bittner, J J, 10 739 —, Bittner, J J, and Syverton, J T Cytotoxic studies on mouse mammary cancer cells 10 226 Ingraham, L P See Bischoff, 1, 5 579 Irish, A J See Greenberg D M, 10 221 Iversen, S. I limination of 3,4-benzpyrene from human being after intravenous injection 7 802 - See Ingelbreth-Holm, J. 7 372 Ivy, A C See Denton R W , 10 684 Jacksen, J Sec Herbut P 1, 10 224 Jackson, D, Jr, Jackson, D, Sr, Steinberg, F W, and Oliver, C P Monozygotic twins with similar breast pathology suggesting origin of malignant from benign neoplasia 9 604 Jackson, D, Sr See Inckson, D, Ir, 9 604 Jackson, E B See Brues A M . 1 557 -, and Brues, A M Studies on transplantable embryoma of mouse 1 491 Jacobi, H. P., and Baumann, C. A. Choline in tumor-bearing immals and choline-like effect of butter vellow 2 175 Jacobs, Γ A Damage produced by Pseudomonas acruginosa fraction in sarcoma 37 10 227 Jacobson, L. O. See Neal, W., 9 562
— See Spurr, C. L., 7 51 8 387 Jaffé, R See Jaffe W G, 7 107 Jaffe, W G Carcinogenic action of ethyl urethane on rats With appendix by R Jaffe 7 107 Response of rats to simultaneous application of two different carcinogenic agents 7 113 Possible linking between development of local tumors and pulmon irv adenomas induced by methylcholanthrene in non inbred mice 7 117 Response of mice to simultaneous application of two different circinogenie agents 7 529 Jakowska, S See Nigrelli, R I , 10 234 and Nigrelli, R F I ffects of introgen mustard on cichlid fish Tilapia riacrocephala (Bleeker) 9 630 Jamieson, J. R. See Jones, R. N., 5 341 Janeway, C A See Cheever, F S, 1 23 Janota, M See Appel, M , 2 576 Janzen, L J See Howard, J W, 4 337 Jay, G E, Jr See Killiss, N., 10 227 Jenney, F S Reticulum cell sarcoma of rat transferred through twelve succes we passiges in animals of related stock 1 407 Jenrette W V See Greenstein J P , 1 732 Jersen E V See Huggins C, 9 177, 753

and Huggins, C Serum albumin in human cancer 10 227 Jobing J W See Stemin D . 1 729

Johnson, J. M. See Hartwell J. L. 6 489

```
See Mover M E , 1 751
See Morris, H P , 7 750
     - See Shear, M J, 9 560
 Johnson, R M See Albert, S, 9 611 10 201
     , and Albert, S Age and strain differences in phosphorus
   metabolism in various endocrine organs of mice 9 612
           -, and Cohan, M S Nucleic acid phosphorus in
   normal, pregnancy-stimulated, and cancerous mammary
   glands of inbred mice 10 227
 Johnson, R O See Rusch, H P, 5 588, 705
 Johnston, S F See Burchenal, J II, 10 208
 Jonas, G See Kaliss, N , 10 228
 Jones, E E Effect of testosterone propionate on mammary
   tumors in mice of C3H strain 1 787
      Effect of 2,7-dihydroxynaphthalene on tumor incidence
   and growth of mammary gland in mice of line A albino and
   C3H strains 3 168
 Jones, E G Scc Figge, T H J, 4 483
   —, Figge, F H J, and Hundley, J M, Jr Fluorescence studies on cancer II 4 472
 Jones, F L See \bels, J C, 4 149
Jones, H B Sec Heidelberger, C, 7 720
 Jones, J L Effect of vitamin B<sub>1</sub> deprivation on appearance.
   growth rate, and course of Jensen rat sarcoma 2 697
 Jones, L O In vitro studies on effect of spleen, strinted muscle,
   and kidney upon growth of sarcoma 180 and mammary
   caremoma of mice 9 27
Jones, R N Spectrographic analysis of carcinogenic hydro-
  carbons and metabolites I 2 237
           – II 2 215
            - III 2 252
   - See Creech, H J , 3 133
---, and Creech, H J Spectrographic analysis of carcino-
  genic hydrocarbons and conjugated proteins 3 134
    -, Dunlap, C E, and Gogek, C J Spectrographic analysis
  of carcinogenic hydrocarbons and metabolites IV 4 209
          -, and —
                            - V 4 213
    -, and Jamieson, J R Recovery of carcinogenic hydro-
  carbons from solution by use of pieric acid 5 341
     , and May, C D Fluorescent concentrates from non-
  saponifiable fractions of human livers 4 304
Jope, E M Scc Berenblum, I, 6 699
Judd, Sister T See Kirschbaum, 1, 9 622, 10 762
Jukes, T H Sec Burchenal, J H, 10 208
Kabat, E A Scc Burk, D, 1 732
Kahler, H Sce Hartwell, J L, 1 741
    -, and Buchanan, G Fffect of injection of various sub
  stances upon in vivo electrical resistance of rats 9 556
Kahler, J Scc Belkin, M, 9 560
Kaliss, N See Furth, J , 4 1
    -, and Jay, G E , Jr Do trinsplintable tumor and red
  blood cells of inbred strain of mice have agglutinogen in com-
  mon? 10 227
    , Jonas, G , and Avnet, N L Growth enhancement of
  tumor homoiotransplants in mice following injections of
  homogenates and ultrafiltration sediments of mouse tissues
  10 228
Kamen, M D Sec Costello, C J, 6 486, 7 642
Kammerling, E M See Meyer, K A, 8 513
Kaplan, H S Observations on radiation induced lymphoid
  tumors of mice 7 141
     Comparative susceptibility of lymphoid tissues of strain
  C57 black mice to induction of lymphoid tumors by irradia-
  tion 9 545
     Local irradiation and induction of lymphoid tumors in
  mice 9 621
    Influence of thymectomy, splenectomy, and gonadectomy
  on incidence of radiation-induced lymphoid tumors in strain
  C57 black mice 10 228
```

- See Merwin, R M 9 620

- See Smith, F W , 9 193

Karnofsky, D A See Aub, J C, 1 737

- See Burchenal, J H, 8 387

-, and Burchenal, J H Evaluation of chemotherapeutic agents against neoplastic disease 8 388

, ---, Ormsbee, R A, Cornman, I, and Rhoads, C P Experimental observations on effects of nitrogen mustards on neoplastic tissues 7 50

-, Nathanson, I T, and Aub, J C Urinary excretion of estrogens, 17-ketosteroids, creatine, and creatinine in high and low mammary tumor strains of mice 4 772

-, Parisette, L M, and Patterson, P A Effect of various agents on growth of sarcoma 180 on chornoallantoic membrane of chick embryo 8 389

-, Patterson, P A , and Ridgway, L P Growth and histology of variety of mouse tumors explanted to choricallantoic membrane to chick embryo 10 228

-, Ridgway, L M , and Patterson, P A Observations on implantation of various tumors from human tissue on chorioallantoic membrane of developing chick embry o 9 554

Kasdon, S C See Fishman, W H 10 216

Kaufman, S See Vestling C S, 9 639

Keller, P J See Albert S 9 611 - See Simpson W L, 9 602

Kelly, E M See Clark A M, 10 348

Kelly, K H See Shetlar, M R, 9 515

Kelly, M G See Evans, V J 7 728

-, Ligon, E W, Jr, Davison, C, and Smith, P K Comparison of toxicity and pharmacological actions of podophyllotoxin and picropodophyllin 9 555

, MacCardle, R C, and Smith, P K Effects of podophyllotoxin and picropodophy llin on blood cells and other tissues of rats and mice 9 599

Kelly, T See Neal, W, 9 562

Kelly, Sister T A, and McDowell, Sister M A Studies in ritro and in rito on effects of Staphylococcus aureus extract on mouse carcinoma 8 495

Kelsch, J J See Gessler, A E, 8 534 549

Kelsey, F E, and Brunschwig, A Studies on drug adsorption Fixation of quinine by neoplastic and non-neoplastic tissues

Kennaway, E L Notes on current literature of cancer research 1 164

Further note on current literature of research 1 667 Cancer of liver in Negro in Africa and in America 4 571

See Daff M, 8 376

- and Kennaway, N M Ascorbic acid content of liver in pregnant mice 4 704 -, and - Social distribution of cancer of scrotum and

cancer of penis 6 49 - and Warren, F L Examination of dimethylan-

thracenes for carcinogenic properties 2 157 - and - Ascorbic acid content of liver in mice

- and - Effect of aromatic compounds upon

ascorbic acid content of liver in mice 4 367 Kennaway, N M See Kennaway E L 2 157 4 245 367

704 6 49

Kennedy, B J See Imerson, W 9 551 Sec Nathanson I T 9 551

Tibbetts, D M, Nathanson, I T, and Aub, J C Chemical and systemic changes in patients with advanced carcinoma of breast following hormonal therapy and castra tion 9 551

Kenney, J M Radioactive phosphorus as therapeutic agent in malignant neoplastic disease 2 130

See Abels J C, 1 771

Kensler, C J Influence of dict on ability of rat livers to destrov N N dimethyl p aminorzobenzene and related compounds in ritro 9 565

 I actors affecting destruction of azo dves by hepatic cells in ritro 9 616

- See Abels J C , 4 438 7 720 - See Burk, D 3 130 - See Cameron, G 4 495

- See Sugiura, K , 1 745 3 130 5 235

, Dexter, S O, and Rhoads, C P Inhibition of diphosphoropyridine nucleotide system by split products of dimethylaminoazobenzene 2 1

, Magill, J W, and Sugiura, K Metabolism of NNdimethyl-p-aminoazobenzene and related compounds 7 95 , and Rhoads, C P Inhibition of liver oxidatives by split

products of p-dimethylaminoazobenzene 3 134

Wadsworth, C, Sugiura, K., Rhoads, CP, Dittmer, K
and du Vigneaud, V Influence of egg white and avidin feeding on tumor growth 3 823

Keresztesy J C, Laszlo, D, and Leuchtenberger, C Neutralization of inhibition of tumor growth 6 128

Khanolkar, V R Oral cancer in Bombay, India Review of 1 000 consecutive cases 4 313

 Pigmented precancerous and cancerous changes in skin 7 692

- See Chitre R G 3 88

, and Chitre, R G Studies in esterase (butvric) activity I 2 567

, and — Studies in esterase (butyric) activity III 4 128

Kidd, T G Enduring partnership of neoplastic virus with tumor cells experiments with V2 rabbit carcinoma 1 7.0 See Rogers, S 10 237

Winzler, R J and Burk, D Comparative glycolytic and respiratory metabolism of homologous normal benign and malignant rabbit tissues With particular reference to benign virus papilloma, (Shope) and transplanted cancer derived therefrom (V2 carcinoma) 4 547

Kidder, G. W., Dewey, V. C., Parks. R. E., Jr., and Woodside. G. L. Purme metabolism in Tetrahymena and its relation to neoplastic tissue 9 610

King, H D See Aptekman P M, 3 856

King, J T See Casas (B 7 722 9 596

Casas C B and Visscher, M B Influence of estrogen on cancer incidence and adrenal changes in ovariectomized mice on caloric restriction 9 436

King J W See Duran-Revnals F 7 21

Kingsley, H N See Miller E C 7 7.0

Kirby, A H M Attempts to induce stomach tumors I 3 519 - III 4 94

- IV 5 129

- Studies in carcinogenesis with azo compounds I 5 673 - II 5 683

Tumors induced in mice with p-diazoaminobenzene 7 263

- Studies in carcinogenesis with azo compounds III 7 333 See Beck S 5 135

- See Peacock P R 4 88

Kirby-Smith, J S See Blum H F 1 742 See Grady H G 1 736

Kirkman, H, and Bacon R L Malignant renal tumors in male hamsters treated with estrogen 10 122

Kirschbaum, A Induction of mammary cancer with methyl cholanthrene II 9 93

Synergistic action of estrogenic hormone and x rays in inducing thymic lymphosarcoma of mice 10 229

See Frantz M J 9 257 550 596 See Geisse N C 10 108

See Lick L 9 532

See Mixer H W 6 495 7 719

See Werder A A 10 248

Frantz M J and Williams W L \eoplasms of adrenal cortex in noncastrate mice 6 707

Geisse N C Judd, Sister T and Meyer L M Effect

of certain folic acid antagonists on transplanted myeloid and lymphoid leukemias of I strain of mice 10 762

Judd Sister T Geisse N C, and Meyer, L M Effect

of folic acid antagonists on transplanted mouse leukemia

and Lu, C S Response of mouse myelogenous leukemin to ure thane 7 720

and — I ffect of urethine on survival time in transplanted mouse leukemia 9 562

- and Strong, L C Transplantation of leukemia arising in hybrid mice 1 795

 Influence of carcinogens on age incidence of - and --leukemia in high leukemia I strum of mice 2 841

--- Williams, W L, and Bittner, J J Induction of mammary cancer with methylcholanthrene I 6 354

- ---, and --- Histogenesis of mouse mammary cancer induced with methylcholanthrene 6 484

Kirtz, M. M. See Suntzeff, V., 1 146

Kleinenberg, H E, Neufach, S A, and Schabad, L M Lurther study of blastomogenic substances in human body 1 953

Kleiner, I S See Black, M M, 7 717, 818, 8 79, 9 314, 548, 799 10 204

See Bolker, H , 9 561

Kletzien, S W Influence of sex on iron assimilation in rat 1 736

Kline, B E I ffect of p-dimethyl immorzobenzene on formation of blood proteins 3 117

See Bain, J. A. 3 610

- See Miller, J. A. 4 153, 756, 6 671 - See Rusch, H. P., 1 465 2 183, 3 128, 4 116, 5 431,

565, 705 6 486 9 513

Miller, J A, and Rusch, H P Certain effects of egg white and biotin on carcinogenicity of p-dimethylaminorzobenzene in rats fed sub protective level of riboflavin 5 641

-, and Baumann, C A Carcinogenicity of pdimethylaminorzobenzene in diets containing fatty acids of hydrogenated coconut oil or of corn oil 6 1

and —— Certain effects of dietary fats on production of liver tumors in rats fed p-dimethylamino izobenzene 6 5

-, and Rusch, H P Tumor inhibitor studies II 3 702
-, and Some factors that influence growth of neoplastic cells 4 762

- ---, Baumann, C A, and Lavik, P S Effect of pyridoxin on tumor growth 3 825

---, Wasley, W L, and Rusch, H P Tumor-inhibitor studies I 2 645

Klopp, C T See Dunsh, 1, 10 211

- Bateman, J., Berry, N., Alford, C., and Winship, T. I raction ited region il cancer chemotherapy 10 229

Klug, H L Sec Schneider, W C, 6 691

Kluver, H See Steiner, P I , 2 704

- and Brunschwig, A Oril carcinoma in monkey colony Report of two additional cases 7 627

Knowlton, N P, and Widner, W R Use of x-rays to determine mitotic and intermitotic time of various mouse tissues 10 59

Koch, F C See Steele R 1 614 - See Steiner P I , 3 100

Kocher R A I ffect of low ly sine diet on growth of spontaneous mammary tumors in mice and on N2 balance in man

Kohn-Speyer, A C See Plant A, 3 176

Kolb, J J See Miller G I , 10 141, 148

Koletsky, S, Bonte, F J, and Friedell, H L Production of milian int tumors in rits with radioactive phosphorus 10

Koller, M. See Mever L. 1, 8 513

Koomen, J., Jr See Swerton J T., 10 379, 440, 471

Kopae M J Dissociation of protamine-nucleates by aromatic diamidines 6 491

-- Action of dismidines and related compounds on nucleoprotes a 7 44

-- Interfacial denaturation of proteins in presence of are natic dismidir es ar d'nucleic acids 7 714

 Action of certain mitotic poisons on tactoid structures 9 555

- Intra-cytoplasmic physiological media 9 599

- Action of intracytoplasmic physiological media on sol gel reactions 10 229

- See Cameron, G, 3 281

Sec Chambers, R, 3 293

Cameron, G, and Chambers, R Neoplasm studies X

Kordan, B Sec Biskind, G R, 10 309

Kornberg, S R L See Hartwell, J L, 6 489

Korteweg, R Scc de Bruyn, W M, 9 282

, and Thomas, F Hypophysectomy in mice with special reference to mammary cancer A report on outcome of 351 operations 6 385

Kraemer, W H Sce Herbut, P A, 10 224

Krahl, M E Sce Harris, P N, 6 487, 7 162, 176

Krakauer, J S Sec Stern, K G, 9 614

Krakower, C Sce Engle, E T, 3 858

Krantz, J C, Jr See Beck, F F, 1 188

- See Grant, W C, 2 833

Kraul, L H See Chipps, H D, 10 210

Kraus, S D, and Hollander, F Influence of calcium and mignesium on eugenol-induced desquimition of mucus epi thelium in gastric pouches 9 341

Krause, R See Winzler, R J, 10 249

Krejci, L E, Ross, M H, and Sweeny, L Plasma changes in fowls with transmissible multiple lymphoma 8 575

Kremen, A J, Hunter, S W, Moore, G E, and Hitchcock, C R Distribution of tracer doses of methionine tagged with radio-sulfur in normal and neoplastic tissue 9 171

Kretchmer, N Scc Robertson, W v B, 9 564

-, and Barnum, C P Changes in hepatic cytoplasmic lipids during earbon tetrachloride induction of hepatoma 9 564 Tsuboi, K K, and Barnum, C P Succinoxidase studies

of liver cells of mice fed carbon tetrachloride 7 714

Kritzler, R A, Milliken, B, and Turner, J C Histological appearance of mouse sarcoma 180 infected by vaccinia virus

Kupel, C W See Abels, J C, 4 145

Kupke, D W See Griffin, A C, 10 222

Kyle, W Sec Sprunt, D II, 10 242

Lacassagne, A, and Latarjet, R Action of methylcholanthrene on certain sears of skin in mice 6 183

Lackey, M Scc Woods, M W, 9 554

Laird, A K See Price, J M, 10 236, 650

Lan, T H Study of D-amino acid oxidase, uricase, and choline oxidase in livers and in isolated liver cell nuclei of rats bearing transplanted tumors 4 37

p-Amino acid oxidase, uricase, and choline oxidase in two transplanted rat tumors and in isolated nuclei of tumor cells 4 42

Lanman, J T See Bierman, H R, 10 203

Lansing, A I See Rosenthal, T B, 9 619

-, and Au, M H Diffusible and non-diffusible calcium in normal and methylcholanthrene-treated mouse epidermis

Lansing, W Sce Burack, E, 1 227

Laqueur, G L Nodular hyperplasm of thyroid glands induced by thiourical 9 247

Larack, A M See Alfin-Slater, R B, 9 215

Larionow, L T On mechanism of action of carcinogenic substances 1 860

- On fate of carcinogenic hydrocarbons in animal body 7 230

Larsen, C D Varcotizing agents and pulmonary tumors in mice 6 500

- Studies of pulmonary tumor induction in mice by derivatives of carbamic acid 7 726

 Studies of mechanism of pulmonary tumor induction in studies of moure hepatomas produced by carbon tetramice with urethan 10 230

— See Lippincott S W, 3 128

— See Mostofi F K, 9 544 chloride 9 600 Lee, H F See Bender, D H, 9 61, 557 Lee, J M See Summerson, W H, 8 381 -, and Heston, W E Induction of pulmonary tumors in Lefevre, H See Engelbreth-Holm J , 1 102 mice by anesthetic agents 5 592 Legallais, F Y See Algire, G H, 7 724 Larsson, L G See Sylven, B 8 449

—, and Sylven, B Mast cell reaction of mouse skin to some · See Hesselbach M L 7 724 organic chemicals I 7 676 Lehmann, S See Dunn T B . 6 488 - and -- ---- II 7 680 Lehninger, A L See Siblev, J A, 9 547 Leiter, J See Downing V 9 598

See Greenspan E M 9 597 626 Lasnitzki, A, and Brewer, A K Isotopic constitution of potassium in animal tumors and muscle from tumor-bearing - See Seligman A M , 7 715 animals 1 776

___, and ____ Isotopic constitution of potassium in normal - See Shear M J, 9 560 625 - See Waravdekar, V S, 9 625 10 247 tissue and cancer from human subjects 2 494 -, Downing, V , Hartwell, J L , and Shear, M J Action of Laszlo, D Mineral metabolism in metastatic bone cancer 9 614 substances extracted from podophyllin on sarcoma 37 in See Keresztesv J C 6 128 mice 9 597 — See Lewisohn, R , 1 324, 799 2 818 — See Schilling A , 10 239 — See Stern, K G 9 614 10 242 , and Hartwell, J L Action on sarcoma 37 of compounds related to podophyllotovin and to a- and β-peltatin 9 625 Lenowitz, H See Schrek, R , 7 180 , and Leuchtenberger, C Rapid test for tumor growth Lenta, Sister M P See Riehl, Sister M A, 9 42 inhibitors 3 401 -, and Righl, Sister M A Dehydrogenase studies of tissue Schulman, C, Bellin, J, Gottesman, E D, and Schilling, from normal and tumor-bearing mice II 9 47 A Metabolic studies of patients with carcinoma of breast and effects of testosterone therapy 10 230 LePage, G A Phosphorylated intermediates in tumor glycolysis 7 713 Latarjet, R Some experimental results obtained during war in laboratory of Pasteur Institute of Radium, Paris 6 484 - I 8 193 See Lacassagne, A, 6 183 — П 8 197 - III 8 201 Lauridsen, J, and Eggers, H E Carcinogenesis after multiple Effects of phosphate bond energy on nucleic acid stabilirritation 3 43 ity in tumor homogenates 9 297 Lavik, P S See Kline B E, 3 825 Glycolysis in tumor homogenates 9 547 , and Baumann, C A Dietary fat and tumor formation Comparison of tumor and normal tissues with respect to 1 181 factors affecting rate of anaerobic glycolysis 10 77 and - Further studies on tumor-promoting action of Measurements of ketoacids in normal and neoplastic rat fat 3 749 tissue 10 393 Moore, P R, Rusch, H P, and Baumann, C A Some - See Novikoff A B, 8 203 additive effects of carcinogenic hydrocarbons 2 189 See Potter, V R, 9 547
 See Stoesz P A 10 243 Lavin, G I See Dobriner, K. 2 79, 95 Law, L W Cancer-producing properties of azo compounds in Leshe, I See Davidson, J > , 10 587 mice 1 397 Lester, R A See Burchenal, J H 8 385 Induction of leukemia in mice following percutaneous Leuchtenberger, C Cytochemical studies of nucleoproteins application of 9,10-dimethyl 12-benzanthracene 1 564 in nuclei of transplanted tumor (sarcoma 180) 9 600 Foster nursing and growth of transplantable leukemias See Keresztesv, J. C., 6 128 See Laszlo D. 3 401 in mice 2 108 Further observations on effect of foster nursing on growth - See Lewisohn R , 1 324 799 2 818 of transplantable leukemias in mice 3 125 Leuchtenberger, R See Lewisohn R 1 324 799 2 818 Characterization of influence affecting growth of trans-Leuthardt, F M See Greenstein J P 9 548 plantable leukemia in mice 4 257 Preliminary study of cytotoxic action of mammary Levillain, W D See Heston W E 9 544 tumor agent antiserum on mammarv cancer cells 9 544 Levin, M L Note to editor 5 547 Studies on the effects of a guanine analog on acute lymph-- See Lombard, H L 6 436 oid leukemias of mice 10 186

— See Woolley, G W 1 955 3 122

—, and Dunn, T B Response of acute lymphoid leukemias Levine M Effect of colchicine and x-rays on onion root tips 5 107 and Gordon, M Ocular tumors with evophthalmia in in mice to 4 aminopteroylglutamic acid (aminopterin) 9 606 Xiphophorin fishes 6 197 and Lewisohn, M Comparative carcinogenicity of some cholanthrene derivatives 1 695 Levinthal, D H See Saphir O 5 722 and Miller, J H Effect of thymectomy on incidence Levy, H See Hearon J 7 713 latent period and type of leukemia in high leukemia strains Skutch E and Schade A L Effect of cobalt on correla of mice 10 230 tion of nucleic acid concentration with rate of growth 9 613 Lawrence, J H See Tobias C A 9 619 Levy S R See Haven F L 2 79 Lawson, W See Dodds E C, 5 485 Lewis, A A and Turner, C W Effect of estrogens and a carcinogenic chemical in stimulating secretion of mammo-Lea, D E Biological assay of carcinogens 5 633 genic duct growth factor of anterior pituitary 1 55 Leathem, J H See Allison J B, 10 266 Lewis G T See Bloom, W L 10 203 -, and Barken, H B Relationship between thyroid activity - Bloom W L, and Smart, C W Studies on recombina and liver tumor induction with 2-acety laminofluorene tion of nucleic acids with tissue polypeptide 9 103 10 231 Lewis, M R See Aptekman P M 3 856

- and Goland, P P In circ staining of malignant tissue in

-, and Sloviter, H A Action of examine dies on

mice 7 718

tumors in mice 9 786

Le Blond, C P See Albert, S 7 709

Lee, A See Stevens, C D, 9 139

Leduc, E H See Wilson, J W, 10 249

Lee, C S, Stowell, R E, and Villisana, A Histochemical

Levis W. H. Nucleolar vacuoles in living normal and maligrait fibroblasts 3 501

- Ri abdomyosarcoma Rat tumor 92 Institute of Cancer Re carch Columbia University, New York 3 867

Lemisohn, M. See Land I. W., 1 695

Levisohn, M. G. See Bridoury J. T., 1 685

Le icohn, P, Leuchtenberger, C, Leuchtenberger, R, and Laszlo, D late of spontaneous mammary circinomas in mice after simple biopsy 1 321

-, and Bloch, K Action of yeast extract on transplanted and spontaneous malignant tumors in mice 1 799

-, and Dische, Z Influence of polished rice diet upon spontaneous mammary eineers in mice treated with veist extract 2 818

Li, C H See Moon, H D, 10 297, 364, 549

Li, C T See Roberts, I 9 613

Li, M. H. See Gardner, W. U. 9 595

- See Smith Γ W , 9 193

, and Gardner, W U Tumors in intrasplenic ovariun transplants in eastrated mice 7 38

-, and --- Lyperimental studies on pathogenesis and histogenesis of ovarian tumors in mice 7 519

, and — I urther studies on pathogenesis of ovarian tumors in mice 7 710 9 35

-, and --- Influence of age of host and ovaries on tumorigenesis in intrispleme and intrapanereatic ovarian grafts 10 162

Liang, H M Localized changes in methylcholanthrene-treated epidermis 8 211

Libert, S L See Beard, H H, 7 710

Liel, L, Kirschbaum, A, and Mixer, H W Mechanism of induction of ovarian tumors by x-rays 9 532

Lieberman, S See Dobriner, k , 7 711 9 595, 10 213

Liebl, G J See Potter, V R, 5 18, 21

Liebow, A A See Tennant, R, 2 218

Ligon, E W , Jr See Kelly, M G , 9 555

Likely, G D Sec I arle, W R, 9 593

See I vans, V J, 9 555

--- See Sinford, K K , 10 238

Link, K P Sec Tield, J B, 4 768

Lippincott, S W See Lllerbrook, L D, 9 604

- See Eriksen, N., 10 215 - See Morris, H. P., 3 129 - See Thornton, H., 9 627, 10 245

- Morris, H P, and Larsen, C D Production of hepatic and gastric lesions in rats fed high level of heated lard 3 128

Lipschütz, A See Iglesias, R, 4 510

Bruzzone, S, and Fuenzalida, F Comparative antifibromatogenic activity of progesterone and related artificial steroids 4 179

, and Grismali, J On antifibromatogenic activity of synthetic progesterone in experiments with 17-caprylic and dipropionic esters of a estradiol 4 186

- Luco, J V, and Zañartu, J Quantitative aspects of antifibromatogenic action of synthetic desoxycorticosterone acet ite 2 200

, and Maas, M Progesterone treatment of uterine and other abdominal fibroids induced in guinea pig by a estradiol 4 15

and Schwarz, J Microscopic structure of estrogeninduced uterine and other abdominal fibroids treated with progesterone 4 24

- Thibaut, R, and Vargas, L, Jr I ibromatogenic action of specific urinary estrogens (metahormones) in guinea pig

-, and Vargas, L , Jr Structure and origin of uterine and extragenital fibroids induced experimentally in guinea pig by prolonged administration of estrogens 1 236

–, and Palma, J Sex difference in conjunctive tumoral reaction of guinea pig towards natural and artificial estrogens 1 575

---, Vera, O, and Gonzáles, S Relation of antifibromato genic activity of cert iin steroids to their molecular structure and to various actions of these hormones 2 201

, Yanine, D, Schwarz, J, Bruzzone, S, Acuña, J, and Silberman, S Induction and prevention of fibromy ocpithelioms of utricular bed in male guine i pigs 5 515

Lischer, C E See Paletta, F X, 1 942

Lisco, H See Brues, A M, 7 48 9 545, 604

——, Brues, A M, Finkel, M P, and Grundhauser, W Carcinoma of colon in rats following feeding of radioactive vttrium 7 721

Little, C C Relative incidence of cancer according to site, age, color, and sex 3 126

— See Fekete, L., 2 525, 5 220 — See Hummel, K. P., 9 129, 135, 137 — See Woolley, G. W., 1 955, 3 120, 122, 5 193, 203, 211, 321, 506, 6 *491*, 712

Littmann, I See Goth, A, 8 349

Livingston, W H See Hill, R M, 3 841

Lochhead, M S See Scharrer, B, 10 403

Loeb, L See Suntzeff, V, 1 146

-, and Suntzeff, V Effects of estrogen on mammiry gland of mice injected during pregnancy, lactation, and retrogression 1 439

Loftfield, R B Sec Bucher, N L R, 9 623 - See / meemk, P C, 9 547

Logie, J W Mastopathia cystica and mammary carcinoma 2 394

Lombard, H L, Levin, M L, and Warren, S Multiple malignant growths 6 436

Long, M L See Bischoff, Γ, 1 217, 2 52, 198

Loosh, C G Sec Steiner, P E, 10 242, 385

Loquvam, G S Sec Russell, W O, 9 629

Lorenz, E Sec Bryan, W R, 10 207

See Hollcroft, J , 10 225
See Stewart, H L , 3 123, 9 618

-, Heston, W E, Deringer, M K, and Eschenbrenner, A B Increase in incidence of pulmonary tumors in strain A mice following long-continued irradiation with γ -rays 6 485

-, and Eschenbrenner, A B Effects of chronic irradiation with gamma rays on mammary tumor incidence in C3II_B fem ile mice 9 621

, and Stewart, H L Adenocarcinoma of small intestine and other lesions in mice of different strains receiving oral administration of 20-methylcholinthrene and 1,2,5,6 dibenzanthracene 1 743

-, ---, Daniel, J H, and Nelson, C V Effects of breathing tobacco smoke on strain A mice 3 123

Lowenhaupt, E Splenic lymphosarcomas in rats bearing intrasplenic implants of butter yellow 9 121

Lu, C S See Kirschbrum, A, 7 720, 9 562

Luce-Clausen, E M Sec Charles, D R, 2 261

- See Morton, J J, 2 256

Luck, J M Sce Cunningham, L, 10 191, 211

- See Griffin, A C , 9 563, 617

Lucké, B See Schlumberger, H G, 8 657, 9 52

-, Parpart, A K, and Ricca, R A Failure of choleic acids of carcinogenic hydrocarbons to alter permeability of marine eggs and of mammalian crythrocytes 1 709

---, and Schlumberger, H G Effects of x-rays on frog carcinoma, studied by direct microscopic examination of living intra-ocular transplants 10 231

-, and Breedis, C Common mesenchymal tumor of corium of goldfish 8 473

Luco, J V See Lipschütz, A, 2 200

Ludford, R J, and Barlow, H Influence of malignant cells upon growth of fibroblasts in ritro 4 694

, and — Sarcomatous transformation of stroma of mammary carcinomas that stimulated fibroblastic growth in vitro 5 257

Lund, P K See Greene, H S N, 4 352

Lushbaugh, C C Infiltrating adenomatous lesions of stomach cecum and rectum of monkeys similar to early human carcinoma and carcinoma in situ 9 385

- See Green, J W Jr 9 199, 692

- See Storer J B 9 108

-, and Steiner, P E Intra-ocular transplantation of malignant lymphomas of mouse, dog and man in heterologous species 9 299

Lusky, L M, Braun, H A and Woodard, G Influence of 23dimercaptopropanol (BAL) on induction of skin tumors in mice by 3 4-benzpyrene 7 667

Lutz, B R, Fulton, G P, Patt, D I, and Handler, A H Growth rate of tumor transplants in cheek pouch of the

Lynch, C L Method of inheritance of susceptibility to lung tumors 1 740

Ma C K Morphological and chemical investigation of dermal elastic and collagenic tissue during epidermal carcinogenesis

Maas, L C See Stowell, R E 6 121

Maas, M See Lipschutz, A, 4 18

Mabee, D See Dauben, W G, 9 612

MacCardle, R C Changes in mitosis in sarcoma cells of mice treated with podophyllin and with colchicine derivatives 9 535

- See Chu C H U 9 627

- See Kelly, M G 9 599 - See Shear M J, 9 560 625

-, and Downing, V Histologic criteria for evaluating capacity of chemical agents to produce damage rapidly in sarcoma 37 7 717

MacCarty, W C, Sr Early cancer of stomach Study of 1,299 resected ulcers and 2 408 cancers 1 536

MacDowell, E C See Taylor M J, 9 144

-, Potter, J S , and Taylor, M J Mouse leukemia XII 5 65

Macfarlane E W E, Schmock, N G, and Nadeau, L V Effect of cold and of beef spleen extract on dbrB mouse tumor cells as shown by growth of transplants into dba mice and by cytologic examination 8 438

Madsen, M E See Dunning W Γ, 7 134

Magill, J W See Kensler, C J 7 95

Mahoney, E B See Morton, J J 2 256

Mandl, F Sec Zondek, B, 3 198

Manheimer, L H See Seligman, A M 9 601

Mann, F C See Morris D S 10 36

Mann L S, and Welker, W H Further studies of specific precipitin antiserums for protein of cancer tissue I 3 193

and II 3 196

and III 6 625

Marble, B B See Brues, \ M 1 815

Marinelli, L D See Ibels J C 1 771

See Rawson R W 8 382

Markus R L See Fishman W H 9 609

Marshak, A Difference in rate of P2 turnover of different types of nuclei in rabbit liver 10 232

Martin, G J See Hueper W C 2 294

Martin, H See Abels, J C, 2 381

Marx, H E See Shav, H, 10 241

Marx, W Influence of normal and cancer blood on tyrosmase activity in ritro 9 114

Mathers R G Glutamic acid in tumor hydrolyzates 1 146

Maun, M E See Dunning W F 5 644 9 354 608 10 218

Maver, M E, and Dunn, T B Catheptic activity of normal and neoplastic mouse tissues 5 591

- Johnson, J M, and Thompson, J W p-Peptidase activity of serum as diagnostic test for cancer 1 751

-, and Thompson, J W Sulfhydryl groups of rat lymphosarcoma cathep in 6 494

Maxwell, R E See Vestling C S 9 639

May, C D See Jones R N 4 30-

Mayer, N Studies in cancer X 4 345

McAfee, M See Taylor D R 3 542

McBee, B J See Hoster M S 9 610 10 530

McCallin, P F See Taylor E S 10 360

McCawley E L See Perry, I H 3 378

See Strait L A 3 370

McConnell J R See Reimann S P 6 489

—, Hallett, S F, and Shear, M J Effect on sarcoma 37 in tissue culture of two tumor-necrotizing agents 7 716

McCutcheon, M See Coman D R 7 383 9 559 649 - See Zeidman, I 10 357

-, and Coman, D R Spreading factor in human carcinomas 7 379

McDevitt, Sister M L See Suter Sister M St A 8 500

McDonald, J G Production of reticulum cell sarcoma and fibrosarcoma by methylcholanthrene advorbed on activated carbon 7 305

McDonald, J R See Morris D S 10 36

McDowell, Sister M A See Kelly Sister T A 8 495

McEndy, D P, Boon, M C, and Furth J On role of thymuspleen and gonads in development of leukemia in highleukemia stock of mice 4 377

and Furth, J Studies on pathogenesis of induced leulemia 3 121

McEwen, H D, and Haven, F L Effect of carcino.arcoma 256 on water content of liver 1 148

McHenry, E W See Ballantyne R M 9 689

-, Semmons, E M, Pearse, R., and Meyer, E G Observations on ketosteroid content of urine from patients with prostatic carcinoma and adenoma 7 534

Mecke, F E See Taylor H C Jr 3 180

Meek, G A See Franks W R 10 217

Mehl, J W See Winzler R J 6 496 9 556

Meinken, M A See Stevens C D 9 488 10 155

Meisel, D See Heiman J 6 617

- See Twombly G H 6 82 9 596

Meister, A See Greenfield R E 10 222

Mellors R C Vicroabsorption spectroscopy of cells studies with reflecting ultraviolet micro-cope 10 232

Adair, F E, Escher G C Farrow, J H. and Woodard H Q Lse of sex hormones in advanced mammary cancer **8** 386

Escher, G C, Adair, F E, Farrow, J H, Woodward H Q, and Urban, J U Use of sex hormones in advanced mammary carcinoma in female patients 9 552

Melroy, M B See Spencer R R 1 748 3 129 9 602 - and Spencer, R R Studies in survival 8 381

Mendel, B, Rudney, H, and Bowman, M C Rhodanese and Pasteur effect 6 495

Menke J F Further experiments on extraction of carcinogenic factors from human cancerous tissues 2 786

Menkin V Cellular injury in relation to proliferative and neoplastic response 1 548

 Effect of necrosin on particular type of tumor in Swiss mice 9 557

Merwin R M Algire, G H and Kaplan H S Effects of ir radiation with x-rays on mammary tumor transplants observed in riro 9 620

Meyer, E G See McHenry F W 7 534

Heyer H W Results of surgers in cancer of stomac's 1 707

Meyer, K A Kammerling E M Amtman K. Koller M and Hoffman S J pH Studies of malignant tusur in lu man beings 8 513

Meyer K. F See Bierman H R 10 20

Meyer, L M See Kirschbaum 1, 9 622, 10 762

— Fink, H., Ritz, N. D., Rowen, M. J., and Sawitzky, A. I olic heid derivatives in treatment of human leukemin 9 562

, Miller, F R, Rowen, M J, Bock, G, and Rutzky, J Treatment of acute leukemia with A-methopterin (4-amino-Nio methylpterovl glutamic acid) 9 606

Mider, G B See Greenstein J P. 1 732

- See Morton, J. J., 1 95

See Sherman, C. D., Jr., 9 615, 10 374 See Shirmkin, M. B., 1 751 See White, J., 3 129, 7 711

-, Sherman, C D , Jr , and Morton, J J Effect of Walker carcinoma 256 on total lipid content of rats 9 222

, and White, J I ffect of availability of dietary organic sulfur on reaction of dilute brown mice to methylcholanthrene 1 734

Milford, J J, and Duran-Reynals, F Growth of chicken sarcoma virus in chick embryo in absence of neoplasia 3 578

Miller, E C Studies on formation of protein-bound derivatives of 3,4 benzpyrene in skin of mice 10 232

See Giese, J F , 6 679

- See Miller, J. V., 5 162, 7 39 9 563, 616, 652 - See Potter, V. R., 9 616, 10 28 - See Price, J. M., 9 96, 398, 563, 616, 10 18

-, and Baumann, C A Carcinogenicity of p-monomethylaminorzobenzene in various diets and activity of this dye relative to p-dimethylaminoazobenzene 6 289

-, and Rusch, H P Certain effects of dietary pyridovine and easein on carcinogenicity of p-dimethylamino-

nzobenzene 5 713

, Kingsley, H N, and Miller, J A Inhibition of growth of Iactobacillus casci by p-monomethylaminoazobenzene and its reversal by riboflavin 7 730

-, and Miller, J A Presence and significance of bound amino izo dyes in livers of rats fed p-dimethylaminoazo-

benzene 7 168

-, and – - Further studies on protein-bound aminoazo dves formed in livers of rats fed 4-dimethylaminoazobenzene 9 563

, Sandin, R B, and Brown, R K Carcinogenic activities of certain analogues of 2-acetylaminofluorene in rat 9 504, 617

, Sapp, R W, and Weber, G M Studies on proteinbound aminoazo dyes formed in rivo from 4-dimethy laminoazobenzene and its C-monomethyl derivatives 9 336

Miller, E E See Miller, G L, 10 141, 148

Miller, E W, and Pybus, F C Inheritance of cancer in mice With special reference to mammary carcinoma 5 84

, and — Effect of foster nursing on incidence of spontaneous mammary carcinoma in two inbred strains of mice 5 91

Miller, F R See Mever, L M, 9 606

Miller, G L, Green, E U, Kolb, J J, and Miller, E E Studies on proteins of rhabdomy osarcoma and normal muscle of mice I 10 141

, Miller, E E, and Kolb, J J Studies on proteins of rhabdomy osarcoma and normal muscle of mice II 10 148

Miller, G M See Huggins, C, 9 177

Miller, H, and Carruthers, C Citric acid metabolism in carcinogenesis and its relationships to calcium metabolism **10** 636

Miller, J A Do tumor proteins contain Damino acids? Review of controversy 10 65

See Giese J E 5 387
See Kline, B F, 5 641 6 1, 5
See Willer, E C, 7 468 730, 9 336, 504, 563, 617

See Miner D I 3 206
See Mueller G C 5 401 9 625 10 234
See Potter V R 9 616 10 28
See Price J M 9 96, 398, 563, 616, 10 18

See Ruch H P 7 750

and Baumann, C A Iffect of naphthreene on fluorescerce of hydrocarbons 3 217

Factors that alter fluorescence of certain and carcinogens 3 223

- The determination of carcinogenic hydro-, and carbons in animal tissue Two-condition fluorometry 3 849 -, and ---Determination of p-dimethylaminonzobenzene, p-monomethy laminoazobenzene, and p-aminoazobenzene in tissue 5 157

- Carcinogenicity of certain azo dies related to . and -

p-dimethylaminoazobenzene 5 227

, Kline, B E, and Rusch, H P Inhibition of carcino genicity of p-dimethylaminoazobenzene by certain detergents and effects of diet on levels of azo dyes in rat tissues 6 674

-, and Baumann, C A Carcinogenicity of pdimethylaminoazobenzene in diets containing hydrogenated coconut oil 4 153

- Effect of certain lipids on carcino-, and genicity of p-dimethylaminoazobenzene 4 756

-, and Miller, E C Metabolism and carcinogenicity of pdimethylaminoazobenzene and related compounds in rat 7 39

 Carcinogenicity of certain derivatives of 4dimethylaminoazobenzene in rat 9 563

-, and Baumann, C A On methylation and demethylation of certain carcinogenic azo dyes in rat 5 162

-, Miner, D L, Rusch, H P, and Baumann, C A Dict and hepatic tumor formation 1 699

, Sapp, R W, and Miller, E C Carcinogenicity of certain fluoro derivatives of 4-dimethylaminoazobenzene in rat

-, and --- Carcinogenic activities of certain halogen derivatives of 4-dimethylaminoazobenzene in rat 9 652

Miller, J H Sce Law, L W, 10 280

Miller, O J, and Gardner, W U Role of thy roid function and food intake in ovarian tumorigenesis in intrasplenic ovarian grafts 10 233

Mills, C A See Fuller, R II, 1 130

—— See Wallace, E W, 1 743, 4 279, 5 47

——, and Porter, M M Tobacco smoking habits and cancer of mouth and respiratory system 10 539

Miner, D L See Deutsch, H F, 1 818

See Miller, J A, 1 699

, Miller, J A, Baumann, C A, and Rusch, H P Effect of pyridoxin and other B vitamins on production of liver cancer with p-dimethy laminonzobenzene 3 296

Minor, A H, and Ramirez, M A Utilization of vitamin C by cancer patients 2 509

Miszurski, B, Pikovski, M, Goldhaber, G, and Doljanski, L Effect of x-rays on transmissibility of fowl sarcoma in its nonfilterable phase 5 422

Mitchell, J H, Jr See Bennett, L L, Jr, 10 644

See Skipper, H E, 10 510

, Skipper, H E , and Bennett, L L , Jr Investigation of nucleic acids of viscers and tumor tissue from animals injected with radioactive 8-azaguanine 10 647

Mixer, H W See Lick, L, 9 532

-, and Kirschbaum, A Susceptibility of mice to leukemogenic agents 6 485

—, and — Genetic factors affecting synergism of leu-

kemogenic agents 7 719

Mohs, F E Transformation of rat mammary adenofibroma to fibroma by androgens 1 151

Excision of cancer under microscopic control by chemosurgical method 5 592

Lack of extractable carcinogens in skin of patients with multiple precancerous keratoses of actinic origin 8 371

, and Guyer, M F Pre-excisional fixation of tissues in treatment of cancer in rats 1 49

Moloney, J B See Bryan, W R, 10 207

Montagna, W See Paff, G H, 7 798

Montgomery, P W Exfoliative cytology of oral cavity 9 627 Moon, H D, Simpson, M E, Li, C H, and Evans, H M Neoplasms in rats treated with pitutiary growth hormone I 10 297

—, and —— —— II 10 364 — and —— —— III 10 549

Moore, A E Effect of inoculation of viruses of influenza, herpes, and Russian Far East encephalitis on growth of transplantable tumors in mice 9 611

See Patti J, 10 668
See Stock, C C, 9 598
and Stock, C C Effect of infection with virus of Russian encephalitis on different types of transplantable mouse tumors 10 233

Moore, D H See Graff, S, 7 722 9 611

Moore, G E See Kremen, A J, 9 174

Moore, P R See Lavik, P S, 2 189

Moosey, M M See Green, R G, 5 588

Morgan, H R See Cheever, F S, 2 675

Morgan, L O Histologic changes in central vegetative centers of hypothalamus in carcinoma as indication of vegetative functional disturbances 6 142

Morgan, W C See Barrett, M K, 9 603

Morrione, T G See Pearson, B, 9 564, 10 557

Morris, D S, McDonald, J R, and Mann, F C Intra-ocular transplantation of heterologous tissues 10 36

Morris, H J See Nelson, A A, 2 11

Morris, H P See Dyer, H M, 10 214

- See Lippincott, S W, 3 128

- See Weisburger, E K, 10 247

--, and Dubnik, C S Carcinogenic properties of 2,7-diactyl-aminofluorene 2 2'-diacetylamino-9,9'-bifluoryl and bifluorylidene 10 233

-, and Dalton, A J Mammary tumor incidence and occurrence of growths of thyroid tissue in lungs of mice after prolonged ingestion of thiourea and thiouracil 6 492

-, Dunn, T B, and Johnson, J M Tumors produced in rats after ingestion or painting of 2-nitro, 2-amino, Nacetyl 2-amino and N-diacetyl-2-amino fluorene 7 730

-, Lippincott, S W, and Robertson, W v B Increase in number and rate of growth of spontaneous mammary carcinomas caused by riboflavin in C3H mice 3 129

Weisburger, J H, and Weisburger, E K Distribution of radioactivity following feeding of carbon 14-labeled 2acety laminofluorene to rats 10 620

and Westfall, B B Some studies of excretion of diazotizable material after feeding 2-acetylaminofluorene to rats **10** 506

Dubnik, C S, and Dunn, T B Observations on carcinogenicity, distribution and metabolism of N-acetyl-2aminofluorene in rat 8 390

Morton, J J See Mider, G B, 9 222

— See Sherman, C D, Jr 10 374

— Luce-Clausen, E M, and Mahoney, E B Visible light and skin tumors induced with benzpyrene in mice 2 256

and Mider, G B Some effects of carcinogenic agents on mice subject to spontaneous leukoses 1 95

Moses, M J See Sparrow, A H, 10 242

Mostofi, F K, and Larsen, C D Cytogenesis of pulmonary tumors induced by urethane 9 544

Mottram, J C Abnormal paramecia produced by blastogenic agents and their bearing on cancer problem 1 313

Multiple constitution of abnormal ciliates produced by blastomatogenic agents 4 241

See Weigert I, 6 97 109

Mottshaw, H R Sec Bowman, R O 1 308

Moulder, P V See Huggins, C, 5 510 6 484

Moulton, S H, and Huggins, C Serum esterases in cancer

Movitz, D See Saphir O, 9 562

- Saphir, O and Strauss, A A Effects of antireticular evitotoric serum on Brown Pearce carcinoma of rabbit 9 17

Mueller, G C Sec Rusch, H P 5 565

, and Miller, J A Further studies on metabolism of 4dimethylaminoazobenzene by rat liver homogenate 9 625 and - Reductive cleavage of 4-dimethylaminoazobenzene by rat liver homogenates reactivation of enzyme system by riboflavin-adenine dinucleotide 10 234

-, and Rusch, H P Disappearance of carcinogenic hydrocarbons in autoxidizing lipids 5 401

and Rusch, H P Irradiated benzpyrene and inhibition of urease activity 3 113

-, and - Effect of 3 4-benzpyrene on autoridation of unsaturated fatty acids 5 480

Mulligan, R M Multiple tumors in dogs 4 505

Primary liver-cell carcinoma (hepatoma) in dog 9 76

- Melanoma in dogs 9 615

Mulliken, B See Kritzler R A, 9 74

— See Turner J C, 7 774

Murison, P J See Segaloff, A , 10 240

Murphy, E A See Dunn, M S 9 306

Murphy, E D See Greene H S N, 5 269 Murphy, J B Effect of castration theelin, and testosterone on incidence of leukemia in Rockefeller Institute strain of mice

4 622

See Sturm, E , 4 384

-, and Sturm, E Transmission of induced lymphatic leukemia and lymphosarcoma in rat 1 379

and -Further investigation of induced tumors in fowls 1 477

- Further investigation on transmission of in--, and duced tumors in fowls 1 609

-, and — Effect of sodium pentobarbital, paradichlorbenzene amyl acetate, and sovasol on induced resistance to transplanted leukemia of rat 3 173

-, and *-* Observations on experimentally produced sarcomas of pigeons 6 11

- and --

 Inhibiting effect of ethyl urethane on development of lymphatic leukemia in rats 7 417 Effect of growth or retrogression of transand -

plantable lymphosarcoma of rat on lymphoid organs and adrenals of hosts 8 139

and — Effect of diethylstilbestrol on incidence of leukemia in male mice of Rockefeller Institute leukemia strain (RIL) 9 88
— and — Effect of adrenal grafting on transplanted

lymphatic leukemia in rats 10 191

Murray, M R, and Stout A P Characteristics of sympathicoblastoma cultivated in ritro 6 501

Murray, W S Studies on inheritance of mammary carcinoma in mouse Concentration of extrachromosomal factor Physiological stability of individual 1 123

- Studies on effect of foster nursing and its relation to development of mammary carcinoma in mouse 1 738 790 Studies on the control of mammary cancer incidence in

mice 3 125

 Studies of effects of genes and their relation to development of mammary carcinoma in mouse 6 501

-, and Hoffman, J G Physiological age as basis for comparison of strains of mice subject to spontaneous mammary carcinoma 1 298

Myers, W G Localization of radioactive compounds in tumors 9 612 10 234

Nachlas, M M See Seligman, A N , 9 601 10 240 Nadeau, L V See Macfarlane E W E 8 488

Nathanson, I T Urinary excretion of estrogens and 17-ketosteroids in premenopausal carcinoma of breast 3 192

Effect of stilbestrol on advanced cancer of breast 6 484 Effect of orchiectomy on advanced cancer of breast in males 7 723

See Aub J C 7 723 See Fmerson W 9 551

See Karnofsky D A 4 772

See Kennedy B J 9 551

- See Salter, W. T., 1 60
- and Kennedy, B. J. Alterations of pulmonary and osseous metastases in patients with advanced cancer of breat following hormonal therapy and castration 9 551

and Zameenik P C Influence of estrogens and androgens on development of dietars cirrhosis in rats 7 711

Nauts, H. C., Swift, W. E., and Coley, B. L. Treatment of malignant tumors by bacterial toxins as developed by the late William B. Coley, M. D., in light of modern research 6, 205

Neal, W., Jacobson, L. O., Brues, A. M., Ducoff, H., Straube, R. L., and Kelly, T. Studies with arsenic 9 562

Nelson, A A, Fitzhugh, O G, and Calvery, H O Liver tumors following cirrhosis caused by selenium in rats 3 230——, Morris, H J, and Calvery, H O Neurofibromas

of rit ears produced by prolonged feeding of crude ergot 2 11

Nelson, C V See Lorenz E, 3 125

Nero, W J See Cliffton, L F , 9 122

Nettleship, A Tissue elements in origin of neoplasms. Evidence that neoplasms originate at various levels of tissue organization. 7,721

Neubuerger, K T, and Davis, C L Cerebral tumor in dog resembling human medulloblastoma 3 243

Neufach, S A See Kleinenberg H L, 1 853

Newton, B L See Greene, H S N , 7 502

Niazi, S, and State, D Diphenvlamine reaction of human serum 8 653

Nichols, S. See Brunschwig, A., 6 230
—— See Dunham, L. J., 6 233

Niederman, D J See Snapp, R H, 10 73

Nieto, G See Iglesias, R , 4 510

Nigrelli, R F Studies on spontaneous neoplasms in fishes IV 9 615

-- See Goldsmith, Γ D , 9 605

--- See Gordon, M , 9 553, 10 220

--- See Jakowska, S, 9 630

---, Jakowska, S, and Gordon, M Histological and cytological observations on hereditary crythromelanomas in platefish-swordtail hybrids 10 234

Nishimura, E. T. See Creech, H. J., 7 716, 8 330, 9 561
—— See Wharton, D. R. A., 9 561

Norris, E R, and Troescher, E E Synthesis of sterol by tumor bearing rats 1 410

Norris, T See Taylor, 1,8 264

Novikoff, A B See Pearson B, 10 557

Potter, V R, and LePage, G A Phosphorylated interinclintes in tumor glycolysis IV 8 203

Nutting, J See Burchenal, J H, 9 606

Nye, W See Griffin, 1 (, 9 563

Oakley, R See Reimann, S P , 6 489

Odell, L D, and Burt, J C β-Glucuronidase activity in human female cancer 9 362

Oginsky, E L See Creech, H J, 7 290, 297, 301

Olcott, C T Transplantable nephroblastoma (Wilms' tumor) and other spontaneous tumors in colony of rats 10 625

----, and Papanicolaou, G N Studies on spontaneous tumors in guinea pigs III 3 921

Oliver, C P See Jackson, D, Ir, 9 604

Orbison, J. L., Davenport, H. A., Queen, F. B., Spicer, D. D., and Galt, R. M. I ffect of heredity on susceptibility of rats to implants of induced surcoma. 1 891

Ormsbee, R A See Karnofsky, D 1,7 50

and Cornman, I Iffect of podophyllin on tumor cells in ratro 7 717

and — Place of tissue culture in cancer chemotheraps screening program 8 334

Osenkop, R S See Breedis (2 116

Oscood, E E, and Chu, I T I fleet of nitrogen mustard on granul cytic cells as ob erved by marrow culture technic 10 %

Oughterson A W See Plant J A 2 546 Owens L A See Falson W W 10 215 Pack, G T See Abels, J C 3 177, 4 145

Paff, G. H., Montagna, W., and Bloom, F. Cytochemical studies of normal and tumor mast cells in tissue and in ritro 7 798

Paletta, F X, Cowdry, E V, and Lischer, C E Comparison of methylcholanthrene hyperplastic epidermis with benign hyperplastic epidermis in healing wounds 1 942

Pallas, W C See Taylor, E S, 10 860

Palma, J See Lipschutz, 1, 1 575

Pan, S C See Gardner, W U, 8 241, 9 549

——, and Gardner, W U Carcinomas of uterine cervix and vagina in estrogen-and androgen-treated hybrid mice 8 337—, and —— Induction of malignant tumors by methylcholanthrene in transplanted uterine cornua and cervices of mice 8 613

____, and ____ Induction of malignant tumors of uterus and

uterine cervix in mice 9 549

Papanicolaou, G N See Olcott, C T, 3 321

Pardee, A B Scc Potter, V R, 9 547

Parisette, L M Sec Karnofsky, D 1, 8 889

Parks, R E, Jr See Kidder, G W, 9 610

Parpart, A K See Lucke, B, 1 709

Paschkis, K E See Cantaron, A, 6 492, 610, 8 412, 9 595
—— See Stasney, J, 7 356, 9 565, 617 10 288, 775

—, and Cantarow, A Carcinogenic action of 2-acetylaminofluorene 8 390 —, and —— Effect of various carcinogens on testosterone-

induced comb growth 10 234

—, —, and Stasney, J Influence of thiournal upon carcinogenic action of acetylaminofluorene 7 713, 8 257

Patt, D I See Lutz, B R, 10 231

Patt, H M See Straube, R L, 10 243

Patterson, P A See Karnofsky, D A, 8 889, 9 554 10 228 Patti, J, and Moore, A E Heterologous growth of sarcoma 180 with progression to death of hosts 10 674

Peacock, P R Etiology of fowl tumors 6 311

--- See Beck, S, 5 135

---, and Kirby, A H M Attempts to induce stomach tumors II 4 88

Pearce, L See Casev, A E, 2 284, 401

Pearlman, W H Sec Pincus, G, 1 970

Pearsall, H R See Dillard, G H L, 9 661

Pearse, R See McHenry, E W, 7 534

Pearson, B, and Garcia, M Skeletal involvement in carcinoma of cervix 3 182

——, and Morrione, T G Histochemical studies of alkaline phosphatase at intervals during carcinogenesis in rats fed 4-dimethylaminoazobenzene 9 564

——, Novikoff, A B, and Morrione, T G Histochemical localization of alkaline phosphatase during carcinogenesis in rats fed p-dimethylaminoazobenzene 10 557

Pearson, O H, Eliel, L P, and Talbot, T R, Jr Remission in acute leukemia induced by ACTH 10 235

Peller, S Malignant melanoma cutis 1 538

Penn, H S Serological flocculation reaction as indication of malignancy 9 592

Tumor lipoids as antigens (preliminary report) 10 235

See Hall G C, 10 22

Pentimalli, F Transplantable lymphosarcoma of chicken 1 69

Perrault, A See Beck L V 9 626

— See Shear, M I, 9 560, 625

----, and Shear, M J Large scale preparation of tumornecrotizing polysaccharide from S marcescens 7 71;

tumor-necrotizing polysaccharide 9 626

Perry, I H See Strut, L 1, 3 370

 Strait, L A, and McCawley, E L Spectrochemical study of estrogen-induced mammary cancer in mice II 3 378

Petermann, M L See Alfin-Slater R B, 9 215

- See Schneider, R M, 10 751

Peters, V See Dalton, A J, 6 490

-, Hartwell, J L , Dalton, A J , and Shear, M J First screening in tumor-bearing mice segregation of active from inactive compounds 6 490

Pettigrew, F See Riley, J F, 4 502

Pfeiffer, C A Development of leiomy omas in female rats with endocrine imbalance 6 491 9 277

Adenocarcinoma in uterus of endocrine imbalance female rat 9 347, 549

See Hooker, C W, 2 759 5 590 6 503 7 723

-, and Allen, E Attempts to produce cancer in rhesus monkeys with carcinogenic hydrocarbons and estrogens 5 589 8 97

, and Hooker, C W Effects of pregnant mare serum upon course of development of testicular tumors in mice of A strain 3 124

-, and --- Testicular changes resembling early stages in development of interstitual cell tumors in mice of A strain after long-continued injections of pregnant mare serum 3 762

Pfeiffer, P H See Fishman, W H, 9 609

Philips, F S Role of pharmacology in chemotherapy of cancer 8 386

Pickels, E G See Claude, A, 6 502 7 421 - See Porter, K R 6 502

Pikovski, M See Doljanski, L, 1 205, 2 626

- See Miszurski, B, 5 422

-, and Doljanski, L Studies on relationship between sarcoma and leukosis in chickens II 10 1

-, Goldhaber, G, and Doljanski, L Studies on relationship between sarcoma and leukosis in chickens I 7 393

Pincus, G, and Pearlman, W H Steroid excretion in cancerous and noncancerous persons Π 1 970

Plaut, A See Sobel, H , 9 629

, and Kohn-Speyer, A C Skin tunnel A device for keeping substances in contact with skin 3 176

and Sobel, H Human sebum as vehicle for methylcholanthrene 9 294

Plaut, J A, Tennant, R, and Oughterson, A W Irradiation of transplanted Bagg-Jacksen and Yale carcinomas in mice as affected by diet and foster nursing 2 546

Player, M A See Huggins, C, 9 753

Pollack, M A See Taylor A, 2 223, 744, 752

-, Taylor, A , and Sortomme, C L Effect of variations in ovygen pressure upon tumor transplants 2 828

_____, Taylor, J, and Williams, R J B vitamins in cancerous tissues I 2 739

Woods, A, Thompson, R C, and Williams, R J B vitamins in cancerous tissues III 2 748

Polya, J B, and Dunn, P Use of acetamide in meiostagmin reaction 10 543

Pomerat, C M Reticuloendothelial immune serum (REIS) III 5 724

Ponder, E Heat coagulation of serum in cancer method applicable to very small quantities of serum 10 139

Porter, K R See Claude, A 6 502 7 421

and Pickels, E G Electron microscopy of normal and malignant cells 6 502

, and Thompson, H P Some morphological features of cultured rat sarcoma cells as revealed by electron microscope 7 431

Observations on particulate body associated and with epithelial cells cultured from mammary carcinomas of mice 9 557

Porter, M M See Mills C A 10 539

Potor, A Sce Homburger F 7 725

Young, N F, Homburger F, and Reifenstein, E C, Jr Observations on electroly te metabolism in gastric cancer and Addison's disease 9 557

Potter, E A Changing cancer death rate 7 351 Potter J S See MacDonell F C 5 65

and Ward, E N Mitochondria in lymphocytes of normal and leukemic mice 2 655

Potter, V R Inhibition of sulfhydryl-containing enzymes by split products of p-dimethylaminoazobenzene 2 688

Biocatalysts in cancer tissue IV 3 358

Biochemical action of cocarcinogens 6 500

See Ackermann W W 9 602

See Albaum H G, 3 303 See DuBois K P, 2 290 See Novikoff A B, 8 203

See Rhian, M, 7 714
See Rusch H P 5 588
See Schneider, W C, 3 353
, and Busch, H Further evidence for absence of Krebs condensation in tumor tissues citric acid content of normal and tumor tissues in rico following injection of fluoroacetate **10** 236 353

and DuBois, K P Carcinogenesis and inhibition of succinic dehydrogenase by p-dimethylaminoazobenzene de-

rivatives 3 133

-, LePage, G A , and Pardee, A B Ovalacetate metabolism in glycolyzing tumor homogenates 9 547

-, and Liebl, G J Biocatalysts in cancer tissue V 5 18 -, Price, J M , Miller, E C , and Miller, J A Effects of several aminoazo dves on succinoxidase of rat liver 9 616

and — Studies on intracellular composition of livers from rats fed various aminoazo dyes III 10 28 Schneider, W C, and Liebl, G J Enzyme changes during growth and differentiation in tissues of newborn rat 5 21

Poyner, H See Biesele, J J, 3 779

Price, J M See Potter, V R , 9 616 10 28

and Laird, A K Comparison of intracellular composition of regenerating livers and induced liver tumors 10 236, 650 Miller, E C, and Miller, J A Intracellular distribution of protein, nucleic acids riboflavin and protein bound aminoazo dye in livers of rats fed 4-dimethylaminoazobenzene 9 563

- and Weber, G M Studies on intracellular composition of livers from rats fed various aminoazo dves I

 and —— Effects of several aminoazo dves on intracellular composition of rat liver 9 616

and --- Studies on intracellular composi tion of livers from rats fed various aminoazo dves II 10 18 Miller, J A, Miller, E C, and Weber, G M Studies on intracellular composition of liver and liver tumor from rats fed 4-dimethylaminoazobenzene 9 96

Prickett, C O See Burmester B R 4 364 5 652 6 189

Prince, J E See Fardon J C, 8 531

Probert, C See Bass A D, 10 420

Pybus, F C See Miller E W 5 84, 94

Quastler, H Use of betatron in cancer therapy preview 6 483

Studies on radiation death in mice 9 552

Stunting of plant seedlings by irradiation 10 236

- See Vestling C. S 9 639

- and Baer M Inhibition of plant growth by irradiation **\ 10** 604

Stewart W N, and Schertiger, A M Growth inhibition by radiation in beans 9 553

Queen, F B See Davenport H 1 1 821 See Orbison J L 1 891

Quinlin, P M See Stevens C D 9 139 488 10 155

Rabinowitz, H M Correlation of fluorescence of human urine with benign and malignant growth 9 672

Ramirez, M A See Minor 1 H 2 509

Randall, C See Bloor W R 9 548

- See Haven F L 7 727 9 90 511

Randall H T See Graff S 7 722 9 611 - See Hangensen C D 5 852

Rask-Nielsen R See Engelbreth Holm J 7 129

Rasmussen R A See Brunschwig 1 1 871

Schade A L See Burk D 6 497

- See Hearon 1 7 71

-- Nec Levy, H 9 613

Schnefer, A E, Copeland D H, and Salmon, W D Occurrence of neoplasms in chickens as result of prolonged choline

- - -, -- and Hale, O M Influence of riboff win pyridoxir comositolo and protein depletion-repletion upon choline deficiency induced neoplisms 10 259, 786

Scharrer, B, and Lochhead, M. S. Lumors in invertebrates. A reviev 10 103

Scheebell, G. I. See Sintistebin G. 1, 10 219

Schenken, J R Sec Burns 1 1 3 691, 697 5 587

- and Burns, E. L. Spontaneous primary hep itom is in mice of strum (3H, III, 3, 69)

Scherp, H W, and Syverton, J T Chemical investigation of keritin and circinomis deriving from rabbit pipillomis (Shope) 9 12

Schertiger, A. M. See Quastler, H., 9, 573

Schilling, A See I isolo, D , 10 250

-, Bellin, J., Gottesman, E. D., and Laszlo, D. Metabolic studies of patients with earemon a of prostate and effects of stilbestrol therapy 10 259

Schilling, E. L. See Burk, D., 9 555

-- See I arle, W R , 9 593, 10 211 -- See I vins, V I , 9 558

--- See Sunford K K, 9 555, 10 238

Schilling, J. A., Snell, A. C., Jr., and Favata, B. V. Heterolof our ocular transplantation as practical test for cancer 9 792

Schlenk, F. Determination of codehydrogenase I in tumors 6 39,

Schlosser, J. V. See Seguloff, A., 9, 595, 10, 230

Schlumberger, H. G. Cutaneous leiomyoma of goldfish 9 553

-- See Luckl, B, 8, 473, 10, 251, and Luckl, B, Tumors of fishes, amphibians, and reptiles 8 657

 Serial intraocular transplantation of frog --, and caremona for fourteen generations 9 52

Schmitt, L. H. See Waldvogel, M. J., 10, 371

Schmock, N. G. See Macfarlanc, I. W. I., 8, 138

Schneider, R M, and Petermann, M L Nuclei from normal lcukemic mouse spleen I 10 751

Schneider, W C Phosphorus compounds in animal tissues II 5 717

-- Intracellular distribution of enzymes II 6 695

-- See Potter, V R , 5 21

- and Klug, H L Phosphorus compounds in animal tissues IV 6 691

- and Potter, V R Biocitilists in cincertissue III 3 353 Schober, B See Burrows, II , 5 521

Schoental, R See Berenblum, I, 3 145, 151, 696, 699, 7 390 Schott, H F See Bill, H 1, 2 116

Schram, M. W. S. I speriment in mass screening of a population for cancer actual and potential findings at 10,000 examinations 10 259

Schreiber, S. S. See Goldsmith, I. D. 9 607

Schrek R Cutincous circinoma IV 4 119

- Rucial distribution of cancer I 4 433

- I utors affecting exteed a action of x rays in rateo 6 498 -- Reaction of cells to xrays introgen mustard, and extracts of adrend cortex in ritro 9 559

-- and Allaben, G. R. Statistical analysis of 2,107 admis sions to tumor clinic of Veterins Hospital, Hines, Illinois durn ; 1913 5 539

- Baker, L A, Ballard, G P, and Dolgost, S Tobjeco smoli gas in etiologic futor in di cise I 10 49

- - and Lerowitz H I tiply a factors in carcinoma of prins 7 150

Schulman, C See Las lo, D , 10 230

Schultz, F. H. See Hill. R. M., 3 Sep. S41

Schultz, J. Nuclear differentiation and origin of tumors 7-31

Schuster, M. C. See Gessler, V. 1., 8 514, 549

Schwartz, S. See Gross, 1, 10 222

Schwarz, I See Lapschittz, V. 4 21, 5 515

Schwenk, F See Werthessen, N T, 10 679

Scott, J. F. See Bucher, N. L. R. 10 207

Scott, K G Metabolic studies on leukemic mice with aid of ridioactive phosphorus 5 565

Segaloff, A I ffect of a estradiol-3 benmonte on response of CIII mice to 20 methylchol inthrene 2 791

--- See Dunning W F, 6 256 7 511 --- See Iglesias, R, 10 226, 668

-- Coppedge, R L, and Schlosser, J V I fleet of testoster one propionate therapy on exerction of hormones in patients with metastatic breast circinoma 9 595

-, Schlosser, J V , Horwitt, B N , Gordon, D , and Murison, P J Further studies on effect of testosterone propio nate therapy on exciction of hormones in patients with metastatic breast caremoma 10 230

Schgman, A. M. See Friedman, O. M., 10 218

—— See Rutenburg, 1 M, 10 113 —— See Suck, 1, 7 715

---, and Ashbol, R New reagent for histochemical demonstration of active carbonyl groups 9 623

- and --- Tumor survey with method for demonstrating nctive cirbonyl groups 10 240

-, Gofstein, R, and Rutenburg, A M Preparation of a radioactive iodotetra ohum salt and its distribution in mice

---, ----, and ---- Studies with ridio ictive iodotetrazolium compound and with new tetrazolium salt which yields blue pigment on reduction 9 601

-, Leiter, J, Sweet, B, and Shear, M J Tumor necrotiing bacteral polysaccharide tagged with radioactive induc-7 715

---, Manheimer, L. II, and Nachias, M. M. New methods for histochemical demonstration of intracellular enzymes

---, Nachlas, M M, and Cohen, R Histochemical demonstration of β glucuronidase and sulfatase 10 290

--, Rutenburg, A M, and Priedman, O M Distribution studies with nitrogen mustard containing radioactive rodine 9 623

Selle, W A, Brindley, P, and Sples, J W Production of tumors by transplantation of normally appearing liver cells from animals previously injected with methylcholanthrene 1 618

Seltzer, B See Beck, L 1, 8 102

Selve, H Atypical cell proliferation in anterior lobe adenomas of estradiol treated rats 4 349

Sommons, E M See Melleury, L W , 7 591

Shabad, L M On tumor producing chemical substances 5 105 -- See Klemenberg, H 1 , 1 553

Shack, J. Purification and properties of dehydropeptidases from neoplastic and normal tissues 7 719

Shacter, B , and Shimkin, M I ffect of methyl his (β chloro cthyl) amine on sulfhydryl content of scrum 10 240

Shanbrom, A Sec Lugge, I II 1, 2 335

Shanewise, R. P. See Dounce, A. L., 10 103

Shanklin, W. M. See Djaman, A. 1, 9, 520

Shapiro, D. M. See Gellhorn, A., 10, 170

--, and Warren, S Cancer uncryation 9 707

Sharpless, G R Diet and epithelial hyperplasia in forestomach of rats and mice 3 109

Shay, H, Friedmann, B, Gruenstein, M, and Weinhouse, S Mammary exerction of 20 methylcholanthrene 10 797

Weinhouse, S, Gruenstein, M, Marx, H F, and Friedmann, B Development of malignant lymphoma in some of young rats sucled by mothers receiving methyl

cholanthrene by stomach tube only during lactation period (preliminary report) 10 241

Shear, M J Effect of concentrate from B prodigiosus filtrate on subcutaneous primary induced mouse tumors 1 731

 Current laboratory and clinical projects with bacterial polysaccharide, synthetic compounds and other materials 6 488

See Belkin, M, 9 560

See Creech, H J, 7 716

- See Diller, I C, 6 488 - See Downing, V, 9 598 - See Greenspan, E M, 9 597

See Hartwell J L , 1 741 3 122 6 489 7 716

See Leiter, J 9 597

See McConnell, J. R., 7 716 See Perrault, A. 7 714 9 626 See Peters, V. 6 490

- See Reimann S P , 6 489 - See Seligman A. M., 7 715

Armaghan, V, Dalton, A J, and Hartwell, J L Second screening in tumor-bearing mice further potency and toxicity experiments with active compounds 6 490

—, Downing, V, Hartwell, J L, Leiter, J, MacCardle, R C, Perrault, A, and Vivian, D L Preliminary screening of 1000 chemical agents for potency in producing damage ın sarcoma 37 9 625

Hartwell, J L, Downing, V, MacCardle, R C, Leiter, J, Perrault, A, and Johnson, J M Summary of data in first screening of chemical agents for potency in producing damage in sarcoma 37 9 560

Sheldon, P See Denton, R W, 10 684

Shelton, E See Burk D 9 558

See Earle W R , 10 214 See Sanford K K , 9 558 10 238

and Earle, W R In ritro study of cells in seven in ritro generated strains of C3H mouse sarcomas 6 502

Shemin, D, and Sproul, E E Studies of transmissible agent of chicken sarcoma I 2 514

, and Jobling, J W Studies on transmissible agent of Rous chicken sarcoma I 1 729

Sheppard, C W See Hahn, P F, 8 382

Sheremetieva-Brunst E A See Brunst, V V, 10 206

Sherman, C D, Jr See Mider G B 9 222

and Mider, G B Source of tumor nitrogen in rats bearing Walker carcinoma 256 9 615

Morton, J J, and Mider, G B Potential sources of tumor nitrogen 10 374

Shetlar, C L See Shetlar, M R, 9 515 10 681

Shetlar, M R, Erwin, C P, and Everett, M R Serum polysaccharide levels in rats bearing Walker 256 tumor 10 445—, Foster, J V, Kelly, K H, Shetlar, C L, Bryan, R S, and Everett, M R Serum polysaccharide level in malig-

nancy and in other pathological conditions 9 515 Shetlar, C L, Richmond, V, and Everett, M R Polvsaccharide content of serum fractions in carcinoma, arthritis and infections 10 681

Shifrin N E, and Simpson, W L Mucopolysaccharides and mucolytic enzymes in vitro 9 624

Shimkin, M B See Bierman H R, 10 203

- See Shacter, B 10 240

- and Mider, G B Carcinogenesis in guinea pig 1 751

Shrader, R E Adrenal medullary tumor (pheochromocytoma) in golden hamster (Cricetus auratus) 6 504

Shrigley, E W Preliminary studies on autonomy of Rous sarcoma as measured by growth of tumor in anterior chamber of guinea pig eves 5 593

Preliminary studies on recovery of Rous sarcoma virus from guines pig tissues during growth of tumor in anterior chamber of rodent seye 6 503

Influence of mammalian environments on tissue specificities of Rous chicken sarcoma virus 7 575

Transplantation of Rous chicken sarcoma into anterior chamber of mouse eve 7 727

- See Duran-Revnals F, 5 11 6 535

Greene, H S N and Duran-Reynals, F Studies on variation of Rous sarcoma virus following growth of tumor in anterior chanber of guinea pig eve 5 356

- and - Growth of avian tumors other than Rous sarcoma in anterior chamber of guinea pig eve 7 15

Shubik, P Studies on promoting phase in stages of carcinogenesis in mice, rats, rabbits and guinea pigs 10 13

Comparison of skin tumors induced by repeated applications of carcinogenic hydrocarbons and those induced by single application of carcinogen followed by repeated applications of croton oil 10 241

Growth potentialities of induced skin tumors in mice Effects of different methods of chemical carcinogenesis 10

- See Wartman, W B , 10 247

Shwartzman, G Phenomenon of local skin reactivity to Serratia marcescens (B prodigiosus) Immunological relationships between Serratia marcescens culture filtrates and Shear polysaccharide 4 191

Sibley, J A, and Lehninger, A L Serum zymohevase in cancer 9 547

Silberberg M See Silberberg R 10 718

Silberberg, R, and Silberberg, M Response of transplanted skin of newborn and suckling mice to application of 20methylcholanthrene 10 718

Silberman, S See Lipschutz A 5 515

Silverstone, H Levels of carcinogenic azo dves in livers of rats fed various diets containing p-dimethylaminoazobenzene Relationship to formation of hepatoma 8 301

Effect of rice diets on formation of induced and spontaneous hepatomas in mice 8 309

See Tannenbaum A 6 499 501 7 567, 711 9 162 405 607 724 10 577

and Tannenbaum, A Levels of lipids and carcinogenic azo-dves in livers of rats fed various diets containing pdimethylaminoazobenzene Relationship to formation of hepatomas 7 731

and - Influence of thyroid hormone on formation of induced skin tumors in mice 9 684

and — Effect of proportion of dietary fat on rate of formation of mammary carcinoma in mice 10 448

Simoes, R L See Costello, C J 7 642

Simpson, C L See Franseen C C, 1 393 489

Simpson, M E See Moon, H D 10 297 364 549

Simpson, W L Experimental study of single trauma malignancy 7 726

See Cramer, W, 4 601 5 593

See Gopal Avengar A R , 7 727

See Shifma, N E 9 624

Carruthers, C, and Cramer, W Loss of carcinogenic activity when methylcholanthrene is dissolved in anhydrous lanolin 5 1

and Cramer, W Fluorescence studies of carcinogens in skin I 3 362

- Sebaceous glands and experimental skin -, and carcinogenesis in mice 3 515

- Further observations on skin carcinogenesis by and single application of 20 methylcholanthrene 3 604

 Sensitization of skin by carcinogenically inacand tive methylcholanthrene to subsequent carcinogeresis 5 5 - Fluorescence studies of carcinogens in skin and -

Denues, A R T, and Keller, P J Further studies on relationship of mucolitic enzymes to invasive growth of carcinomas and sarcomas in mice 9 602

Singher, H O See Abels J C 4 488

Abels J C Craver L F and Rhoads C P Clinical effects of aldehyde builfites in patients with ca cer II 4 444

Skanse, B N See Ranson R W 8 382

Skapier J Therapeutic u e of anti-reticular cytofoxic serum (ACS) in Hodgkin's di case 7 369

Skavinski, E. R. See Appleman, D., 10 498

Slipper, H E See Bennett, L L, Jr, 10 644

See Mitchell J H, Jr, 10 647

, Bell, M J, and Chapman, J B Studies on hazard involved in use of C14 II 10 362

---, Bennett, L L, Jr, Edwards, P C, Bryan, C E, Hutchison, O S, Chapman, J B, and Bell, M Anti-leukemic assays on certain pyrimidines, purines, benzimidazoles, and related compounds 10 166

and Chapman, J B Carbamates in chemotherapy of

leukemia VI 9 158

 Mitchell, J. H., Jr., and Bennett, L. L., Jr. Inhibition of nucleic acid synthesis by folic acid antagonists 10 510

Skutch, E See Levy, H, 9 613

Slater, G G See Winzler, R J, 10 249

Sloviter, H A Distribution and action of radioactive ovazine dve in tumor-bearing mice 9 677

See Lewis, M R, 9 736

Siye, M Incidence of lung tumors in five related strains of mice and their hybrid derivatives 1 740

See Wells, H G, 1 259

Smart, C W See Lewis, G T, 9 103

Smith, A H See Cahill, W F, 3 830

Smith, D E See Straube, R L, 10 243

Smith, D L, Wells, J A, and D'Amour, F E Relationship of endocrine system to carcinogenesis 2 40

Smith, F W Castration effects on inherited hormonal influence 6 494

 Relationship of inherited hormonal influence to production of adrenal cortical tumors by castration 8 641

— See Huseby, R. A., 6 494 —, and Bittner, J. J. Castration effects in relation to inherited hormonal influence in mice 5 588

-, Gardner, W U, Li, M H, and Kaplan, H S Adrenal medullary tumors (pheochromocytomas) in mice 9 193

Smith, L W See Sano, M E, 2 32

Smith, P K See Kelly, M G, 9 555, 599

Smith, T R See Spurr, C L, 7 51, 8 387

Smith, W E Tissue transplant technic as means for testing materials for carcinogenic action 9 592, 712

— See Sugiura, K, 9 631

-, and Rous, P Neoplastic potentialities of transplanted embryo tissue gastric and pulmonary tumors induced with methylcholanthrene 6 500

, and - Prenatal stimulation to neoplastic growth lung adenomas in suckling mice after urethane injections during pregnancy 9 544

Smyth, I M See Winzler, R J, 9 556

Snapp, R H, Niederman, D J, and Rothman, S Experiments on theory of photochemical formation of carcinogens from skin fats 10 73

Snell, A C, Jr See Schilling, J A, 9 592

Snell, G D, and Cloudman, A M I ffect of rate of freezing on survival of fourteen transplantable tumors of mice 3 396

, and Woodsworth, E Tumor immunity in mice, induced with hyophilized tissue, as influenced by tumor strain, host strum, source of tissue, and dosage 8 429

Sniffen, R C See Gardner, L I, 10 218

Sobel, H See Furth, J , 7 246, 710

-- See Plaut A 9 291

- - and Plaut, A Fluorescent fraction of horse smegma and possible role of triterpenoids of sebum-producing organs in careinogenesis 9 629

Sober, E K See Cohen P P 2 405 5 631

Sortomme, C L See Pollack M A, 2 828

Spangler, J M See Burk D 3 180

Sparrow, A. H., Moses, M. J., and Steele, R. Sensitivity of el romosomes to breakage by x-rays and its relationship to nucle c acid evels in dividing cells 10 2/2

Speer F D See Black M M 10 204

Spencer, R R Carcinogenesis and cell adaptations 6 485

— See Melroy, M B, 8 381
—, and Melroy, M B Behavior of Paramecium multinucleatum after long adaptation to methylcholanthrene

and -- Some observations on mechanism of species adaptation to carcinogens 3 129

 Production of profound changes in bacteria by . and --rhythmic exposure to heat 9 602

Spicer, D D See Orbison, J L, 1 891

Spiegelman, S Carcinogenesis and mechanism of gene action 7 42

Spies, J W Sce Selle, W A, 1 618 - See Woelfel, W C, 1 748

Sprince, H Sec Burk, D , 1 732, 3 121

Sproul, E E See Shemin, D, 1 729, 2 514

Sprunt, D H, Kyle, W, and Richmond, S G Reproducibility of iodoacetate index in Huggins test 10 242

Spurr, C L, Block, M H, Smith, T R, and Jacobson, L O Observations on chinical response and histopathologic reaction of lymphoma to nitrogen mustard therapy 8 287

, Jacobson, L O, Smith, T R, and Barron, E S G Clinical application of nitrogen mustard compound methyl bis (β-chloroethyl) amine to treatment of neoplastic dis orders of hemopoietic system 7 51

Sta Cruz, J Z Experimental liver cancer in rats by butter yellow 6 504

Stanger, D W See Steiner, P, 7 273, 709

- See Wartman, W B , **10** 247

Stanley, W M See Graff, S, 7 722, 9 611

Stapleton, G E See Henshaw, P S, 7 48

Stasney, J Sec Cantaron, A, 6 492, 610, 8 412, 9 595

See Paschkis, K E, 7 731, 8 257

, Cantarow, A, and Paschkis, K E Production of neoplasms by injection of fractions of mammalian neoplasms

-, Paschkis, K E, and Cantarow, A Effect of partial ablation of bone marrow and of splenectomy on the hepatic lesions produced by 2-acetaminofluorene 9 565, 10 283

, and -- Hepatomas following intrahepatic injection of "mitochondria fraction" of chemically induced hepatoma 9 617

, and Rothenberg, M S Neoplasms in rats treated with 2-acetaminofluorene and sex hormones II 7 356

State, D See Ninzi, S, 8 653

Steadman, L T, Ariel, I, and Warren, S L Studies on the effect of hypothermia IV 3 471

Steele, R See Sparrow, A H, 10 242

- Sec Steiner, P E, 3 100

, Koch, F C, and Steiner, P E Extraction of carcinogenic fraction from human urine 1 614

Stein, A M See Appleman, D, 10 498

Steinberg, F W See Jackson, D, Jr, 9 604

Steiner, P E Production of tumors with extracts from human liver 1 750

Absence of carcinogenicity of cod liver oil concentrate 2 181

 Induction of tumors with extracts from human livers and human cancers 2 425

Incidence of carcinogenic factor in livers of cancer, noncancer cirrhotic and Negro patients 3 385

See Falk, H L, 9 438 See Lushbaugh, C C, 9 299

See Steele, R, 1 614

, Klüver, H, and Brunschwig, A Three carcinomas of tongue in two monkeys 2 704

, and Loosli, C. G. Influenza (type A) virus as pulmonary carcinogen in mice 10 242

Effect of human influenza virus (type A) on incidence of lung tumor in mice 10 385

-, Stanger, D W, and Bolyard, M N Comparison of

carcinogenic activity in extracts of human liver and other human and animal organs 7 273, 709

-, Steele, R, and Koch F C Possible carcinogenicity of overcooked meats heated cholesterol, acrolem, and heated sesame oil 3 100

Steinitz, L M See Thomas, L E, 10 245

Stephenson, M L See Zamecnik P C 6 495 7 326 712 9 1, 547, 612 10 251

Stern, I R See Reiman M S, 10 467

Stern, K Reticulo-endothelial activity in mice of inbred strains 9 554

Influence of sulfonated azo dyes on mouse tumors 10 243 565

- See Davidsohn I, 9 426, 605 10 211, 212, 571

Stern, K G See Belkin, M , 3 164

- See Tennant, R, 2 218

- and Laszlo, D Protein and metabolic studies in multiple myeloma 10 242

- and Krakauer, J S Physical chemical studies on sera of myeloma patients 9 614

Sternberg W H See Iglesias, R 10 226, 668

Stevens, C D, Lee, A, Stewart, P H, Quinlin, P M, and Gilson, P R Distribution of radioactivity in tumor-bearing mice after injection of radioactive iodinated trypan blue

Meinken, M A, Quinlin, P M, and Stewart, P H Distribution of radioactive iodine in mice with and without tumor 15091a after injection of radioactive sodium iodide 10 155

, Stewart, P H, Quinlin, P M., and Meinken, M A Distribution of radioactive iodine in rats with and without Walker tumor 256 after injection of radioactive sodium 10d1de 9 488

Stevens, C E See Grad B 9 620, 10 289

Stevenson, E S, Dobriner, K, and Rhoads, C P Metabolism of dimethylaminoazobenzene (butter yellow) in rats 2 160

Stewart, H L See Lorenz, E , 1 743, 3 123

Hare, W V, Lorenz, E, and Bennett, J G Induction of adenocarcinoma and other lesions of glandular stomach in rats by intramural injection of 20-methylcholanthrene 9 618

and Lorenz, E Adenocarcinoma of glandular stomach in mice injected with 20 methylcholanthrene 3 123

Stewart, P H See Stevens, C D, 9 139, 488, 10 155

Stewart, W N See Quastler, H, 9 553

Stock, C C See Buckley, S M 10 207

See Burchenal, J. H., 10 208, 209
See Moore, A. E., 10 233
See Relly, H. C., 10 236

- See Sugiura, K , 9 628 10 178, 244

-, Sugiura, K, Moore, A E, and Rhoads, C P Studies on inhibition of sarcoma 180 in mice 9 598

 and Rhoads, C P Effects of metabolic products of fungi on viability and growth of carcinoma, sarcoma and melanoma in mice 8 884

Stoesz, P A, Heidelberger, C, and LePage, G A Metabolism of pyruvate in tumor homogenates 10 243

Storer, J B See Tourtellotte W W 10 783

, and Lushbaugh, C C Effects of hepatic and splenic extracts from human lymphomata upon lymphatic system of experimental animals 9 108

Stout, A P In memoriam George Frederick Laidlaw 8 189

- See Murray, M. R., 6 501 - See Twombly, G. H., 9 596

Stowell, R E I ffects of roentgen radiation on thymonucleic neid content of transplantable mammary carcinoma 5 169 - Thymonucleic acid in tumors 5 283

- Photometric study of nucleic acids in human tumors 5 591

Nucleic acids in human tumors 6 426 496

Relationship of nucleolus to cytoplasmic nucleic acids and proteins in different conditions of growth in rat liver 7 72}

Ultraviolet cytochemical study of rat liver cells under different conditions of normal and neoplastic growth 9 54,

See Carruthers C, 1 724

See Cramer, W 1 849 3 36, 668 See Lee C S, 9 600

, and Cooper, Z K Relative thymonucleic acid content of human normal epidermis hyperplastic epidermis and epidermoid carcinomas 5 295

, and Cramer, W Effect of solvents in methylcholanthrene epidermal carcinogenesis Comparison of benzene and acetone 2 193

, and Maas, L C Effects of massive doses of methylcholanthrene on epidermal carcinogenesis 6 121

Strait, L A See Perry I H 3 378

-, and DeOme, K B Desovicorticosterone acetate mammary gland growth and carcinogenesis in mice 7 310

- Hrenoff, M K, and DeOme, K B Influence of solvents upon effectiveness of carcinogenic agents 8 231

, McCawley, E L, and Perry, I H Spectrochemical study of estrogen-induced mammary cancer in mice I 3 370

Straube, R L See Neal, W, 9 562

-, Patt, H M, Smith, D E, and Tyree, E B Influence of cysteine on radiosensitivity of Walker rat carcinoma 256 **10** 243

Strauss, A A See Appel, M, 2 576

- See Movitz, D, 9 17

- See Saphir, O , 1 545 9 562

Stromberg, J P See Ekman B, 9 618

Strong, L C Effect of heptyl aldehyde sodium bisulfite on spontaneous tumors of mammary gland in mice 1 473

Genetic analysis of induction of tumors by methylcholan threne II 1 572

Transplantation of adenocarcinoma of preputial gland in mice of A strain 2 332

Origin of some inbred mice 2 531

Spontaneous and induced gastric carcinoma in mice 5 593

 Induction of germinal mutations by methylcholanthrene 6 501 7 44

See Bagshaw, M A 9 603

See Blaisdell J S 1 283

- See Burdette, W J, 1 939 3 13 - See Collins V J 3 29 - See Figge, F H J, 1 779 2 335 - See Hollander W F, 9 565

- See Hooker, C W, 6 503 7 723 9 550

See Kirschbaum, A 1 785 2 841
 See Williams W L 4 11

, Collins, V J, and Durand, E A Genetic analysis of induction of tumors by methylcholanthrene IV 3 21

and Figge, F H J Effect of diets containing abundance of milk liver riboflavin and xanthine on methylcholan threne carcinogenesis 6 466

, and Williams W L Genetic analysis of induction of

tumors by methylcholanthrene III 1 886

Strong, L C, Jr Sec Figge F H J 2 335

Sturm, E Induced resistance to transplantable lymphatic leukemia in rats 1 627

Prothrombin concentration in plasma of normal and

leukemic rats 4 35
— See Murphy J B 1 379 477 609 3 173 6 11 7 417 8 139 9 88 10 191

and Murphy, J B Effect of adrenalectoms on su cepti bility of rats to transplantable leul emia 4 384

Sugiura, K Effect of radioactive phosphorus on viability of

mouse sarcoma 180 2 19 Relation of diet to development of gastric lesions in rat

2 770 Effect of various factors on Harding Pas ex melanoma

of mouse 4 282 - Carcinogenicity of certain compounds related to pdimethylaminoazobenzene 7 ~2 8 141

See 1rkin 1 11 10 272 - See Bennett I L. Jr. 10 644 - See Burk D 1 7 3 1 0

--- See Kensler, C I 3 823 7 95 --- See Stock C C, 8 381, 9 598

- Halter, C R, Kensler, C J, and Rhoads, C P Observations on rats fed with compound related to dimethy lamino-170bcnzene 5 235

- Hitchings, G H, Cavalieri, L F, and Stock, C C Effect of 8-azaguanine on growth of carcinoma, sarcoma, osteogenic sarcoma, lymphosarcoma and melanoma in animals 10 178

, and Kensier, C J Experimental liver cancer and its inhibition by various food substances 1 745

-, and Rhoads, C P Protection against carcinogenic action of p-dimethylaminorzobenzene by liver and yeast fractions 3 1.0

-, and Rhoads, C P Typerimental liver cancer in rats and its inhibition by rice bran extract, verst, and yeast extract

 Effect of yeast feeding upon experimentally produced liver cancer and cirrhosis 2 453

-, Smith, W E, and Sunderland, D Carcinogenic action of certain catalytically cracked oils with high boiling points

-, and Stock, C C Effect of folic acid and anti-folic compounds on growth of carcinoma, sarcoma, osteogenic sarcoma, lymphosarcoma, and melanoma in animals 9 628

 Action of 3-bis (β-chloroethyl) aminomethyl-4methors-methyl-5-hydroxy-6-methyl pyridine dihydrochloride, 2 4 6-tris (1-aziridyl)-s-trinzine and 5-amino-7-hydroxy-1H-r-trinzolo (d) pyrimidine on carcinoma, sarcoma, osteogenic sarcoma, lymphosarcoma, and melanoma in animals

-, Dobriner, K, and Rhoads, CP Effect of cortisone and other steroids on experimental tumors 10 244

Sulman, E, and Sulman, F Carcinogenicity of wood soot from chimney of smoked sausage factory 6 366

Sulman, F Sec Sulman, E, 6 366 Sec Londek, B, 3 198

Summerson, W H, Gilder, H, and Lee, J M Metabolic and enzymatic characteristics of lymphosarcoma 8 381

Sunderland, D See Sugiura, K, 9 631

Suntzeff, V See Carruthers, C, 3 744, 6 8, 296, 486, 7 9, 46, 9 210, 600, 10 209, 339

See Locb, L., 1 439

See Roberts, E , 9 350

- See Wicks, L Γ, 5 461

-, and Carruthers, C Iffect of methylcholanthrene upon epidermal sodium and calcium 3 431

-, and --- Water content in epidermis of mice undergoing carcinogenesis by methylcholanthrene 6 574

- and Cowdry, E V Influence of age on calcium in epidermal carcinogenesis induced by methylcholanthrene in mice 5 572

-, and --- Role of sebaceous glands and hair follicles in epidermis carcinogenesis 7 439, 727

-, and - Studies on development of sebaceous glands in mice and their role in epidermal carcinogenesis 8 390

Cowdry, E V, and Carruthers, C Influence of age on total epidermal lipid during carcinogenesis induced by methylcholanthrene in mice 6 179

-, Kirtz, M. M., Blumenthal, H. T., and Loeb, L. Incidence of mammary gland carcinoma and cancer age in mice injected with estrogen and in noninjected mice of different

Suter, Sister M St A, and McDevitt, Sister M L Effect of beef spleen extract on respiration of normal liver and dbrB idenocarcinoma during storage at 4° C 8 500

Swartz, P See Gottschalk R G 10 221

Sweeny, L See Krejei L F , 8 575

Sweet B See Seligman A M 7 715

Swift, W E See Nauts II C 6 205

Swyer, G I M, Cholesterol content of normal and enlarged prostites 2 372

Sylven B See Larsson, L G , 7 676, 690

-, and Larsson, L G Mast cell reaction in mouse skin to some organic chemicals III 8 449

Syverton, J T See Imagawa, D T, 10 226

— See Scherp, H W, 9 12

— See Werder, A A, 10 248

-, Berry, G P, and Dascomb, H E Studies on carcino-

genesis in rubbits I 2 436

—, Dascomb, H E, Koomen, J, Jr, Wells, E B, and
Berry, G P Virus-induced papilloma-to-carcinoma sequence I 10 379

-, Wells, E B, Koomen, J, Jr, and Berry, G P Virus-induced rabbit papilloma-to-carcinoma sequence II **10** 440

-, Warren, S. L., Dascomb, H. E., and Berry, G. P. Effect of x-rays upon virus-induced papillomas on cottontail rabbits 3 128

-, Wells, E B, and Berry, G P Failure of methylcholanthrene to accelerate papilloma-to-cancer sequence in virus induced pipillomis on cottontail ribbits 3 124

, Koomen, J , Jr , Dascomb, H E , and Berry, G P Virus-induced rabbit papilloma-to-carcinoma sequence III 10 474

Szigeti, B See Allsopp, C B, 6 14, 22

Talbot, N B See Gardner, L I, 10 218

Talbot, T R, Jr See Pearson, O II, 10 235

Tannenbaum, A Genesis and growth of tumors II 2 460 III 2 468

- Use of diets varying in calories as means of studying stages of carcinogenesis 3 129

Dependence of genesis of induced skin tumors on caloric intake during different stages of carcinogenesis 4 673

Importance of differential consideration of stages of carcinogenesis in evaluation of cocarcinogenic and anticarcinogenic effects 4 678

Dependence of genesis of induced skin tumors on fat content of diet during different stages of carcinogenesis 4 683 Dependence of tumor formation on composition of calorie-restricted diet as well as on degree of restriction 5 *590*, 616

Dependence of tumor formation on degree of caloric restriction 5 590, 609

See Silverstone, H, 7 731, 9 684, 10 448

-, and Silverstone, H Effect of sodium fluoride, dinitrophenol, and low environmental temperature on formation of spontaneous mammary carcinoma in mice 6 499

., and — Significance of dosage of carcinogen in evaluating experimental procedures 6 501

, and — Dosage of carcinogen as modifying factor in evaluating experimental procedures expected to influence formation of skin tumor 7 567

-, and --- Effect of varying protein (casein) content of diet on formation of tumors in mouse 7 711

 Genesis and growth of tumors IV 9 162 -, and – -, and - Effect of low environmental temperature, din: trophenol, or sodium fluoride on formation of tumors in micc 9 403

-, and -- Dependence of formation of spontaneous mammary carcinoma in mice on proportion of dietary fat 9 607 -, and -Influence of degree of caloric restriction on formation of skin tumors and hepatomas in mice 9 724

-, and — Failure to inhibit formation of mammary carcinoma in mice by intermittent fasting 10 577

Tatum, E L, Ritchey, M, Cowdry, E V, and Wicks, L F Vitamin content of mouse epidermis during methylcholanthrene carcinogenesis 6 486

Taussig, F J Prevention of cancer of vulva 1 735, 901

Taylor, A See Hungate, R E, 4 289

See Pollack, M A , 2 739, 748, 828
See Taylor, D R , 3 542

-, and Carmichael, N Stromal malignancy in mouse-grown transplants of egg-cultivated mouse mammary carcinoma

and — Effect on the embryo of continued serial tumor transplantation in yolk sac 9 498

- and Norris, T Further report on yolk sac cultiva-

tion of tumor tissue 8 264

—, and Galinsky, I Yolk sac cultivated tumor tissue and experiments in tumor chemotherapy II 9 622

Hungate, R E, and Taylor, D R Yolk sac cultivation of tumors 3 537

, and Pollack, M A Hemoglobin level and tumor growth 2 223

 Hofer, M J, and Williams, R J B vitamins in cancerous tissues II 2 744

—, and · Taylor, D R See Taylor, A, 3 537

-, McAfee, M, and Taylor, A Effect of volk sac-cultivated tumors on hemoglobin level in embryonic chick 3 542

Taylor, E S, Palias, W C, Wikle, W T, McCallin, P F, and Goodman, S N Effect of methylcholanthrene on genital tracts of rabbits and dogs as revealed by biopsies and exfoliative cytology 10 360

Taylor, H C, Jr See Twombly, G H, 2 811

-, Mecke, F E, and Twombly, G H Estrogen and 17ketosteroid excretion in patients with breast carcinoma 3 180

Taylor, J See Pollack, M A, 2 739

Taylor, M J See MacDowell E C, 5 65

--, and MacDowell, E C Mouse leukemia XIV 9 144

Tenenbaum, E See Dollanski L, 2 776

, and Doljanski, L Studies on Rous sarcoma cells cultivated in vitro II 3 585

Tennant, R See Plaut, J A, 2 546

-, Stern, K G, and Liebow, A A Stimulating action of nucleic acids upon mouse heart fibroblasts 2 218

Therman, E See Timonen, S, 10 431

Thibaudeau, A A See Burke, E M . 3 133

Thibaut, R See Lipschutz, A, 2 45

Thiersch, J B Attempted transmission of acute leukemia from man to man by sternal marrow route 6 695

Thomas, F Sec Korteweg, R, 6 385

Thomas, L E, and Steinitz, L M Histochemical study of epidermal carcinogenesis in the mouse 10 245

Thompson, H P See Porter, K R, 7 431 9 557

Thompson, J S See Franks, W R, 10 216

Thompson, J W See Maver, M E 1 751 6 494

Thompson, R C See Hungate, R E 4 289 - See Pollack, M A, 2 748

Thornton, H See Ellerbrook, L D, 9 604

— Ellerbrook, L D, Lippincott, S W, and Fong, C Complement fixation in animal neoplasia IV 10 245

 Rhees, M, and Lippincott, S W Complement fixation in animal neoplasia I 9 627

Thornton, T F, Jr See Brunschwig A 4 515

and Adams, W E Metaplasia of bronchial epithelium in rats following application of benzpyrene 4 55

Tibbetts, D M See Aub J C, 7 723

- See Kennedy, B J , 9 551

Tietz, H G See Zondek, B, 3 198

Timonen, S, and Therman, E Changes in mitotic mechanism of human cancer cells 10 431

Tipler, M M See Daff, M, 8 376

Tobias, C A, Rosahn, P, Anger, H, and Lawrence J H Initial use of high energy deuterons and alpha particles in cancer research 9 619

Tobie, E J See Belkin M, 9 560

Toennies, G Protein-chemical aspects of cancer 7 193

Tomlinson, W J, and Wilson, L A, Jr Incidence of malignant tumors in British West Indian and Panamanian Negro population 5 368

Tool, C D See Halpert B 7 346

Tourtellotte, W W and Storer, J B Role of cellular fractions in transplantation of Walker carcinoma 256 10 783

Towne, L E See Aub J C, 1 737

Tracy, M M See Brues A M 3 136

Trentin, J J Vaginal and mammary sensitivity to estrogen as related to mammary tumor incidence of mice 10 246

Vaginal sensitivity as related to mammary tumor incidence in mice 10 580

Treves, N See Abels, J C, 4 438

Troescher, E E See Norris E R . 1 410

Tryon, M See Creech, H J 7 301

Tsuboi, K K See Kretchmer N 7 714

Tuliner, W See Hertz, R 9 551

Tung, T C, and Cohen, P P Synthesis of citrulline and paminohippuric acid by rat hepatoma 10 793

Turner, C W See Lewis, A A 1 55

Turner, F C See Hartwell J L 1 741

Turner, J C Parasitization of mouse sarcoma 180 by vaccine virus and its effect on tumor growth 8 391

See Kritzler, R A 9 74

and Mulliken, B Parasitization of mouse sarcoma 180 by vaccine virus and its effect on tumor growth 7 774

Twombly, G H See Taylor, H C Jr, 3 180

-, and Meisel, D Growth of mammalian tumors in fertile eggs Is filterable cancer virus produced? 6 82

-, and Stout, A P Leydig cell tumors induced experimentally in rat 9 596

and Taylor, H C, Jr Inactivation and conversion of estrogens in vitro by liver and other tissues from human cancer patients and from mice of strains susceptible to mammary carcinoma 2 811

Tyree, E B See Straube, R L, 10 243

Unna, K See Antopol, W 2 694

Urban, J U See Mellors, R C, 9 552

van Dyke, J H Question of a thyroid growth center 9 631 Factors influencing preneoplastic manifestations in mam malian thyroid glands 10 246

- See Cowdry, E V, 6 620

van Waveren, E K See de Bruyn W M , 9 282

van Winkle, Q See Hoster, M S, 10 530

Vargas, L Jr Experimental fibroids in hypophy sectomized female guinea pigs 3 309

- See Lipschütz A 1 236 575 2 45

Vera, O See Lipschutz, A 2 204

Vestling, C S Williams, J N , Jr , Kaufman, S , Maxwell R E, and Quastler, H Oxidation of octanoate by liver homogenates from leucemic mice 9 639

Villisana, A See Lee C S 9 600

Visscher, M B See Ball Z B 3 131 6 493

- See Casas, C B 7 722 9 596

- See Huseby, R A 5 40 - See King J T, 9 436

Vivian, D L See Shear M J, 9 625

Volk. M E See Feinstein R N 10 96

Wadsworth C Sec Kensler, C J 3 823

Wainio, W W See Allison J B 10 266

Waldvogel, M J, and Schmitt L H Plasma antitropsin levels during growth of rat fibrosarcoma 10 371

Wallace, E W and Mills C A I ffect of climatic environ ment upon genesis of skin cancers induced with methyl cholanthrene and upon growth of transplantable sarcoma in C3H mice 1 743

Wallace, H, and Mills C A Influence of environmental temperature upon incidence and course of spontaneous tumors in C3H mice 4 279

Influence of environmental temperature and upon incidence and course of spontaneous turnors in spayed CSH mice 5 47

Wallace H See Wallace F W 4 279 5 47

Wallace S A and Halpert, B Trichoma tumor of la rarlace 10 256

Walsh, L B See Blumenthal, H T, 10 205

Greiff, D, and Blumenthal, H T Effect of low temperature on morphology and transplantability of sarcoma 37 10 726

Wang, T J The betatron 6 483

Waravdekar, V S, and Leiter, J Effect of peltatin on cytochrome oxidase activity of mouse tumors and organs 9 625 -, and — In riro effects of some tumor-damaging compounds on several enzymatic activities of sarcoma 37 10 247

Ward, E N See Potter, J S, 2 655

Ware, A G See Hill, R M , 3 839, 841

Warner, S G I ffect of milk factor concentration on development of spontaneous tumors in hybrids derived from reciprocal cross of two high cancer strains of mice 1 738

See Hoffman, J. G., 3 126, 237 See Reinhard, M. C., 1 653, 5 102 Reinhard, M. C., and Goltz, H. L. Relative importance of milk agent and inherited susceptibility to it in development of mammary tumors in mice 5 584

Warren, C O Tissue metabolism studies on bone marrow Consideration in relation to tumor metabolism 3 621

Warren, F L I stimation of urinary 17-ketosteroids in diagnosis of adrenal cortical tumors 5 49

- See Goulden, F , 4 421 - See Kennaway, E L , 2 157, 4 245, 367

-, and Goulden, F Non-heme iron content of tissues of mice of high-cancer and low-cancer strains 4 417

Warren, S Treatment of leukemin with radioactive phosphorus 1 730

Distribution of doses of radioactive phosphorus in leukemic patients 3 334

Retention of radioactive phosphorus in leukemic patients 3 872

- Pathological effects of instantaneous dose of radiation 6 449

— See Dunlap, C E, 1 730, 953, 2 685, 3 606, 6 454 — See Fogg, L C, 1 649, 2 517

See Lombard, H L, 6 436
See Shapiro, D M, 9 707
and Cowing, R F Retention of radioactive phosphorus when administered in different chemical forms 4 113

-, and Ehrenreich, T Multiple primary malignant tumors and susceptibility to cancer 4 554

-, and Gates, O Spontaneous and induced tumors of guinea pig 1 65

Warren, S L See Ariel, I, 3 448, 454, 464

- See DuBilier, B , 1 966

- See Stendman, L T , 3 471

-- See Syverton, J T, 3 128

Wartman, W B, Shubik, P, Hill, W T, Reeb, B B, Stanger, D W, and Riegel, B Delay of methylcholanthrene carcinogenesis by 1,2,5,6-dibenzofluorene 10 247

Wase, A W See Allison, J B, 10 266

Wasley, W L Sec Kline, B E, 2 615

, and Rusch, H P Inhibition of autoxidation of aldehy des by carcinogenic chemicals and related compounds 2 422

Watson, C J See Bittner, J J, 6 337, 498

Watts, R M, and Adair, F L Occurrence of estrogenic hormone in ovarian cysts 1 638

Wayne, A See Fishman, W II, 9 681

Weber, G M, See Miller, E C, 9 336 - See Price, J M , 9 96, 398, 616, 10 18

Weigert, F Biochemistry of benzpyrene III 8 169

____, and Mottram, J C Biochemistry of benzpyrene I 6 97

____, and _____ II 6 109 -, and --

Weiland, G S See Figge, I H J, 9 549

Weil-Malherbe, H I actors that alter fluorescence of certain eartinogens 4 102

- See Dickens, F 2 560 680 3 73 6 161

and Dickens, F I actors affecting carcinogenesis II 4 425

-, and --- IV 6 171

Weinhouse, S Sec Shay, H, 10 241, 797

Weisburger, E K See Morris, H P, 10 620

-, Weisburger, J H, and Morris, H P Distribution of 2acety lamino-9-C14-fluorene and ω -C14-2-acety laminofluorene in rat 10 247

Weisburger, J H See Morris, H P, 10 620 - Sec Weisburger, E K, 10 247

Weiss, E Color reactions with malignant tumors 9 556 Color reactions with malignant sera 9 601

 Further observations on color reactions with malignant sern 10 247

Weissenberg, R Studies on lymphocystic tumor cells of fish I 9 537

Welker, W H See Mann, L S, 3 193, 196, 6 625

Weller, C V Inheritance of retinoblastoma and its relationship to practical eugenics 1 517

Wells, E B Sec Syverton, J T, 3 124, 10 379, 440, 474

Wells, H G, Slye, M, and Holmes, H F Occurrence and pathology of spontaneous carcinoma of lung in mice 1 259

Wells, J A See Smith, D L, 2 40

Werder, A A, Kirschbaum, A, and Syverton, J T Effects in vitro of specific antibodies on cells of transplantable mouse leukemia 10 248

Werthessen, N T, Schwenk, E, Baker, C F, and Field, N S Estrone conversion capacity of blood of postmenopausal women with carcinoma of breast 10 679

West, P M Enzyme inhibitors of serum in relation to neoplastic disease activity 10 248

— See Hirshfeld, S, 6 57

--, and Woglom, W H Abnormalities in distribution of biotin in certain tumors and embryo tissues 2 324

Westerfeld, W W, Richert, D A, and Hilfinger, M F Studies on vanthine oxidase during carcinogenesis by p dimethylaminonzobenzene 10 486

Westfall, B B See Morris, H P, 8 390, 10 506

Wetzel, N C See Eveleth, M S, 1 721

Wharton, D R A Effect of tumors on antibody levels in mice 9 *628*

See Creech, H J, 9 150, 561, 598

-, Creech, H J, and Nishimura, E T Studies of immuno logical properties of Scrratia marcescens polysaccharides II

Wharton, M W See Creech, H J, 9 598

White, F R See White, J, 7 711, 10 249

, and Eschenbrenner, A B Appearance of hepatoma following ingestion of 1,2-benzanthracene 5 594

-, and White, J Effect of cystine per se on formation of hepatomas in rats following ingestion of p-dimethylamino azobenzene 6 500

White, J See Edwards, J E, 1 746

See Greenstein, J P, 1 732, 3 129

- See Mider, G B, 1 734 - See White, F R, 6 500

-, and Andervont, H B Effect of diet relatively low in cystine on production of spontaneous breast tumors in virgin C3H mice 3 129

-, and Hein, R Influence of various concentrations of pdimethy laminoazobenzene on production of hepatic tumors in rats 10 248

-, and White, F R Influence of certain diets on formation of hepatomas in rats 10 249

on incidence of leukemia produced by methylcholanthrene in dilute brown mice 3 129

-, White, F R, and Mider, G B Effect of diet deficient in certain amino acids on induction of leukemia in dba mice 7 711

White, P R Transplantation of plant tumors of genetic origin 4 791

- Respiratory behavior of bacteria free crown-gall tissues 5 302
- and Braun, A C Cancerous neoplasm of plants Autonomous bacteria free crown-gall tissue 2 597

Wicks, L F See Tatum, E L 6 486

- , and Suntzeff, V Changes in epidermal cholesterol during methylcholanthrene carcinogenesis in mice 5 464
- Widner, W R See Knowlton, N P 10 59

Wiest, W G See Heidelberger, C 10 223

- Wight, K, and Burk, D Effect of certain sterols on succinoxidase, and glycolysis of tumor subcellular (particulate) fractions 9 609
- Wikle, W T See Taylor E S . 10 360
- Williams, B S See Burchenal, J H, 9 594
- Williams, J N , Jr See Vestling, C S 9 639
- Williams, P C See Dodds, E C, 5 485
- Williams, R J See Pollack M A, 2 739 748
 - · See Taylor, A , 2 744, 752
- Williams, W L Effects of suramin (germanin), azo dyes, and vasodilators on mice with transplanted lymphosarcomas 6 344
- See Gardner, W U, 4 73
- See Kirschbaum A, 6, 354, 484, 707
 See Strong, L C, 1, 886
 and Strong, L C Genetic analysis of induction of tumors by methylcholanthrene VI 4 11
- Willis, R A Mode of origin of tumors Solitary localized squamous cell growth of skin 4 630
- Further studies on mode of origin of carcinomas of skin
- Wilson, E P See Evans, V J. 9 558
- Wilson, H See Dobriner, K , 10 213
- See Salter, W T, 1 60
- Wilson, J. W. Leduc, E. H., and Corner, J. A. Visualization of progress of liver injury and development of hepatoma during treatment with carbon tetrachloride or azo dyes in mice by use of thorotrast 10 249
- Wilson, L A, Jr See Tomlinson W J, 5 368
- Wilson, R H See Cov A J, Jr, 7 647
- , DeEds, F, and Cox, A J, Jr Toxicity and carcinogenic activity of 2-acetaminofluorene 1 595
- , and - Carcinogenic activity of 2-acetaminofluorene II 7 444
- --, ----, and -----, -----, and ---— III 7 450 — IV 7 453
- Winship, T See Klopp, C T 10 229
- Winzler, R J See Kidd, J G 4 547
- -, and Burk, D Proteose changes in rat blood induced by transplantable and primary tumors 3 135
- Devor, A W, and Mehl, J W Isolation and character-
- ization of proteose from human plasma 6 496
- -, Krause, R, and Slater, G G Aerobic and anaerobic incorporation of radioactive phosphate and radioactive glucose fragments by normal and cancer tissue in ritro 10 249 -, Mehl, J W, and Smyth, I M Plasma mucoprotein
- levels in cancer patients 9 556
- Wislocki, G See Aub, J C, 3 120 6 501
- Woelfel, W C, Spies, J W, and Cline, J K Cancer of mouth I 1 748
- Woglom, W H Please! An editorial 2 841
- Methylcholanthrene papillomas and virus problem Б 420
- Chronic inflammation and carcinogenesis 5 576
- William Cramer (1878-1945) 6 30
- See Fisen M J 1 629 See West, P M 2 324
- Wohlfart G See Holmgren H 7 686
- Wolfe, G F See Figge F H J 4 493 9 630
- Wolfe, J M See Burack F 1 227 4 410
- and Wright, A W Comparative histological study of an terior hypophysis and ovaries of two strains of rats one of

- which is characterized by high incidence of mammary fibroadenoma 3 497
- -, and --- Cvtology of spontaneous aderomas in pituitary gland of rat 7 759
- Wolstenholme, J T Further studies on hypervolemia and associated changes in mice bearing transplanted granulosa-cell tumor 9 630
- Effects of transplanted granulosa-cell tumor on mice in parabiosis 10 344
- See Cliffton, E E, 9 331 and Gardner, W U Sinusoidal dilatation occurring in livers of mice with transplanted testicular tumor 10 249
- Womack, N A See Allen, H 5 239
- Wood D A, and Darling, H H Cancer family manifesting multiple occurrences of bilateral carcinoma of breast 3 509
- Wood, J L See Gutmann H R 10 8 701
- Woodard G See Lusky, L M 7 667
- Woodard, H Q Acid and alkaline glyceropho-phatase in tissue and serum 2 497
- Some anomalies in occurrence of alkaline glycerophosphatase 3 132
- The glycerophosphatase of rat liver cancer produced by feeding p-dimethylaminoazobenzene 3 159
- See Mellors, R C 8 386 9 552
- Woodhouse, D L Chemotherapy investigations in cancer With reference to influence of certain organic dibasic acids diamino compounds and nitro compounds on tumors in mice 7 398
- Woodruff, L M Tumors produced by estradiol benzoate in guinea pig 1 367
- Woods, A See Pollack, M A, 2 748
- Woods, K A See Higgins G VI 10 203
- Woods, M W See Rilev, V T 9 614
- and Du Buy, H G Influence of mutant chondrogenes and viruses on plant cells 8 391
- Burk, D, Hesselbach, M L, and Lackey, M Mitochondria and associated sub-cellular particulates in mouse melanomas 9 554
- Woodside, G L See Kidder, G W, 9 610
- Woodworth, E See Snell, G D, 8 429
- Woolley, G W Effect of hormonal substances on adrenal cortical tumor formation in mice 10 250
 - See Dickie, M M 9 372
- and Dickie, M M Genetic and endocrine factors in adrenal cortical tumor formation 7 722
- Adrenal cortical tumors in reciprocal cro s and -9 604
- Fekete, E, and Little, C C Ob ervations on adrenals of castrate mice and relation of these adrenals to cancer 3 120 Law, L W, and Little, C C Occurrence in whole blood of material influencing incidence of mammary carcinoma in ın mice 1 955
- Further data on occurrence in whole and blood of material influencing incidence of mammary car cinoma in mice 3 122
- in gonadectomized female mice of extreme dilution strain I 5 193 and Little C C Incidence of adrenal cortical carcinoma
- II 5 203 and -
- and Incidence of adrenal cortical carcinoma in gonadectomized male mice of extreme dilution strair 5 211 and - Incidence of adrenal cortical carcinoma in
- gonadectomized female mice of extreme dilution strain. III 5 321 - Incidence of adrenal cortical care norma in
- and male mice of extreme dilution strain over one very of age 5 506
- Presention of adrenal costical enganemal and dimethyl 'ilbestrol 6 491 Transplantation of adversal cortical currents. and —
- 6 712 Worken B and Chambers P Effect of Hodge as a war

blood serum on lymphocytes of normal mouse lymph nodes in tissue culture 10 250

Wright, A W See Burack, E , 1 227, 4 410

- See Danzi, M V , 1 795 - See Wolfe, J M , 3 497, 7 759

Wyeth, G A Results of study of living blood of cancer prtients 1 735

Yanine, D See Lipschütz, A, 5 515

Yeakel, E H Increased weight of liver in Wistar albino rats with induced and transplanted tumors 8 392

Young, N F Improved method for study of certain metabolites of carcinogenic azo dyes 9 611

- See Abels, J. C., 7 720 - See Homburger, F., 7 725

See Potor, Λ, 9 557

Youngner, J S, and Algire, G H Intravascular agglutination phenomena associated with intravenous injection of polysaccharide from Serratia marcescens 9 559

 Effect of vascular occlusion on transplanted -, and tumors 9 615

-, and Salk, J E Liffect of gurnine analog (guanazolo) in viral multiplication and on growth of chick embryo 10 250

Yun, I S Statistical study of tumors among Koreans 9 370

Zahl, P A, and Drasher, M L Distribution and growthpotency of cells in transplantable sarcoma 7 658

Zamecnik, P C Use of labeled amino acids in study of protein metabolism of normal and malignant tissues. A review **10** 659

See Nathanson, I T, 7 711

-, Frantz, I D , Jr , Loftfield, R B , and Stephenson, M L Comparison of uptake of C14 from labeled alanine and gly cine into slices of normal liver and hepatoma 9 647

, ---, and Stephenson, M L Use of starch column chromatography in study of amino acid composition and

distribution of radioactivity in proteins of normal rat liver and hepatoma 9 612

-, and Stephenson, M L Activity of proteolytic enzymes in p-dimethy laminorzobenzene-induced hepitomas 6 495 -, and - Activity of catheptic enzymes in p-dimethyl

aminorzobenzene heprtomas 7 326

 Differences in activation of proteolytic enzymes in normal liver and hepatoma, as determined by means of new manometric method for following peptide cleavages 7 712

 and — Comparison of activators of proteolytic enzymes and peptidases in normal rat livers and hepatomas

9 1

 Studies on cross-connections between carbo -. and --hydrate and protein metabolism in rat hepatoma 10 251

Zañartu, J See Lipschütz, A, 2 200

Zanes, R P, Jr Sec Hoster, H A, 9 473, 624

-, Eshbaugh, D, and Hoster, H A Phase microscope studies of malignant cells 9 601

Zeidman, I Chemical factors in mutual adhesiveness of epithehal cells 7 386, 719

Mechanism of metastasis 9 629

See Coman, D R, 7 383, 9 614

-, McCutcheon, M , and Coman, D R Factors affecting number of tumor metastases Experiments with transplantable mouse tumor 10 357

Zimmerman, H M See Arnold, H, 3 682

- See Freeman, D, 4 273

—, and Arnold, H Experimental brain tumors I 1 919

- IV 4 98

Zondek, B, Mandl, F, Sulman, F, Brezezinski, A, and Tietz, H G Heterotransplantation of human pseudomysoma peritonei into mice and rats 3 198

Zygmuntowicz, A S See Gardner, L I, 10 218

SUBJECT INDEX

(Numbers in italics indicate abstracts)

- NOTE All entries concerned with human tumors and tissues are listed under 'Human The main cross references are found under the following headings 'Biochemical constituents' 'Carcinogens, "Chemotherapy, 'Diet "Enzymes, Hormones, ' Tissues, and "Tumors
- Acetamide, use in meiostagmin reaction Polya and Dunn. 10 543
- Acetaminofluorene See Acetylaminofluorene
- Acetate, C14 labeled, studies with, on cholesterol metabolism in rats fed 4-dimethylaminoazobenzene Baker and Greenberg.
- Acetone, effect of painting on number of mast cells in mouse skin Larsson and Sylven, 7 680
- 2-Acetylaminofluorene carcinogenesis, failure of dietary modi-
- fication to influence Harris, 6 487

 —, carcinogenic activity of I, II, III, IV Wilson DeEds and Cox 1 595, 7 444, 450, 453
- Morris Dubnik, Dunn, and Johnson 7 730
- Paschkis and Cantarow, 8 390
- ---, in albino rats Cox, Wilson, and DeEds, 7 647
- carcinogenicity of influenced by dietary factors Engel. 10 215
- , consistent production of rat mammary carcinoma by feeding Engel and Copeland, 9 566
- derivatives, carcinogenic activity in rat Miller Miller, Sandin and Brown 9 504, 617
- - of Morris, Dubnik, Dunn, and Johnson 7 730
- properties of Morris and Dubnik, 10 233
- , effect on ascorbic acid content of liver in mice and rats Daff, Hoch-Ligeti, Kennaway, and Tipler 8 376
- -, lack of carcinogenic activity of Wilson, DeEds, and Cox 7 453
- -, effect of partial ablation of bone marrow and of splenectomy on hepatic lesions produced by Stasney Paschkis and Cantarow, 9 565 10 283
- -sex hormones on hepatic lesions produced by Cantarow Paschkis Stasney, and Rothenberg 6 492 610 , --- on induction of accessory limbs in salamanders Breedis, 10 205
- testosterone induced comb growth Paschkis and Cantarow, 10 234
- the dog Allison Wase Leathern and Wainio 10 266
- exerction of diazotizable material by rats after feeding Morris and Westfall 10 506
- influence of thiouracil on carcinogenic action of Paschkis Cantaron and Stasney 7 731 8 257
- -, liver tumor induction with relation to thyroid activity Leathern and Barken, 10 231
- -, observations on carcinogenicity, distribution and metab olism in rat Morris Westfall Dubnik and Dunn 8 390 , precancerous changes in liver proteins of rats fed Griffin
- Cook and Luck 9 617 — production of eye tumors in female rats by feeding of Copeland and I ngel 10 211
- recovery from rate following oral administration. Dier
- Ross and Morris 10 214 thyroidal and vascular changes in mice following chronic
- treatment with Gorbman 7 746 tumors in rats treated with II Stasnes Paschkis Cantaron and Rothenberg 7 956
- induced by in five strains of rats. Dunning Curtis and Madsen 7 194

- of salivary and parathyroid glands in rats fed. Heiman and Meisel, 6 499 617
 - produced in rats by Harris 7 88
- 2-Acetylaminofluorene-induced liver tumors, injection of mitochondria fraction of, production of liver tumors by Stasney, Paschkis and Cantarow, 9 617
- and bladder cancer in rats effect of added dietary tryptophan on occurrence of Dunning Curtis, and Maun 10 213, 454
- mammary tumors relation of diet to development of Engel and Copeland 9 608
- effect of sex hormones on Cantarow Stasney and Paschkis 8 412
- rat mammary tumors influence of progesterone on Cantarow Paschkis and Stasnev 9 595
- 2-Acetylaminofluorene-9-C14, distribution in the rat Weisburger, Weisburger, and Morris 10 217
- of radioactivity after feeding of Morris Weisburger and Weisburger 10 620
- -, synthesis of Ray and Geisler 10 616
- 2-Acetylaminofluorene-w-C14, distribution in the rat Weisburger, Weisburger and Morris 10 247
- of radioactivity after feeding of Morris Weisburger, and Weisburger, 10 620
- synthesis of Ray and Geisler, 10 616
- Acid chlorides, aliphatic and aromatic retardation of rate of tumor induction by Crabtree 1 39
- Acid-base equilibrium in blood influence on mouse chloroleukemia 1394 Skipper and Chapman 9 158
- Aconitase in Walker 256 tumor Haven Randall and Bloor
- Acridine dyes, effect in producing damage in sarcoma 37 Shear Hartwell, Downing MacCardle Leiter, Perrault, and Johnson 9 560
- in riro staining and growth inhibition of mou e tumors with Lewis and Goland 7 718
- preliminary screening for potency in producing damage in sarcoma 37 Shear Downing Hartwell Leiter, Mac Cardle Perrault and Vivian 9 625
- retardation of growth of transplantable carcinoma in mice fed Rilev 8 183
- under investigation in cancer chemotherapy. Hartwell and Shear, 7 716
- Acriflavine screening for tumor inhibitory activity. Hartwell Shear Johnson and Kornberg 6 489
- Acrolem, possible carcinogenicity of Steiner Steele and Koch 3 100
- ACTH, cancer patients receiving ob ervations in Homburger Bonner and Fishman 10 22,
- causing remission of acute leukemia. Pearson I liel and Talbot 10 235
- effect on adrenal function in patients with reop!—tin dis ease Dobriner Lieberman Wilson and Rhords 10 213 transplanted mouse leukemia Burcheral Stock and Rhoad 10 200
- Activators of protectivitic enzymes and peptid as company in normal rat livers and I epatomas Zamernik ar I Stept en
- Adamantinomas Halport 6 01
- Addi on's disease electrolite metabolism in P 1 No. -Homburger and Referetein 9 ")
- Adenocarcinoma CSHBA tra plantable m nction of periodiling districtions of property old and Burl He of climater of 77

in Myers, 9 612 10 234

dbrB, effect of beef spleen extract on respiration during storage at 4° C Suter and McDevitt, 8 500

9 42, mouse, dehydrogenase studies in Riehl and Lenta,

of, as shown by growth of transplants and by cytological examination Macfarlane, Schmock, and Nadeau, 8 438

Staphylococcus aureus extract on Kelly and McDowell, 8 495

Richl, 9 17

-, mammary See Mammary

on effect of x-rays on Reinhard, Warner, and Goltz, 1 658

of Hoffman, Goltz, Reinhard, and Warner, 3 237, 5 102

—, mouse, action of peltatins on Greenspan, Leiter, and

Shear, 9 597

of glandular stomach in mice injected with methyl-

—— of glandular stomach in mice injected with methylcholanthrene Stewart and Lorenz, 3 123

methylcholanthrene Stewart, Hare, Lorenz, and Bennett, 9 618

— of stomach, experimentally produced, early changes in Howes and de Oliveira, 8 419

----, spontaneous, mouse, and environmental temperatures Fuller, Brown, and Mills, 1 130

Playfor 9 217 510

Pfeiffer, 9 347, 549
—, rabbit, chromosome enlargement in Biesele, 5 179

——, ribbit, enromosome enlargement in Biesele, 5 179
—— 1025 growing in roller tube cultures, effect of nitrogen mustards on Karnofsky, Burchenal, Ormsbee, Cornman, and Rhords, 7 50

Adenomas, anterior lobe, in estradiol-treated rats, atypical cell proliferation in Selye, 4 349

—, pulmonary, and local tumors, methylcholanthrene-induced, possible linkage in noninbred mice Jaffe, 7 117

—, —, in suckling mice after urethan injections during pregnancy Smith and Rous, 9 544

dinitrophenol, and sodium fluoride on Tannenbaum and Silverstone, 9 103

— of rat pituitary, spontaneous, cytology of Wolfe and Wright, 7 759

Stomach, experimentally produced, early changes in Howes and de Oliveira, 8 119

—, tubular, of ovaries of aged rats Engle, 6 578

Adenomatous lesions, chromophobe, of rat hypophysis Saxton and Graham, 4 168

to growth after transplantation Saxton, 1 277

Adenosine pyrophosphatase activity changes during early phases of liver regeneration in the rat Rosenthal, Rogers, and Iahl, 10 237

Adenosinetriphosphatase, changes in, during growth and differentiation in tissues of newborn rat Potter, Schneider, and I leb! 5 21

m cancer tissue Potter and Liebl, 5 18

introcellular distribution in normal rat liver and liver turnor Schneider, 6 685

Aderosinetriphosphate See also Phosphorvlated intermediates of glycolysis

Adhesiveness decreased mutual, of cells from squamous-cell care, o is Conan 4 625

of epit chal cells mutual chemical factors concerned in Le dman 7 356 719

malignant cells in various human cancers Coman and McCutcheon, 9 559

Adrenal changes in ovariectomized mice on calorie restriction, influence of estrogen on King, Casas, and Visscher, 9 436——, postcastration, and subsequent development of mammary cancer in inbred stocks of mice and their hybrids Huseby and Bittner, 10 226

cortex, changes in, preceding appearance of tumors, in spayed female mice Woolley and Little, 5 193

Frantz, and Williams, 6 707

, spontaneous tumors of, in castrated male rat Heiman, 4 430

Daughaday, 1 883

cortical carcinoma in rabbit Hueper and Ichniowski,
 4 176

Little, 5 211

ley and Little, 5 506 male mice over 1 year of age Wool-

Woolley and Little, 5 193, 203, 321

Little, 6 491

transplantation of Woolley and Little, 6 712——extract, effect of simultaneous administration with bacterial polysaccharide on mouse tumor cells and adrenal glands Diller, 7 715

Diller, Beck, and Blauch, 8 581

————, in vitro reaction of cells to Schrek, 9 559
————, injected together with Serratia marcescens
polysaccharide, effect on adrenal glands of tumor-bearing
mice Diller, Blauch, and Beck, 8 591

—— hyperplasia, congenital, biopsy, and steroid-excretion studies in Gardner, Smiffen, Zygmuntowicz, and Talbot, 10 218

tumors, demonstration of active carbonyl groups in Seligman and Ashbel, 10 240

10 250 —, effect of hormones on formation of Woolley,

nosis of Warren, 5 49

Woolley and Dickie, 7 722

production of, by castration Smith, 8 641

baum, 9 257, 596

NH mice Frantz, Kirschbaum, and Casas, 9 550

polysaccharide to tumor-bearing mice produced by Beck, Diller, Blauch, and Fisher, 7 725

extract-modified trivalent arsenicals, lethal and tumordamaging effects of Beck, 10 202

---- function in patients with neoplastic disease Dobriner, Lieberman, Wilson, and Rhoads, 10 218

—— glands, histological changes in, of tumor-bearing mice injected with Serratia marcescens polysaccharide alone and in combination with adrenal cortical extract Diller, Blauch, and Beck, 8 591

cortical carcinoma in spayed female mice Woolley and Little, 5 321

— of mice from strains with different susceptibilities to mammary carcinoma Blaisdell, Gardner, and Strong, 1 283—grafting effect on transplanted lymphatic leukemia in rats Murphy and Sturm, 10 101

- —— lipids in cancer Bloor, Haven Ashworth and Randall, 9 548 10 205
- medullary tumor in castrated male rat Hueper and Martin, 2 294
- golden hamster Shrader 6 504
- 9 193 tumors in mice Smith, Gardner, Li, and Kaplan
- tumors, estrogenic effects in ovariectomized mice Gardner, 1 632
- Moon, Simpson, Li, and Evans, 10 364
- Adrenalectomy, effect on susceptibility of rats to transplantable leukemia Sturm and Murphy, 4 384
- Adrenals of castrate mice, relation to cancer Woollev Fekete and Little, 3 120
- —— hosts, effect of growth or retrogression of transplantable lymphosarcoma of rat on Murphy and Sturm 8 139
- R III strain of mice, effect of testosterone propionate on Heiman, 4 31
- Adrenocorticotropic hormone of the pituitary See ACTH
- Age, effect on activity of mammary tumor milk agent Bittner 6 193
- ——, ———— calcium in epidermal carcinogenesis induced by methylcholanthrene in mice Suntzeff, Carruthers and Cowdry 5 572
- of rat Burack Wolfe, Lansing and Wright 1 227
- —, —— liver regeneration after partial hepatectomy Bucher Glinos, and Aub 7 721, 10 324
- of host and ovaries influence on tumorigenesis in intrasplenic and intrapancreatic ovarian grafts. Li and Gardner,
- 9 595 10 162

 tumor-bearing chickens and transplantability and presence of virus in spontaneous sarcomas and fibromas
- Duran-Reynals, 6 529

 physiological as basis for comparison of strains of mice subject to spontaneous mammary carcinoma Murray and Hoffman 1 298
- relation to lymphoma incidence in CF-1 mice Brues
- Agglutinins See also Antibodies
- --- natural antisheep, and milk agent in mice of inbred strains Davidsohn, Stern, and Bittner, 10 212
- --- , in mice of inbred strains Davidsohn and Stern, 10 211 571
- produced in rabbit by injections of purified extracts of biopsied Hodgkin's lymph nodes Grand 10 221
- Agglutination phenomena, intravascular associated with intravenous injection of Serratia marcescens polysaccharide Youngner and Algire, 9 559
- Agglutinogen, possible identity in transplantable tumor and red blood cells of inbred mice Kaliss and Jay, 10 227
- Alanine, C14 labeled, incorporation into proteins of normal rat liver and hepatoma Zamecnik Frantz, and Stephenson 9 612
- 10 207, turnover in proteins of rat liver Bucher and Frantz
- comparison of uptake of C¹⁴ from into slices of normal liver and hepatoma Zamecnik Γrantz Loftfield and Stephenson 9 547
- Albumin, dried egg effect on 4-dimethylaminoazobenzene carcinogenesis Harris 7 178
- --- isolated from serum in cancer binding of phenolsulfonephthalein by Huggins Jensen Player and Hospelhorn 9 753
- Alcohol, effect of painting on number of mast cells in mouse skin Lar on and Sylven 7 680

- Craver Treves, Herrmann, Singher, Kensler and Rhoads 4 438, 444
- Aldehydes, inhibition of autoxidation by carcir ogenic chemicals and related compounds Waslev and Rusch 2 422
- Aldolase activity, in riro of sarcoma 37 effect of tumor-damaging compounds on Waravdekar and Leiter 10 247
- Alkaloids, preliminary screening for potency in producing damage in sarcoma 37 Shear Downing Hartwell Leiter, Mac-Cardle, Perrault and Vivian 9 625
- under investigation in cancer chemotherapy Hartwell and Shear 7 716
- Alloxan, specific injurious action upon pancreatic islet cells and convoluted tubules of kidney Brunschwig and Allen 4 45
- Alloxan-diabetic and alloxan-refractive rats of three strains, incidence of benzpyrene-induced sarcomas in Dunning, Curtis and Friedgood, 9 546
- Alpha particles, initial use in cancer research Tobias Rosahn Anger, and Lawrence, 9 619
- A-Methopterin See also Aminopterin Folic acid
- ---, anti leukemic effect prevented by citrovorum factor Burchenal Johnston Broquist and Jukes 10 208
- —— effect on growth of carcinoma, sarcoma, osteogenic sarcoma lymphosarcoma and melanoma in animals Sugiura and Stock 9 628
- Burchenal Beidler, and Nutting 9 606
- of F strain of mice Airschbaum Geisse Judd and Never
- --- inhibition of nucleic acid synthesis by Skipper Mitchell and Bennett 10 510
- -, treatment of acute human leukemia with Mever Miller Rowen, Bock, and Rutzky, 9 606
- Amidines, preliminary screening for potency in producing damage in sarcoma 37 Shear, Downing Hartwell, Leiter, Mac-Cardle, Perrault and Vivian, 9 625
- Amines, resistance of tumor cells in tissue cultures to growthinhibiting action of Brues and Jackson 1 557
- Amino acid analogs, effect on growth of transplantable tumors Greenberg Irish and Gal 10 221
- use of starch column chromatography in study of Zamecnik Frantz and Stephenson 9 612
- metabolism, changes in associated with chronic caloric restriction Barton Boutwell and Rusch 10 202
- Amino acids See also Alanine, Glycine etc
- ————— diets deficient in, effect on leukemin induction in mice White White and Mider, 7 711
- growth and regression of Perry sarcoma in rats Beard 3 122
- studied by paper chromatography Roberts and Frinkel 9 621 645 10 237
- Blades and Baumann 9 613
- phy Roberts and I i 9 613

 Nodorects 1 2nds in relation to inhibition of the mor growth Friedman and Rutenburg 9 502
- normal and malignant tissues -e e. Amer 1 10 (2)
- p-Amino acid oxidase in livers and in is litted liver on the of mis bearing transpla ted tumors. Int 4 section 1.

- two transplanted rat tumors and in isolated nuclei of tumor cells Lan, 4 42

p-Amino acids in tumor proteins-review Miller, 10 65

Aminoazo dyes Sec also Azo dyes

-, carcinogenic, effect on liver cell structure Cunningham, Griffin, and I uck, 10 194

- autoxidation of linoleic heid Rusch and Miller, 7 730

-, carcinogenicity of Sugiura, 7 732, 8 141

----, effect of feeding on intracellular composition of livers of rats I, II, III Price, Miller, Miller, Potter, and Weber, 9 398, 616, 10 18, 28

-, effects on succinoxidase of rat liver Potter, Price Miller, and Miller, 9 616

, metabolism and carcinogenicity of, in rat Miller

and Miller, 7 39 , protein-bound, formed in livers of rats fed 4-

dimethylaminoazobenzene, further studies on Miller and Miller, 9 563

· in riro from 4-dimethy laminoazobenzene and its C-monomethyl derivatives Miller, Miller, Sapp, and Weber, 9 336

-, presence and significance in rat livers after feeding 4-dimethylaminoazobenzene Miller and Miller, 7 168

4-Aminoazobenzene, carcinogenicity of Miller and Baumann, 5 227

- Kirby, 5 673, 683, 7 333

-, determination in tissue Miller and Baumann, 5 157 ---, effect of feeding on intracellular composition of livers of rata Price, Miller, Miller, and Weber, 9 398

- on autoxidation of linoleic acid Rusch and Miller, 7 730

., 1'-methyl-, careinogementy of Sugiura, Halter, Kensler, and Rhoads, 5 235

-, 2', 3', 1', 5', 6'-pent imethyl-, carcinogenicity of Sugiura, Halter, Kensler, and Rhoads, 5 235

o-Aminoazotoluene, carcinogenic properties in mice Law,

- derivatives, carcinogements of Kirby, 5 673, 683

effect on autoxidation of oils Deutsch, Miner, and Rusch, 1 818

- circinogenicity of ultraviolet irradiation Rusch and Kline, 3 128

-, inhibition of phospholipid oxidation by Rusch and Kline, 1 165

- susceptibility of C mice to Andervont and Dunn, 7 730 -, use of Thorotrast in visualization of formation of liver tumors in mice during treatment with Wilson, Leduc, and Corner, 10 249

o-Aminoazotoluene-induced liver tumors, mouse, catheptic activity of Mayer and Dunn, 5 591

effect of rice diets on formation of Silverstone, 8 309

p-Aminobenzoic acid content of mouse epidermis during methylcholanthrene carcinogenesis Latum, Ritchey, Condry and Wicks, 6 486

-, neutralization of tumor-inhibitory effect of inositol by Keresztesy, Laszlo, and Leuchtenberger, 6 128

2-Aminofluorene, carcinogenic activity of Morris, Dubnik, Dunn and Johnson, 7 730

effect on testosterone-induced comb growth Paschkis and Cantarow, 10 234

, production of carcinomas with Wilson, DeEds, and Cox.

—, tumors produced in rats by Harris, 7 88

p-Aminohippuric acid synthesis by rat liver tumor. Tung and Cohen, 10 793

5-Amino-7-hydroxy-1 H-1-triazolo(d)pyrimidine See 8-127guanine

4-Amino-Ni^-methylpteroylglutamic acid See 1-Methopterin

Aminopterin See also A-Methopterin Folic acid

- effect on Dro-ophila melanogaster reversed with folic acid,

desorythonucleic acid, and thymidine Goldsmith and Harnly, 10 220

growth of carcinoma, sarcoma, osteogenic sarcoma, lymphosarcoma, and melanoma in animals Sugiura and Stock, 9 628

- response of amphibian immature oxiduct to estrogen Goldsmith, Schreiber, and Nigrelli, 9 605

- transplanted my cloid and lymphoid leukemias of F strain of mice Kirschbaum, Geisse, Judd, and Meyer, 10 762

-, in treatment of human leukemin Meyer, Fink, Ritz, Rowen, and Sawitzky, 9 562

, inhibition of nucleic acid synthesis by Skipper, Mitchell, and Bennett, 10 510

-, response of acute lymphoid leukemias in mice to Law and Dunn, 9 606

-, studies of mechanism of action of, on lymphatic tissues of mice Dougherty and Dougherty, 9 605

4-Aminopteroylaspartic acid, effect on growth of carcinoma, sarcoma, osteogenic sarcoma, lymphosarcoma, and melanoma in animals Sugiura and Stock, 9 628

4-Aminopteroylglutamic acid Sec Aminopterin

Ammonia in epidermal carcinogenesis Roberts and Frankel. 9 548

Ammonium salts, bis quaternary, effect in producing damage in sarcoma 37 Shear, Hartwell, Downing, MacCardle, Leiter, Perrault, and Johnson, 9 560

, quaternary, effect in producing damage in sarcoma 37 Shear, Hartwell, Downing, MacCardle, Leiter, Perrault,

and Johnson, 9 560

-, preliminary screening for potency in producing damage in sarcoma 37 Shear, Downing, Hartwell, Leiter, MacCardle, Perrault, and Vivian, 9 625

, under investigation in cancer chemotherapy Hartwell and Shear, 7 716

Amphibian tumors Schlumberger and Lucke, 8 657

Amputation neuromas, volume of cell nuclei in Altschul and Friesen, 9 225

Amyl acetate, effect on induced resistance to transplanted rat leukemia Murphy and Sturm, 3 173

Amylase in normal and cancerous tissues of hepatic and mammary origin Greenstein, 3 120

of plasma and plasma fractions in human cancer Dillard, Pearsall, and Chanutin, 9 661

Androgen-estrogen antagonism, studies on Huseby and Bittner, 9 550

Androgen-induced comb growth in chick, inhibition by methylcholanthrene Hertz and Tuliner, 9 551

Androgen-treated hybrid mice, uterine cervical and viginal carcinomas in Pan and Gardner, 8 337

Androgens See also Hormones, Sex hormones, Testosterone -, effect of injection on serum phosphatases in metastatic carcinoma of prostate Huggins and Hodges, 1 293

on spontaneous benign mammary tumors Heiman, 1 735

-, transformation of rat mammary adenofibroma to fibroma by Mohs, 1 151

-, urinary excretion by women with carcinoma of breast Ross and Dorfman, 1 52

Anemia produced in chicks by mouse mammary tumors grown in their volk sacs Armstrong and Ham, 7 481

Aniline, tumor production and metabolism in rats on various diets Ekman and Strombeck, 9 618

Anlage tumors Halpert, 6 504

- of salivary glands Halpert and Tool, 7 316

Anoxia, effect on phosphorylated intermediates of tumor glycolysis LePage, 8 201

Anterior chamber of eye, growth characteristics of adenomatous lesions of rat hypophysis after homologous transplantation to Saxton and Graham, 4 168

-, mouse and guiner pig, behavior of expen-

mental brain tumor transplants in Freeman and Zimmerman 4 273

Brown-Pearce carcinoma in Saphir, Appel, and Strauss, 1 545

Morris McDonald, and Mann, 10 36

rabbit to Greene and Brown, 3 53

measured by growth of tumor in Shrigley, 5 593

Shrigley, Greene and Duran-Reynals, 7 15

from tumor grown in Shriglev, 6 503

human cancers to Greene and Lund 4 352

virus following growth of tumor in Shrigley Greene and Duran-Reynals, 5 356

mouse eve, transplantation of Rous chicken sarcoma into Shriglev 7 727

-, use in transplantation experiments

Greene, 7 491

bodies in aqueous fluid of Appel Saphir, Janota, and Strauss, 2 576

vestigated by means of inoculation of Brown-Pearce carcinoma into Cheever and Morgan, 2 675

nomena related to tumor growth Greene, 2 669

transplantation, heterologous of mouse and rat

tumors Greene and Murphy, 5 269

transplants of tumors innervation of Shapiro and
Warren 9 707

Anthracene derivatives, examination for carcinogenic properties Kennaway Kennaway, and Warren 2 157

-, inhibition of autoxidation of aldehydes by Wasley and Rusch 2 422

— studies on changes in lymphoid tissue of mice treated with Hoch-Ligeti 1 484

----, two-condition fluorometry in determination in animal tissue Miller and Baumann, 3 849

Anthraquinone dye, in rico staining and growth inhibition of mouse tumors with Lewis and Goland 7 718

Antibiotics, effect on sarcoma 180 in mice Stock, Sugiura Moore, and Rhoads 9 598

Antibodies, Brown-Pearce tumor in blood scrum and aqueous fluid of anterior chamber of rabbit eye Appel Saphir Janota and Strauss 2 576

— natural and immune in mice of low and high tumor strains Davidsohn and Stern, 9 426 605

----, specific effects in ritro on cells of transplantable mouse leukemia Werder, Kirschbaum, and Svverton 10 248

Antibody levels in mice effect of tumors on Wharton 9 628

partial response to tumor inoculation in mice Gorer 7 634

Antibody-containing fractions, influence on lethal and tumor necrotizing action of polysaccharides from Serratia marcescent Creech Hamilton Aishimura, and Hankwitz 8 330

Anticarcinogenic See Carcinogenesis

Antifibromatogenic See Fibroids

Antigen, immediate and delayed anticomplementary effects and their dependence upon hemolysin concentration. Thorn ton I llerbrook, I ippincott, and Fong. 10.245

ton I llerbrook 1 applicate and rong 10 230——
in chemically induced chicken tumor related to that of leukous sarcoura agent Gottschalk 3 649

—, tumor lipoid clinical evaluation Hall Penn, Dowdy, and Bellamy, 10 223

Antigenic action of Serratia marce cens polysaccharides Wharton Creech and Nishimura, 9 561

— character of cancer milk agent in mice Green Moosev and Bittner, 5 588

nature of purified chicken tumor agent. Barrett 1 543
properties of nuclei segregated from spleens of normal and leukemic mice Arnesen Goldsmith, and Dulanev, 9 669

Antigens, tumor lipoids as Penn, 10 235

Autoprotease of plasma in human cancer Dillard and Chanutin, 9 665

Antiproteolytic reaction of serum of mice observations on Cliffton Elliott, and Nero, 9 422

Antireticular cytotoxic serum, effect on Brown-Pearce carcinoma of rabbit Movitz Saphir and Strauss 9 17, 562

7 369 therapeutic use in Hodgkin's dicease Skapier,

Antiserum in evtotoxic studies on moule mammary cancer cells Imagawa Bittner and Syverton 10 226

---, lymphoid tumor, avian, cytotoxic effect of Burmester 7 459

--- neutralization of mammary tumor milk agent with Green and Bittner, 6 499

— specific precipiting for protein of cancer tissue I II III Mann and Welker 3 193 196 6 625

— to mammary tumor agent cytotoxic action of on mammary cancer cells Law, 9 544

Antitrypsin levels plasma during growth of rat fibro arcoma Waldvogel and Schmitt, 10 371

Arginase activity changes during early phases of liver regeneration in rat Rosenthal Rogers, and Fahl 10 237

--- in epidermal carcinogenesis in mice Roberts and Frankel 9 231

Greenstein, Jenrette, Vider and White, 1 732

—— in normal and cancerous til sues of hepatic and mammarv origin Greenstein 3 120

Aromatic compounds, effect on ascorbic acid content of moule liver Kennaway, Kennaway and Warren 4 367

Arrhenoblastoma See Ovarv

Arsenic, morphological aspects of rat skin carcinoma induced by Hueper 2 551

—, radioactive studies with Neal Jacobsohn Brues Ducoff, Straube and Kelly, 9 562

Arsenicals, effect in producing damage in sarcomn 37 Shear Hartwell Downing MacCardle Leiter Perrault and John son, 9 560

— organic, effect on transmitted mouse leukemia Flori Furth Saxton and Reiner 3 729

sarcoma 37 relative toxicity to normal and tumor bearing mice of Beck Perrault and Gillespic 9 / 26

by adrenal extracts lethal and tumor-damaging effects of Beck 10 202

under investigation in cancer chemotherapy. Hartwell and Shear 7 716

Arsphenamines screening for tumor inhibitory activity. Harrwell Shear Johnson and Kornberg 6 52

Ascitic fluid mouse production of intrapentaneal receives with Herly 6 131

Warren 4 245

cinogens on Daff Hoch Live's Ken away and Times 8 876

- --- pregnant mice Kennaway and Kennaway 4 704

- deficiency, effect on tumors Robertson, Dalton, and Heston, 7 712

-, utilization by cancer patients Minor and Ramirez, 2 509

Asparagine, desamidation in normal and neoplastic hepatic tissues Errera and Greenstein, 7 712

Aspergillus fumigatus, tumor-inhibiting agent produced by Reilly and Stock, 10 236

Atabrine, screening for tumor-inhibitory activity Hartwell, Shear, Johnson, and Kornberg, 6 489

Atomic bomb, pathological effects of Warren, 6 449

Autoxidation See Fatty acids, Linoleic acid, Lipids, etc.

Avian Sec Powl

Avidin and biotin balance in 4-dimethylaminoazobenzene tumor formation Burk, Spangler, du Vigneaud, Kensler, Sugiuri, and Rhoads, 3 130

· in diet, effect on tumor growth Kensler, Wadsworth, Sugiuri, Rhoads, Dittmer, and du Vignerud, 3 823

8-Azaguanine, effect on acute lymphoid leukemias of mice Law 10 186

carcinoma, sarcoma, osteogenic sarcoma, lymphosarcoma and melanoma in animals Sugiura, Hitchings, Cavalieri, and Stock, 10 178, 244

growth of transplantable tumors Greenberg,

Irish, and Gal, 10 221

Tetrahy mena, relation to neoplastic tissue

Kidder, Dewey, Parks, and Woodside, 9 610

Gellhorn, Engelman, Shapiro, Griff, and Gillespie, 10 170 viral multiplication and on growth of chick embryo Youngner and Salk, 10 250

-, radioactive, distribution in mice with E 0771 tumors

Bennett, Skipper, Mitchell, and Sugiura, 10 644

, ---, nucleic acids of viscera and tumor tissue from animals injected with Mitchell, Skipper, and Bennett, 10 647 Azide in chemotherapy of lymphomas Bolker, Black, and

Klemer, 9 561

- therapy of human malignant neoplasia Black, Klemer, and Bolker, 7 717, 818, 9 314

Azine dyes, retardation of growth of transplantable carcinoma in mice fed Riley, 8 183

Azobenzene, effect on ascorbic acid content of liver in mice and rate Daff, Hoch-Ligeti, Kennaway, and Tipler, 8 876

Azo dye carcinogenesis I, II, III Kirby, 5 673, 683, 7 333 ----, effect of diet on, during period when dye is not fed Clayton and Baumann, 9 575, 623

- dye-induced liver tumors, effect of casein and methionine on development of Griffin, Clayton, and Baumann, 9 82

Azo dyes See also 4-Dimethylaminoazobenzene, 4-Monomethylaminoazobenzene, o-Aminoazotoluene, Aminoazo dves

-, carcinogenic, improved method for study of metabolites of Young, 9 611

-, ---, levels in livers of rats fed various diets contrining 4-dimethylaminoazobenzene Silverstone and Tannenbrum 7 731, 8 301

-, methylation and demethylation in rats Miller, Miller, and Brumann, 5 162

 destruction by hepatic cells in ritro, factors affecting Kensler 9 616

- effect of diet on levels of, in rit tissues Miller, Kline and Ru ch, 6 674

-, --- on heat congulation of homogenates of liver of rite Griffin and Biumann, 8 135

- liver proteins Griffin, Nye, and Luck, 9 700

related to 4-dimethylaminoazobenzene, carcinogenicity of Miller and Baumann, 5 227

-, sulforated, influence on mouse tumors Stern, 10 243, 565

Azonaphthalenes, carcinogenicity in mice Kirby, 5 683

2,3'-Azotoluene and derivatives, carcinogenicity in mice Law, 1 397

Kirby, 5 683

-, --- its split products, tumor production and metabolism in rats on various diets Ekman and Strombeck, 9 618

B vitamin deficiency, terminal, with attending low body temperature, influence on growth characteristics of sarcoma 180 Bischoff and Long, 1 217

B vitamins See also p-Aminobenzoic acid, Biotin, Folic acid, Pantothenic acid, Pyridoxine, Riboflavin, Thiamine, Vita-

·, chromosome size in normal rat organs in relation to Bresele, 4 529

-, effect on production of liver cancer with 4-dimethylaminorzobenzene Miner, Miller, Brumann, and Rusch,

in cancerous tissues I, II, III, IV Pollack, Taylor, Taylor, Williams, Hofer, Woods, and Thompson, 2 739, 744,

-, influence on induction of epithelial tumors in mice Boutwell, Brush, and Rusch, 9 747

Bacillus prodigiosus, See Polysaccharide

Bacteria, production of profound changes in, by rhythmic exposure to heat Spencer and Melroy, 9 602

Bacterial infections, effect on neoplastic diseases Bierman, Hammon, Eddie, Meyer, and Shimkin, 10 203

polysaccharides See Polysaccharides

BAL See 2,3-Dimercaptopropanol

Bendien reaction See Vanadate

Benignancy, artificial, of neoplasm VI Craig, Bassett, and Salter, 1 869

sarcoma 180, effect on oxidative behavior of tumor Salter, Craig, and Bassett, 1 751, 869

of neoplasm, experimentally induced V Salter, Nathanson, and Wilson, 1 60

Benzacridine derivatives tested for carcinogenicity at Institut du Radium, Paris, during war Latarjet, 6 484

1,2-Benzanthracene, absorption spectra of Holiday, 3 689 , additive carcinogenic effect in conjunction with methylcholanthrene Lavik, Moore, Rusch, and Baumann, 2 189 , appearance of liver tumors in rats following ingestion of White and Eschenbrenner, 5 594

derivatives, carcinogenic activity of Dunlap and Warren,

1 730, 953, 6 454

-, mechanism of carcinogenesis with Bergmann, 2 660

, factors that alter fluorescence of Miller and Baumann, 3 217, 223

, induction of parotid gland tumors by Bauer and Byrne, 10 755

, metabolism in mice and rats Berenblum and Schoental, 3 686

studies on changes in lymphoid tissue of mice treated with Hoch-Ligeti, 1 484

-, 10-methyl-, choleic acids of, failure to alter permeability of marine eggs and mammalian erythrocytes Lucke, Parpart, and Ricca, 1 709

2,3-Benzanthracene, effect on fluorescence of hydrocarbons Miller and Baumann, 3 217

Benzene and derivatives, effect on transmitted mouse leukemia Flory, Turth, Saxton, and Reiner, 3 729

-, effect of printing on number of most cells in mouse skin Larsson and Sylven, 7 680

-, role in photoreactions in solutions containing 3,4benzpyrene Allsopp and Szigeti, 6 22

Benzimidazoles, antileukemic assays on Slipper, Bennett, Edwards, Bryan, Hutchison, Chapman, and Bell, 10 166

 mice with transplanted lymphosarcomas Williams 6 344

3,4-Benzpyrene, attempts to induce gastric tumors in mice - sulfur metabolism and tumor induction in with Percock and Kirby, 4 88 mice Crabtree 6 553 produce cancer in Rhesus monkeys with Pfeiftestosterone-induced comb growth Paschkis fer and Allen, 5 589, 8 97 and Cantarow 10 234 , biochemistry of I, II III Weigert and Mottram, 6 97, , elimination from human being after intravenous injec-109, 8 169 tion Iversen, 7 802 carcinogenesis, cocarcinogenic action of croton resin in , factors that alter fluorescence of Miller and Baumann Berenblum, 1 44 3 217 223 effect of autovidizability of lipoidal solvents on - Weil-Malherbe 4 102 Rusch, Mueller, and Kline, 5 565 - fate in animal body Larionow, 7 230 formation of protein-bound derivatives in skin of mice caloric restriction on Rusch, Potter, and Johnson, 5 588 Miller, 10 232 , incorporation in media containing purified lecithin or hydrogenation of lipid solvents on cephalin Weil-Malherbe and Dickens, 4 425 Dickens and Weil-Malherbe 6 161 -, induction of liver sarcoma in rat with Eisen, 6 421 tricapry lin solutions of cholesterol and skin tumors, influence of B vitamins on Boutphospholipids on Weil-Malherbe and Dickens 6 171 well Brush, and Rusch, 9 747 , mouse, retarding effect of glyceraldehyde on Riley , inhibition of autoxidation of aldehodes by Wasley and and Pettigrew, 4 502 Rusch, 2 422 promotion by inhibitor of cell glycolysis Crabtree, 1 34 phospholipid oxidation by Rusch and Kline, 1 465 , relationship of caloric intake and blood sugar to , irradiated inhibition of urease activity by Mueller and Rusch, Johnson, and Kline, 5 705 Rusch 3 113 -, retardation of rate of, by hydrolyzing chloro com-, kinetics of papilloma formation in mice treated with pounds Crabtree, 1 39 Charles and Luce Clausen 2 261 , stimulating effect of dietary fat on Boutwell, mechanism of carcinogenic action of Larionow, 1 860 Rusch, and Brush 9 607, 741 . metabolism in animal body Berenblum and Schoental , carcinogenic effect, additive in conjunction with methyl-6 699 cholanthrene Lavik, Moore Rusch, and Baumann, 2 189 mice and rats I, II Berenblum Crowfoot – or 9,10-dimethyl-Holiday, and Schoental, 3 145, 151 1,2-benzanthracene Rusch, Kline, and Baumann, 2 183 , metaplasia of bronchial epithelium in rats following ap- nonadditive, in conjunction with ultraviolet plication of Thornton and Adams 4 55 light Rusch, Kline, and Baumann, 2 183 , new methods of analysis for metabolites of Weigert and -, course of metabolism and chemical nature of metabolites Mottram, 6 97 of Weigert and Mottram, 6 109 production of abnormal paramecia by Mottram 1 S13 derivatives, absorption spectra of Holiday and Jope, quantitative estimation of metabolites of Weigert 8 169 6 704 recovery from solution by use of picric acid Jones and carcinogenic activity of Dunlap and Warren 1 730, Jamieson 5 341 953 retardation of epidermal carcinogenesis with by unsatuidentification of Berenblum, Crowfoot, Holiday, rated dibasic acids Crabtree, 5 346 and Schoental, 3 151 —, studies on morphology of peripheral blood of rats in jected subcutaneously with Dunning and Reich 3 258 , isolation of Berenblum and Schoental, 3 145 mechanism of carcinogenesis with Bergmann, , thyroidal and vascular changes in mice following chronic 2 660 treatment with goitrogens and Gorbman, 7 746 , disappearance in autoxidizing lipids Mueller, Miller and tumors induced in guinea pigs with Warren and Gates Rusch, 5 401 1 65 dosage of, significance for formation of skin tumors , two-condition fluorometry in determination in animal tis-Tannenbaum and Silverstone 7 567 sue Miller and Baumann 3 849 in evaluating experimental procedures urmary excretion of mercapturic acids after administra Tannenbaum and Silverstone, 6 501 tion of Gutmann and Wood 10 701 , effect of bromobenzene on induction of skin tumors by 3,4-Benzpyrene-induced carcinomas and sarcomas effects of Crabtree, 4 688 caloric restriction per se on genesis and growth of Tannen- lipoid solvents on tumor production by Dickbaum 2 460 ens and Weil-Malherbe, 2 560 - - high fat diet on genesis of solvents upon carcinogenicity of Strait Tunnenbaum, 2 468 Hrenoff, and DeOme, 8 231 epidermal carcinogenesis influence of 2 3-dimercaptopropanol on Lusky, Braun and Woodard 7 667 ultraviolet irradiation on carcinogenic potency tumors mouse and visible light Morton I uce-Clausen and Mahonev 2 256 of Ingelbreth-Holm and Iversen 7 872 – radiation on I II III Allsopp and Szigedependence of formation on calone in tı 6 14 22 24 - on age incidence of leukemia in high leukemia strain take during different stages of carcinogenesis. Tar re ibaum 4 673 of mice Kirschbaum and Strong, 2 841 composition of re-- ascorbic acid content of mouse liver Kenna stricted diet as well as on degree of restriction. Tannenbaum way Kennaway, and Warren, 4 367 autoxidation of oils Deutsch Miner and 5 590 GIG - degree of calaba re-Rusch 1 818 striction Tannenbaum 5 590 609 -- unsaturated fatty acids Mueller and - lat content of diet Rusch 5 180 during different stages of curcinogenesis. Tabrie laum - hepatic vitamin \ stores in mice and rats Carruthers 2 165 4 (53 - effect of low environmental temperature induction of accessory limbs in salamanders dinitrophenol and sodium fluoride on Tannentinum and Breedis 10 205 Silveriore 9 403 metabolism of radioactive Levatine Gutmann -threathrens conf ---" and Wood 10 5 of Silventone and Tannenbaum 9 654 - mice subject to spontaneous leukoses. Morton - saming property of colors

and Mider 1 95

in diet on genesis and growth of Tannenbaum and Silverstone, 9 162

---, histogenesis of Glücksmann, 5 385 - epithelial tumor, mouse, choline and lecithin in Jacobi and Baumann, 2 168

- fibrosarcoma, rat, nucleolar vacuoles in fibroblasts from Lens, 3 531

gastric tumors in mice Collins, Gardner, and Strong, 3 25

- primary subcutaneous tumors, mouse, effect of concentrate of B produgiosus filtrate on Shear, 1 731

surcomas rit, effect of x-rays on cell outgrowth in cultures of Halberstredter, Goldhaber, and Doljanski, 2 28 –, incidence in alloxan-diabetic rats. Dunning, Curtis, and Friedgood, 8 83, 9 546

-- of primary lung tumors in mice bearing Dunlap and Warren, 2 685

-, rat, mast cells in Holmgren and Wohlfart, 7 686 — tumors, mouse, lack of influence of di-(hydroxymethyl) peroxide on incidence and growth of Belkin, 2 269, 273 -, studies on morphology of peripheral blood of rats

beiring Dunning and Reich, 3 266

Beryllium, effect on growth Hongland and Hood, 10 224 -, observations on biochemical effects of Grier, Hongland, and Hood, 9 618

Beryllium-induced osteogenic sarcoma Hongland, Grier, and Hood, 10 629

Betatron Wang, 6 183

---, use in cancer therapy Quastler, 6 483

Betel chewing among Southwest Pacific natives, lack of car-emogenic action of Lisen, 6 139

-, chemical aspects of carcinogenic effect of Woelfel, Spies, and Cline, 1 748

Bifluorylidene, careinogenic properties of Moriis and Dubnik, 10 203

Biocatalysts in cancer tissue I, II, III, IV, V Potter, Du Bois, Albaum, Schneider, and Liebl, 2 290 3 303, 353, 358, 5 18

Biochemical constituents See Acetate, Manine, Albumin, Amino acids, p-Aminobenzoic acid, Ammonia, Ascorbic acid, Asparagine, Buitamins, Biocatalysts, Biotin, Calcium, Carbohydrate, Carbon dioxide, Cholesterol, Choline, Citric icid, Citrovorum, Citrulline, Cobalt, Collagenic tissue, Copper, Creatine, Cytochrome c, Desoxyribonucleic acid, I gg white, I lectrolyte, Enzyme, Fatty acids, Folic acid, Glucosc, Glutamic acid, Glutamine, Glycine, Glycogen, Hemoglobin, Histidine, Hormone, Inositol, Iron, Ketoncids, I tetic acid, Lecithin, Lipid, Lysine, Magnesium, Metallo-porphyrins, Methionine, Minerals, Mucopolysaccharides, Mucoprotein, Nicotinic acid, Nitrogen, Nucleic acid, Nueleoproteins, Octanoate, Oxilicetic heid, Pantothenic heid, Phosphote, Phospholipid, Phosphorus, Phosphorylated Polypeptide, Polysiccharide, Poryphyrin, Potassium, Protem, Proteose, Prothrombin, Purine, Pyridoxine, Pyrimidine Pyruvate, Riboffrym, Ribonucleic acid, Sodium, Succinate, Sugar, Sulfhydryl, Sulfur, Thiamine, Thymidine, fryptophan, Uricil Urea, Vitamin, Water, Xanthine, Xanthopterm, /me

Biopsy, simple failure to affect spontaneous mouse mammary carcinomas Lewisolin, Leuchtenberger, Leuchtenberger, and Laszlo, 1 324

Biotin, abnormal distribution in tumors and embryonic tissues West and Woglom 2 324

- content of mouse epidermis during methylcholanthrene circinogenesis Tatum, Ritchey, Cowdry, and Wicks, 6 486 - effect on carcinogenicity of 4-dimethylaminoazobenzene in rats fed sub protective level of riboflavin. Kline, Miller, and Rusch, 5 641

 4-dimethylaminoazobenzene carcinogenesis Harris Krahl and Clowes, 7 176

- in cancerous tissues Pollack, Taylor, Woods, Thompson, and Williams 2 748

- human cancer tissue Ballantyne and McHenry, 9 689

tumor glycolysis, fermentation and dehydrogenation Burk, Hesselbach, Fischer, Hearon, and Schade, 6 497 -, neutralization of tumor-inhibitory effect of desthiobiotin by Keresztesy, Laszlo, and Leuchtenberger, 6 128

Biotin-avidin balance in 4-dimethylaminonzobenzene tumor formation Burk, Spangler, du Vigneaud, Kensler, Sugiura, and Rhoads, 3 130

3-Bis (β-chloroethyl) aminomethyl-4-methoxy-methyl-5hydroxy-6-methyl pyridine dihydrochloride, effect on carcinoma, sarcoma, osteogenic sarcoma, lymphosarcoma. and melanoma in animals Sugiura and Stock, 10 244

Bladder cancer, rat, 2-reety laminofluorene-induced, effect of added dietary tryptophan on occurrence of Dunning, Cur tis, and Maun, 10 454

-, strain differences in response to diethylstilbestrol and induction of Dunning, Curtis, and Segaloff, 7 511

Blastomatogenic substances See Carcinogens

Blood cell factors associated with transplantability of Brown Pearce tumor Casey, Pearce, and Rosahn, 2 284

- in metastasis of Brown-Pearce tumor Casey. Pearce, and Rosahn, 2 401

- cells from leukotic fowls, tissue culture of Doljanski and Pikovski, 1 205

- in circulating blood and bone marrow, effects of spontaneous and transplanted rat and mouse tumors on Blumenthal, 1 196

-, malignant, from induced and spontaneous leu kemias of mice, differences between Furth and Barnes, 1 17

eosmophil factor in resistance of rabbit to Brown-Pearce tumor Casey, 3 121

-, living, of cancer patients, results of study of Wyeth, 1 735

, mouse mammary tumor agent in Hummel and Little, 9 129

, occurrence of material in, influencing incidence of mammary carcinoma Woolley, Law, and Little, 1 955, 3 122

of cancer and normal subjects, effect on tyrosinase activity in vitro Marx, 9 114

- patients, effects of testosterone and estrogens on concentration of vitamin A in Danish and Klopp, 10 211 -, release of morganic phosphorus accom panying glycolysis of Bernhard, Rosenbloom, and Eichen, 8 295

- patients with leukemia, postirradiation changes in levels of organic phosphorus in Abels, Kenney, Craver, Marinelli, and Rhords, 1 771

- R III and CBA mice, hemoglobin content of Goul den and Warren, 4 421

, peripheral, rat, studies on morphology of I, II, III Reich and Dunning, 3 248, 258, 266

- plasma and plasma fractions in human cancer, electrophoretic nitrogen, lipid, and enzyme studies of Dillard, Peirsall, and Chanutin, 9 661

- antitrypsin levels during growth of rat fibrosarcoma Waldvogel and Schmitt, 10 371

changes in fowls with transmissible multiple lymphoma Krejei, Ross, and Sweeny, 8 575

reducing power, in human malignant neoplastic disease Black, 7 321, 718

-from cancer patients, changes in heat coagulation of Black, Kleiner, and Bolker, 8 79

human, isolation and characterization of proteose from Winzler, Devor, and Mehl, 6 496

in human canser, protease and antiprotease of Dillard and Chanutin, 9 665

, lipids of, in cancer Bloor, Haven, and Ashworth, **10** 205

- prothrombin concentration in normal and leukemic rats Sturm, 4 35

pressure, apparent systolic, mice, effect of Serratia marcescens tumor-necrotizing polysaccharide on Beck, Berkowitz, and Seltzer, 8 162

- measurements in transplanted tumors of unanesthetized mice Algire 9 623

protein formation, effect of 4-dimethylaminoazobenzene on Kline, 3 117

- rat, proteose changes in induced by transplantable and primary tumors Winzler and Burk, 3 135

serum acid phosphatase activity in carcinoma of prostate Herger and Sauer, 2 398

- albumin, in human cancer Jensen and Huggins 10 227

antiproteolytic reaction of mice observations on Cliffton, Elliott, and Nero, 9 422

enzyme inhibitors, in relation to neoplastic disease activity West, 10 248

- esterases See Esterases

- fractions polysaccharide content of in carcinoma arthritis, and infections Shetlar, Shetlar, Richmond and Everett, 10 681

-, heat coagulation in cancer Ponder 10 139 , human, diphenylamine reaction of Niazi and State,

immediate and delayed anticomplementary effects

and their dependence upon hemolysin concentration. Thornton, Fllerbrook, Lippincott, and Fong 10 255

— in cancer, binding of phenolsulfonephthalein by Huggins, Jensen, Player and Hospelhorn 9 753 malignant application of tryptophan acid reaction

to Riegel and Beatty 10 495 -, ---, color reactions with Weiss 9 601 10 247

- normal and Hodgkin s, influence on cellular growth and morphology in tissue culture Reiman Stern, Ford, and Hoster, 9 623 10 467

— of cancer patients, demonstration of enzyme in-hibitor in Hirshfeld, Duboff, and West 6 57

- mice from cancer resistant and cancer susceptible strains esterase content of Khanolkar and Chitre

polysaccharide level in malignancy and other pathological conditions Shetlar, Foster Kelly Shetlar Bryan and Everett, 9 515

- levels in rats bearing Walker carcinoma 256 Shetlar, Erwin, and Everett, 10 445

- pregnant mare effects upon course of development of testicular tumors in mice Pfeiffer and Hooker 3 124 762 protein heat coagulation of inhibited by iodoace tate Duboff, 10 213

proteins heat coagulation of II Huggins Miller and Jensen, 9 177

- in cancer Huggins, 9 321

rabbit Brown-Pearce tumor antibodies in Appel Saphir Innota and Strauss 2 576

- reticuloendothelial immune See Reticuloendothelial

sulfhydryl content effect of methyl bis(β-chloroethyl)amine on Shacter and Shimkin 10 240

- sugar level in mice effect of caloric restriction on Ru ch Potter and Johnson 5 588

, relationship to 3.4 benzpyrene sarcogenesis in mice Rusch Johnson and Kline, 5 705

Bone cancer, metastatic mineral metabolism in Laszlo 9 614 -fibrosarcoma experimental production of Franseen Aub and Simpson, 1 393

iliae spontaneous chondrosarcoma of in guinea pigs with metastasis to mammary region Olcott and Papanicolaou 3 321

- marrow from leukotic fowls tissue culture of Doljanski and Pikovski 1 205

— metabolism studied in relation to tumor metaboli m

Warren 3 621 partial ablation of effect on hepatic lesions produced by 2 acetylaminofluorene Stasney Paschkis and Cantaron 9 567 10 288

plasma cells micrometric investigations of Gormsen 7 729

- tumora See also O teogenie sarcoma

Brain tumors See also Glioblastoma

- experimental I III IV V Zimmerman 4-old and Freeman 1 919 3 682 4 98 273

---- in dog resembling human medullobla.toma Neuberger and Davl 3 2-3

Breast See Mammary

Breeding effect on incidence and oaset of mammars carcinoma ın Marsh Buffalo mice Buchoff 5 582

of spontaneous primare li er tumors in mice Burns and Schenken 3 691

Bromobenzene, effect on induction of skin tumor by 34benzpvrene Crabtree 4 688

metabolism of radioactive L-cystice Gutmann and Wood 10 8

-, urmary excretion of mercapturic acids after admiristration of Gutmann and Wood 10 701

Brown-Pearce carcinoma antibodies in blood serum and aqueous fluid of anterior chamber of rabbit eve Appel Saphir Janota and Strausz 2 576

- a sociation of blood cell factors with transplantability of Caley Pearce and Ro-ahr 2 284

attempts to abrogate immunity to Saphir and Appel 3 767

- blood cell factors in metastash of Calm Pearce and Posahn 2 401

eosmophil factor in rest arce of rabbit to Casev 3 121

- effect of S-azaguanine on Gellhorn Engelman Shapiro Graff and Gillespie 10 170

-colchicine on mitotic activit of DuBilier and Warren 1 966

 experiments with material from Cales 1 134 growth in anterior chamber of eves of turnor im mune rabbits Saphir Appel and Straus 1 545

- hereditary eosinophile level, in acquired resistance of rabbit to Casev and Drydale 7 729

- heterologous transplantation of Greene 9 728 - immunity induced against Cheever and Janewa 1 23

- in roller tube though culture observations on Favor ite and Cheeve- 1 136

- intratricheal transplantation with Brond and 1ppel 9 228

mechanism of tumor immunity as investigated by intraocular inoculation of Cheever and Morgan 2 675 - metasta es attempts to localize in long bo es be

mechanical trauma Saphir Appel and Le inthal 5 722 - — rabbit anterior chamber tran plants innervatio: of Shapiro and Warren 9 707

in Ellerbrook Rhees Thorrton and Lippincott 9 604

- -- effect of antireticular cytotoxic scrum on Movitz Saphir and Strau 9 17 /2

-- single short period of hypethern a on Ariel and Warren 3 46-

Butter yellow See 4 Dimethylaminonzolenzene

Butyrase See Esterise (butyric)

Calcium content in secretions from recent cerous a if or cerous stomach. Du iham and Brunset miz 6 51 of careinoma and p plomas clesta. Du tan Nichols and Brun chaig 6 288

gis ne eireinema Prunschwig Dunt im and

Nichol 6 200

- regenerating to -4 (cm de Irna and Zeidman 9 C14

- diffu ible and nord Eusible in normal and methyl is

Inthrene-treated mouse kin Lan near 1 to 7 effect of age on in epierm learn in mail foreit
methylcholanthrene ii mon in to fi Carmilen. Condr. 5 J72

the uning strop in or known Hinder 9 244

man 7 950 719

- epidermal, after single application of methylcholanthrene to mice Carruthers and Suntzeff, 3 744

, effect of methylcholanthrene on Suntzeff and Carruthers, 3 431

in epidermal carcinogenesis of mouse and man Carruthers and Suntzeff, 6 296

- metabolism in metastatic bone cancer Laszlo, 9 614 ---- relation to citric acid metabolism in carcinogenesis Miller and Carruthers, 10 636

Calcium-ribonucleoprotein complex, labile, in region of liver cell cortex Rosenthal and Lansing, 9 619

Caloric intake during different stages of carcinogenesis, dependence of genesis of induced skin tumors on Tannenbrum, 4 673

relationship to 3,4-benzpy rene sarcogenesis in mice Rusch, Johnson, and Kline, 5 705

-, role in ovarian tumor formation in intrasplenic ovarian grafts Miller, 10 233

- restriction as means of studying stages of carcinogenesis Tannenbaum, 3 129

chronic, and changes in amino acid metabolism associated with it Barton, Boutwell, and Rusch, 10 202

-, degree of, influence on formation of skin tumors and hepatomas in mice Tannenbaum and Silverstone, 9 724 -, dependence of tumor formation on degree of Tan-

nenbrum, 5 590 (2), 609, 616 -, effect of estrogen on cancer incidence and adrenal changes in ovariectomized mice subjected to King, Casas, and Visscher, 9 436

, ---- on ovarian function in relation to mouse mammary cancer incidence Ball, Huseby, and Visscher, 3 131 -, --- mammary tumor incidence in castrate

hormonized C3H mice Casas, King, and Visscher, 7 722 , -- transmitted mouse leukemin Flory,

Furth, Saxton, and Reiner, 3 729 tumor formation and on level of blood

sugar in mice Rusch, Potter, and Johnson, 5 588 with ultraviolet radiation

Rusch, Kline, and Baumann, 5 431

, inhibition of development of spontaneous leukemia in mice by Saxton, Boon, and Furth, 4 401

per se, effects on tumor genesis and growth Tannen-

-, reversed, effect on mammary tumor incidence in ovariectomized C3H mice Casas, King, and Visscher, 9 596 , simple, influence on mammary cancer incidence and related phenomena in mice Huseby, Ball, and Visscher, 5 40

Cancer See Chemotherapy, Human, Statistics, specific neoplasms, etc.

arising from virus-induced papillomas of domestic rabbits, etiological study of Rogers, Kidd, and Rous, 10 237 - blood, effect on tyrosinase activity in ritro Marx, 9 114 - incidence in ovariectomized mice on calorie restriction,

influence of estrogen on King, Casas, and Visscher, 9 436

- induction, steroid hormones in Gardner, 7 37 - innervation Shapiro and Warren, 9 707

- mouse, inheritance of Miller and Pybus, 5 84

- of reproductive organs produced by pituitary growth hormone Moon, Simpson, Li, and Evans, 10 549

, possible association between porphyrins and, in mice Bittner and Watson, 6 498

- protein-chemical aspects of Toennies, 7 193 - re-e irch business of Aub, 10 399

- studies in VII Roskelley, Horwitt, and Salter, 3 131 - VIII Howard Janzen, and Salter, 4 337 - X Maver, 4 345

su ceptibility influence of certain sulfonamides on Figge, Wolfe and Ligge, 9 630

test practical, heterologous ocular transplantation as Schilling Snell and Favata, 9 592

- tissue in ritro incorporation of radioactive phosphorus

and radioactive glucose fragments by Winzler, Krause, and Slater, 10 249

-, rat, desory ribonucleic acid content of Cunningham, Griffin, and Luck, 10 211

Carbamates See also Urethan

effect on sarcoma 180 in mice Stock, Sugiura, Moore, and Rhoads, 9 598

- in chemotherapy of leukemia VI Skipper and Chapman. 9 150

, induction of lung tumors by Larsen, 7 726

Carbohydrate, blood, relationship to 3,4-benzpyrene sarcogenesis in mice Rusch, Johnson, and Kline, 5 705 , dietary, effect on diethylstilbestrol-induced mammary

cancer in rats Dunning, Curtis, and Maun, 9 354, 608 , effect of injection of, on in the electrical resistance of

rats Kahler and Buchanan, 9 556 level in blood of mice, effect of caloric restriction on

Rusch, Potter, and Johnson, 5 588

metabolism, changes in, in gastric cancer patients and tumor-bearing mice Abels, Kensler, Young, and Hom burger, 7 720

-, cross-connections with protein metabolism in rat liver tumor Zamecnik and Stephenson, 10 251

Carbon-14, studies on hazard involved in use of II Skipper, Bell, and Chapman, 10 362

Carbon dioxide in tumor glycolysis, fermentation, and dehydrogenation Burk, Hesselbach, Fischer, Herron, and Schade, 6 497

tetrachloride, catheptic activity of mouse liver tumors induced by Maver and Dunn, 5 591

 changes in liver cytoplasmic lipids during induction of hepatoma by Kretchmer and Barnum, 9 564

-, histochemical studies of mouse hepatomas induced by Lee, Stowell, and Villisana, 9 600

, succinoxidase studies of liver cells of mice fed Kretchmer, Tsuboi, and Barnum, 7 714

, use of Thorotrast in visualization of progress of liver injury during treatment with Wilson, Leduc, and Corner, 10 249

Carbonyl groups, active, demonstration in various tumors Seligman and Ashbel, 10 240

-, ---, new reagent for histochemical demonstration of Seligman and Ashbel, 9 624

Carcinogenesis, actinic, relation of porphyrin excretion of harderian glands to Hueper and Figge, 5 328

- after multiple irritation Lauridsen and Eggers, 3 43

- and cell adaptations Spencer, 6 485 chemical configuration Dunlap and Warren, 1 730 953

- chronic inflammation Woglom, 5 576 - mechanism of gene action Spiegelman, 7 42

-, chemical, mechanism of Bergmann, 2 660 -, dependence of genesis of induced skin tumors on caloric

intake during different stages of Tannenbaum, 4 673 - fat content of

diet during stages of Tannenbaum, 4 683 , electronic theory of Desnues, 9 627

-, enzyme-virus theory regarding Potter, 3 358 -, evidence for stages of Kline and Rusch, 4 762

---, factors affecting I, II, III, IV Dickens and Weil-Malher-be, 2 560, 4 425, 6 161, 171

latent period in Bradbury, Bachmann, and Lewisohn, 1 685

-, importance of differential consideration of stages of, in evaluation of cocarcinogenic and anticarcinogenic effects Tannenbaum, 4 678

in intact and castrated male and female mice of Marsh-Buffalo strain, influence of nontoxic amounts of estradiol upon Bischoff, Ingraham, and Clarke, 5 579

- mice, rats, rabbits, and guinea pigs, promoting phase in stages of Shubik, 10 13

- rabbits, studies on I Syverton, Berry, and Dascomb, 2 436

, luminescence-porphyrin photosensitization theory of Figge, 6 498

-, mechanism of Berenblum, 1 807 - Larionow, 1 860 -, promoting action of croton oil on Berenblum, 9 618 , use of diets varying in calories as means of studying stages of Tannenbaum 3 129 Carcinogenic agents See Carcinogens, Carcinogenicity Carcinogenicity, comparative, of x-radiation and P. Brues. Sacher, Finkel and Lisco, 9 545 , lack of from betel chewing among natives of the Southwest Pacific islands Eisen, 6 139 of extract of human liver Steiner, 1 750

- hormonal imbalance Gardner, 8 397 materials, tissue transplant technic as means for testing Smith, 9 592, 712

pile radiations Henshaw, Riley, and Stapleton, 7 48 radioactive substances which may be a problem in certain future industries Brues, Lisco, and Finkel, 7 48 wood soot from chimney of smoked sausage factory

Sulman and Sulman, 6 366 , possible of overcooked meats, heated cholesterol. acrolem and heated sesame oil Steiner, Steele, and Koch

, system of grading of Berenblum, 5 561

Carcinogens See 2-Acetylaminofluorene, Acrolein, Aminoazo dyes. 4-Aminoazobenzene o-Aminoazotoluene, 2-Aminofluorene Aniline, Anthracene, Arsenic, Azobenzene Azo dyes Benzacridine, Benzanthracene, Benzpyrene Beryllum Betel, Bifluorylidene Carbon tetrachloride, Carcinogenesis, Carcinogenicity, Cerium, Cholanthrene Cholestadiene Cholesterol, Chrysene, Coconut oil, Croton oil 1,2,5 6-Dibenzanthracene, Dibenzophenanthrene Dichloroethylsulfide, 4-Dimethylaminoazobenzene, 9,10-Dimethyl-1,2-benzanthracene Ergot, Estradiol Estrogen, Extracts, Genesis Hydrocarbons, Iodine, Irritation Lard, Light, Meats, Methylcholanthrene, Milk agent, 4-Monomethyl-aminoazobenzene, Mustard, 2-Nitrofluorene, Nitrogen mustard Phosphorus Plutonium, Radiation, Radioactive, Radon Selenium Solvents, Stilbene, Strontium, Sunlight Theelin, Tobacco, Triphenvlethylene, Urethan, Virus Wheat germ oil, Wood X-radiation, Yttrium

Shabad, 5 405 biological assav of Lea, 5 633

chemical, new Bradbury, Bachmann and Lewisohn, 1 685

— dosage of, significance in evaluating experimental proce dures Tannenbaum and Silverstone 6 501

- for formation of skin tumors Tannenbaum and Silverstone, 7 567

-, extractable lack of, in skin of patients with multiple precancerous keratoses of actimic origin Mohs 8 371

extraction from human cancerous tissues Menke 2 786 - urine Steele, Loch and Steiner 1 614 formed photochemically from skin fats Snapp, Niederman and Rothman 10 73

in human body Kleinenberg, Neufach and Shabad 1 853

- tissues Hieger 6 657 skin, fluorescence studies of II Simpson and

Cramer 5 449 incidence in livers of cancer noncancer cirrhotic and

Negro patients Steiner 3 385 - interrupted application of effect on formation of neo-

plasms Rusch and Kline 9 545 mechanism of species adaptation to Spencer and Melros

multiple constitution of abnormal ciliates produced by Mottram 4 241

not found in urine of cancer patients. Bowman and Mottshaw, 1 308

production in degradation of cholesterol to progesterone Bischoff and Rupp 6 403

related to products of pyrolysis of cholesterol at 960 C Talk Goldfein and Steiner 9 438

susceptibility to an relation to porphyrin metabolism and harderian gland fluorescence Tigge 4 465

- system of grading of Berenblum 5 561

, testing of analogs of for carcinogenic activity Dood. Lawson, and Williams, 5 485

two different, response of mice to simultaneous application Jaffe, 7 529

- rats to simultaneous application of Jaffe, 7 113

Carcinoma, Bagg-Jacksen, mouse, irradiation of, as affected by diet and foster nursing Plaut, Tennant, and Oughterson. 2 546

, bronchogenic heterologous transplantation of Greene and Murphy, 5 269

, mouse genetic analysis of methylcholanthrene induction of Williams and Strong, 4 II

Brown-Pearce See Brown-Pearce carcinoma

C-256, rat, pre-excisional fixation of tissue in treatment of Mohs and Guver, 1 49

cells mouse permeability and metabolism in tissue cul ture Cohn and Brues 3 135

Ehrlich, transplanted town therapy of Roskin 6 363 Flexner-Jobling See Flexner-Jobling carcinoma

human See Human

in cottontail rabbits Syvertor, Dascomb, Wells Koomen, and Berry, 10 440

, immunological tests for papilloma virus in Syverton, Wells Koomen, Dascomb, and Berry 10 474
, mammary See Mammary

No 1 Yale See Yale tumor No 1

of vaginal wall in rabbit Greene Newton, and Fish, 7 502 polymorphic rat, action of peltatins on Greenspan Leiter and Shear 9 597

primary, mouse analysis for phosphorylated intermedi ates of glycolysis LePage, 8 193

, spontaneous mouse effect of lowered atmospheric pressure on growth of Rohdenburg 1 310

, squamous-cell effect of virus of Russian encephalitis on Moore and Stock 10 233 mouse effect of hyaluronidase on invasive growth

of Simpson, Denues and Keller 9 602 - transplantable in rabbit Greene and Brown 3 58

-, mouse amino acids in hydrolysates of mitochondrial fractions of Roberts and Li 9 613

-, free amino acids in as studied by paper chromatography Roberts and Frankel, 9 621 645 10 237 transplantable isolation of fungifrom Diller and Fisher 10 595

, undifferentiated of mouse, growth in albino rat Hall 10 223

oxidative capacity of Mayer, 4 345 --- I

rabbit, glycolytic and respiratory metabolism of Kidd Winzler and Burk 4 547

-, studies of factors affecting distribution of tu mor metastases with Coman Eisenberg and McCutcheon 9 649

-, u.e in experiments on enduring partnership of neoplastic virus with tumor cells Kidd 1 730

Walker See Walker carcinoma

- 63, use in chemotherapy investigations in cancer Wood house 7 393

119 squamous-cell Trypanosoma erum in treatment ef Hauschka 7 717

- 1025 effect of virus of Ru. sian encephalitis on Moore and Stock 10 2.3

2146 transplantable retardation of growth of in mice fed basic metachromatic dves Riles 8 183

Carcinomas actinic and arse up in lin of rats morphological aspects of Hueper 2 551

and I emits deriving from 51 operabbit profilement of emissal investigation of Scherp and Species 9 12

chicken transplantability of Duran Regrate 6 545

phosphamidase eo tent el Comen 9 002 transplanted neems a produced will a marierens p ! sacchande Dunn and Lehmann 6 1

Carcinostatic See Clemitterapy

Casein, effert on careinopen ets ef set methaliam . es len ze ie Miller Bauman i and huse 5 -14

ment of liver tumors in rats fed certain azo dves Griffin, Clayton, and Baumann, 9 82

--- in diet, effect of varving proportion of, on genesis and growth of tumors Tunnenbaum and Silverstone, 7 711, 9 162

Castration, effect on advanced breast cancer in males Nathanson, 7 723

Kordan, and Biskind, 10 309

of prostate Huggins and Hodges, 1 293

--- in relation to inherited hormonal influence in mice Smith and Bittner, 5 588

—, metabolic effects of treatment of prostatic carcinoma by Aub. Libbetts, and Nathanson, 7 723

----, relationship of inherited hormonal influence to production of adrenal cortical tumors by Smith, 8 641

Catalase activity, liver, of normal and tumor-bearing rats and mice Greenstein, White, and Andervont, 3 120

---- in normal and cancerous tissues of hepatic and mammary origin Greenstein, 3 120

——, liver, inhibition in tumor-bearing animals Greenfield and Meister, 10 222

---, ---, of tumor-bearing and leprous rats Dounce and Shanewise, 10 103

Cathepsins, in 4-dimethylaminoazobenzene-induced liver tumors Zimeenik and Stephenson, 7 326

— of normal and neoplastic mouse tissues Maver and Dunn, 5 591

---, rat lymphosarcoma, sulfhydryl groups of Maver and Thompson, 6 494

---, tissue, of tumor-bearing rats, affected by growth inhibitor and other factors Feinstein, 10 93

Cell adaptations and carcinogenesis Spencer, 6 485 —— constituents See Biochemical constituents

---- fractions, role in transplantation of Walker carcinoma 256 Tourtellotte and Storer, 10 783

—— injury in relation to proliferative and neoplastic response Menkin, 1 548

---- nucleus See Nucleus

Green and I dv of mode of inhibition of

robblity as factor in inducing resistance to malignant growth Goldfeder, 3 127

relation to induced resistance to malignant growth III Goldfeder, 5 593

Cells, epithelial, mutual adhesiveness, chemical factors in Zeidman, 7 886

—— further observations on in ratro conversion of normal into

malignant Gev and Gev, 7 729

—, human cancer, changes in mitotic mechanism of Timonen and Therman 10 431

-, malignant factors influencing growth of Kline and Rusch 4 762

culture procedures applicable to study of nutrition of Earle Sanford I vins Schilling and I ikely, 9 593

el 6 502 electron microscopy of Porter and Pick-

straits of Gev and Bang 9 5%

berstredter, Goldhaber, and Doljanski, 2 28

Goldfeder, 8 383

continuous culture Hanks, Gey, and Barrett, 7 728

of chicken tumors, electron microscopy of Claude, Porter, and Pickels, 6 502

——, plant, influence of mutant chondrogenes and viruses on Woods and du Buy, 8 391

----, reaction in ritro to x-rays, introgen mustard, and extracts of adrenal cortex Schrek, 9 559

Cellophane, perforated, use as solid substrate for heterologous clot used in tissue culture cancer studies Evans, Earle, Duchesne, Edward, Wilson, Likely, and Schilling, 9 558

Cephalin, purified, medium containing, incorporation of 3,4benzpy rene in Weil-Malherbe and Dickens, 4 425

Cerium-preseodymium, radioactive, carcinogenic action of Brues, Lisco, and Finkel, 7 48

Cervical cancer, experimentally induced in mice, attempts at early diagnosis of Allen, Gardner, and Collins, 3 124

in hybrid mice following long-continued administration of estrogen Allen and Gardner, 1 859

Gardner, 8 613

Cetane, with and without cholesterol, influence of use as solvent upon effectiveness of carcinogenic agents. Strut, Hrenoff, and DeOme, 8 231

Chemicals See Carcinogens, Chemotherapy, specific compounds

Chemosurgery of human cancer Mohs, 5 592

Chemotherapeutic activity of nitrogen mustards in relation to chemical structure Burchenal and Riley, 9 553

agents, active and mactive, segregation screening against surcoma 37 Peters, Hartwell, Dulton, and Shear, 6 490

———, evaluation of Karnofsky and Burchenal, 8 388————, ————, using transplanted mouse leukemia Geisse and Kirschbaum, 10 108

Keresztesy, Luszlo, and Leuchtenberger, 6 128

Johnson, and Kornberg, 6 489

nd Peters, 6 490

Shear, Armaghan, Dalton, and Hartwell, 6 490

———, rapid test for Luszlo and Leuchtenberger, 3 401——, screening for, using surcoma 180 in mice Stock,

Sugiuri, Moore, and Rhords, 9 598
————, studies of II Kline and Rusch, 3 702

——, synthetic, clinical and laboratory projects with Shear, 6 488

Chemotherapy See Acid chlorides, Acridine, Acriflavine, AC III, Aldehyde bisulfites, Alkaloids, A-Methopterin, Amidines, Amines, Amino acid analogs, Aminopterin, Aminonium salts, Anthraquinone, Antibiotics, Antireticular, Arsenicals, Aspergillus, Atabrine, 8-Aziguanine, Azide, Azine, Benzimidazoles, 3-Bis(\$\beta\$-chloroethyl)aminomethyl-, Carbamates, Chemosurgery, Chloral hydrate, Chloretone, Colchicine, Coley's tovin, Colloids, Cortisone, Cycloheyl, Catotoxic, Desthiobiotin, Diaminodiphenyl-, 2,6-Diaminopurine, Dimercaptopropanol, Diphenylethylamines, I'me tine, Ethylenenimine, Fluorenes, Fluoride, Furricin, Gliotoxin, Gold, Guanidines, Heptyladehyde bisulfite, Indolebutyric acid, Indolepropionic acid, Iodine, Iodorectate, Isoquinolines, Ketones, Maleate, Malonate, Malonoutriles, Manganese, Melamine, Methanes, Methylpteroic acid Methylsuccinic acid, Mustard, Naphthoquinone, 2-Nitro-

fluorene, Nitrogen mustard, Oxazine dyes, Peltatin, Penicillin, Phenanthrenes, Phenazines, Phosphorus, Podophyllin, Podophyllotovin, Polysaccharide, Potassium arsenite Pseudomonas, Pteridine, Purine, Quinones, Radiation, Radioactive Rivanol Screening, Sodium, Spleen extract Staphylococcus Stilbamidine, Stilbenes, Streptomycin, Sulfonamides, Suramin, Therapy, Thiazine, Toxin, Triphenylococcus mides, Suramin, Therapy, Thiazine, Tovin, Triphenyl-methane, Tris(1-aziridyl)-s-triazine, Trypanosoma, Tu-bercle, Urethan Virus Vitamin analogs, Xanthene, Xradiation

attempted, of insulin-producing islet cell carcinoma in man Brunschwig and Allen 4 45

of cancer Hartwell and Shear, 7 716

fractionated regional Klopp, Bateman, Berry, Alford and Winship, 10 229

-, investigations in Woodhouse, 7 398

-, present status of National Cancer Institute rese irch program 6 488-91

-, role of pharmacology in Philips, 8 386 -, symposium on Brues, 8 384

- human malignant neoplasia with glycolytic enzyme inhibitors Black, Kleiner, and Bolker, 9 314

- lymphomas in relation to adaptation Bolker, Black, and Klemer, 9 561

malignant tumors by bacterial toxins developed by Coley, reviewed in light of modern research Nauts, Swift, and Coley, 6 205

 relation of energy mechanisms to Black, Kleiner, and Boll er, 7 818

- transmitted mouse leukemia Flory, Furth, Saxton, and Remer, 3 729

relation of enzyme inhibition to Ackermann and Potter,

-screening program, place of tissue culture in Ormsbee and Cornman, 8 384

Chick embryo See also Yolk sac

-, effect of continued serial transplantation of tumor in yolk sac on Taylor and Carmichael 9 498

 various agents on growth of sarcoma 180 on chornoallantoic membrane of Karnofsky, Parisette, and Patterson, 8 389

, growth and histology of mouse tumors explanted to choricallantoic membrane of Karnofsky, Patterson, and Ridgway, 10 228

- of chicken sarcoma virus in, without neoplasia Milford and Duran-Revnals, 3 578

---, implantation of various tumors of human tissue on chorioallantoic membrane of Karnofsky, Ridgway, and Patterson, 9 554

-, intravenous inoculation of, for transplantation of heterologous tumors Bender, Friedgood and Lee 9 61, 557 — tissues, relations of tumors produced by yolk injection technic to Hungate, Taylor and Thompson, 4 289

Chicken lymphosarcoma, transplantable Pentimalli 1 69 transmissible lymphoid tumor of Olson 1 384

tumor See Fowl tumor

agent purified, untigenic nature of Barrett 1 543 cells, electron microscopy of Claude Porter and Pickels 6 502 7 421

virus growth in chick embryo in absence of neoplasia Milford and Duran-Revnals 3 578

- I, isolation of virus from basic protein virus complex Shemin and Sproul 2 514

agent purification of Bryan and Riley, 7 718 tumors produced by prolonged choline deficiency Schnefer Copeland and Salmon 9 608

respiratory metabolism of Burk Sprince, Kabat and Lurth 1 782

Chickens and ducks, reciprocal infection with tumor inducing viruses Duran-Reynals 2 343

Chloracetone, stimulation of tumor induction by Cribtree 1 34

Chloral hydrate inhibition of takes of Flexner-Johling carcinoma in rats by Kline Wasley and Rusch 2 645

Chlorethylamines See Nitrogen mustard

Chloretone, inhibition of "takes of Flexner-Jobling carcinoma in rats by Kline, Wasley and Rusch 2 645

Chloro compounds See also Acid chlorides

Chloroleukemia 1394, mouse influence of urethan and blood acid base equilibrium on Skipper and Chapman, 9 158

Cholanthrene derivatives carcinogenic action of Bradbury, Bachmann, and Lewisohn 1 685

-, comparative carcinogenicity of Law and Lewisohn 1 695

 effect on ascorbic acid content of mouse liver Kennaway Kennaway, and Warren, 4 367

-, production of abnormal paramecia by Mottram. 1 313 Choleic acids of carcinogenic hydrocarbons failure to alter permeability of marine eggs and mammalian ervthrocytes Lucke, Parpart, and Ricca, 1 709

Δ3 5-Cholestadiene, attempts to induce gastric tumors with Kirbv, 4 94

Cholesterol content of normal and enlarged prostates Swier 2 372

, epidermal, changes during methylcholanthrene carcinogenesis in mice Wicks and Suntzeff 5 464

, heated, attempts to produce gastric tumors with Kirby,

Koch, 3 100 Koch, 3 100

-, tumors induced with Beck, Kirby and Peacock 5 135

metabolism in rats fed 4-dimethylaminoazobenzene stud-1ed with C14 labeled acetate Baker and Greenberg, 9 701

-, production of carcinogenic agent in degradation to progesterone Bischoff and Rupp 6 403
—, products of pyrolysis at 360° C and their relation to car-

cinogens Falk, Goldfein, and Steiner 9 438

, tricaprylin solution of effect on 34-benzpyrene car cinogenesis Weil-Malherbe and Dickens, 6 171

Choline content of mouse epidermis during methylcholanthrene carcinogenesis Tatum Ritchev Cowdry, and Wicks 6 486 deficiency and epithelial hyperplasia of forestomach of rats and mice Sharpless, 3 108

- induced tumor influence of riboflavin pyridovine inositol, and protein depletion repletion on Schaefer Copeland, Salmon and Hale 10 239 786

— prolonged, production of neoplasms in chickens by Schaefer, Copeland, and Salmon 9 608

in tumor-bearing animals Jacobi and Baumann 2 175 oxidase in livers and in isolated liver cell nuclei of rats bearing transplanted tumors Lan, 4 37

- two transplanted rat tumors and in isolated nuclei of tumor cells Lan, 4 42

Cholinesterase, nonspecific activity changes during early phases of liver regeneration in rat Rosenthal Rogers and Fahl 10 237

Chondrogenes, mutant influence on plant cells Woods and du Buv, 8 391

Chondrosarcoma of iliac bone of guinea pigs spontaneous with metastasis to mammary region Olcott and Papanicolaou 3 321

Chorioaliantoic membrane See Chick embrio

Chorioepithelioma, demonstration of active carbons! groups in Seligman and Ashbel 10 240

Chromium phosphate radioactive effect when applied inter stitually in treatment of mouse mammary adenocarci oma Allen Hempelmann and Womack 5 239

Chromosome complexity in regenerating rat liver Biesele 4 232

enlargement in neoplastic rabbit tissues. Biesele 5 100 size in leukemic and normal lymphocytes of (as more effects of sex hormones on Biesele and Gz c 7 Co

- normal rat organs in relation to B an are

ribonucleic acid and nuclear volume Biesele 4 029 threads isolated deservible confirm in reful cholanthreneshin carcinoge essi une Gopul Ave Condr. 7.1

Chromosomes See also Genetics, Desoxyribonucleic acid —, diploid, in goldfish tumor Biesele, 3 411

- in lymphatic leukemin of C58 mice Biesele, 7 70

—, mammalian, isolation and morphology of Brues and Rietz 10 206

of two rat neoplasms, size and synthetic activity Biesele, 4 540

—, polytene, in two human mammary carcinomas Biesele and Poyner, 3 779

----, sensitivity to breakage by x-rays and its relationship to nucleic acid cycle in dividing cells Sparrow, Moses, and Steele, 10 242

Chrysene derivatives, carcinogenicity of Dunlap and Warren, 3 606

Ciliates, abnormal, produced by blastomatogenic agents, multiple constitution of Mottram, 4 241

Cirrhosis See Liver

Citraconic anhydride, retardation of epidermal carcinogenesis by (rabtree, 5 346

Citric acid content of normal and tumor tissues in tiro following injection of fluoroncetate Potter and Busch, 10 236, 353 tumor tissue and of tumor-bearing rats

calcium metabolism Miller and Carruthers, 10 636
Citrovorum factor, preventing antileukemic effect of Amethopterin Burchenal, Johnston, Broquist, and Jukes,

10 208
Citrulline, synthesis by rat liver tumor Tung and Cohen, 10 793

Cobalt, effect on correlation of nucleic acid concentration with rate of growth Levy, Skutch, and Schade, 9 613

—— in tumor gly colvsis, fermentation and dehy drogenation Burk, Hesselbuch, Fischer, Hearon, and Schade, 6 497 —— inhibition of tumor respiration Hearon, Schade, Levy, and Burk, 7 713

Cocarcinogenic effects, importance of differential consideration of stages of carcinogenesis in evaluation of Tannenbaum, 4 678

Cocarcinogens, biochemical action of Potter, 6 500

Coconut oil, hydrogenated, carcinogenicity of 4-dimethylaminoazobenzene in diets containing Miller, Kline, Rusch, and Baumann, 4 153

Codehydrogenase I in tumors, determination of Schlenk, 6 405

Cod liver oil concentrate, lack of carcinogenicity of Steiner, 2 181

Colchicine, action on tactoid structures Kopac, 9 555
—— derivatives, changes in mitosis in sarcoma cells of mice treated with MacCardle, 9 555

———, effect of single injection on mouse tumors Downing, Hartwell, Leiter, and Shear, 9 598

———, in two effects on enzy matic activities of sarcoma 37 Waray dekar and Leiter, 10 247

-, effect on growth of sarcoma 180 on chorioallantoic membrane of chick embryo Karnofsky, Parisette, and Patterson, 8 389

——, ——— mitotic activity of Brown-Pearce epithelioma DuBilier and Warren, 1 966

---, --- onion root tips Levine, 5 107

--- response of transplantable lymphosarcoma to Bass and Probert, 10 420

screening for tumor-inhibitors activity Hartwell, Shear, Johnson, and Kornberg 6 489

Coley's toxin, effect on growth of sarcoma 180 on chorioallantoic membrane of chick embryo Karnofsky, Parisette, and l'atterson, 8 889

Collagenic tissue during epidermal carcinogenesis, morphological aid chemical investigation of Ma 9 481

Colloids, radioactive of manganese and gold, use in treatment of malignancies. Hahn and Sheppard, 8 382

Colon carcinoma in rats after feeding radioactive yttrium Lisco, Brues, Finkel, and Grundhauser, 7 721

——, carcinomas and papillomas of, potassium and calcium content of Dunham, Nichols, and Brunschwig, 6 233

Color reactions with malignant tumors Weiss, 9 556, 601, 10 247

Colpidium See Ciliates

Comb growth, testosterone-induced, effect of carcinogens on Paschkis and Cantarow, 10 284

Complement fixation in animal neoplasia I, II, IV Thornton, Ellerbrook, Rhees, Fong, and Lippincott, 9 604, 627, 10 245

Compound E See Cortisone

Compounds See Chemotherapeutic agents

Congo red index, rabbit, effect of prolonged x-radiation on Hoch-Ligeti, 1 28

Copper, distribution in malignant neoplastic disease Buchwald and Hudson, 4 645

in epidermal carcinogenesis of mouse and man Car ruthers and Suntzeff, 6 296

Corneal metabolism and growth, recent studies on—revieu Friedenwald, 10 461

Cortisone, effect on adrenal function in patients with neo plastic disease Dobriner, Lieberman, Wilson, and Rhoads, 10, 212

briner, and Rhoads, 10 244

—, —— growth of transplanted rhabdomy osarcom's in C3H mice Higgins, Woods, and Bennett, 10 203

____, ___ transplanted mouse leukemin Burchenil, Stock, and Rhoads, 10 209

Craniopharyngiomas Halpert, 6 504

Creatine and creatinine excretion, effect of glycine on, especially in patients with cancer of gratrointestinal tract Abels, Kupel, Pack, and Rhoads, 4 145

tumor strains of mice Karnofsky, Nathanson and Aub, 4 772

Cross-circulation and transfusions and disappearance of leu kemic cells in nonleukemic recipients Bierman Byron, and Lanham, 10 203

Croton oil as carcinogenic promoting agent, anomalous action of Berenblum, 9 618

Rusch, 4 762

----, in studies on promoting phase in stages of carcinogenesis Shubik, 10 13

--- resin, cocarcinogenic action of Berenblum, 1 44, 807

Crowding, effect of, on penetrance of hereditary melanoma of Drosophila melanogaster Harnly, Goldsmith, and Friedman, 9 604

Crown gall bacterial products and tissue extracts, influence on growth in miro of excised tobacco and sunflower tissue Hildebrandt, Riker, and Duggar, 6 868

—— tumor formation on stem fragments in ritro de Ropp, 8 519

Crystalline material, occurrence in lungs of normal and cancerous Swiss mice Green, 2 210

Cyclohexyl acetyl-1-carboxylic acid, inhibitory action against animal tumors Woodhouse, 7 398

Cyclohexylsuccinic acid, inhibitory action against animal tu mors Woodhouse, 7 398

Cysteine desulfurase in normal and neoplastic tissues demon

- strated with new tetrazolium salt Rutenburg Gofstein and Seligman, 10 113
- effect on 4-dimethylaminoazobenzene carcinogenesis in rats Harris, Krahl, and Clowes, 6 487

 radiosensitivity of Walker carcinoma 256
- Straube, Patt, Smith, and Turee, 10 243
- -, purified diets varying in content of, effect on 4-dimethylaminoazobenzene carcinogenesis Harris, Krahl, and Clowes,
- Cystine deficiency and epithelial hyperplasia in forestomach of rats and mice Sharpless, 3 108
- diet low in effect on production of spontaneous mammary tumors in mice White and Andervont, 3 129
- , dietary, effect on incidence of leukemia produced by methylcholanthrene in mice White and Mider, 3 129
- effect on 4-dimethylaminoazobenzene carcinogenesis in rats Harris, Krahl, and Clowes, 6 487
- formation of liver tumors in rats fed 4-dimethylaminoazobenzene White and White, 6 500
- purified diets varying in content of, effect on 4-dimethylaminorzobenzene carcinogenesis Harris, Krahl, and Clowes, 7 162
- -, radioactive effect of bromobenzene and 3 4-benzpyrene on metabolism of Gutmann and Wood 10 8
- Cytochemical study, ultraviolet of rat liver cells under different conditions of normal and neoplastic growth Stowell, 9 543
- Cytochrome c in cancer tissue DuBois and Potter, 2 290
- oxidase activity in mouse sarcoma 37 and normal tissue effect of peltatins on Waravdekar and Leiter 9 625 10 247 -, changes in, during growth and differentiation in tissues of newborn rat Potter Schneider and Liebl, 5 21
- --- in cancer tissue Schneider and Potter, 3 353 -- methylcholanthrene-induced epidermal car-
- cinogenesis Carruthers and Suntzeff 6 486 7 9 - normal and tumor mast cells Paff, Montagna and Bloom 7 798
- intracellular distribution in normal rat liver and
- liver tumors Schneider 6 685 -system, deficiency in human cancer Roskelley, Horwitt, and Salter, 3 131
- in malignant and benign tumors and homolo-aminoazobenzene Kensler and Rhoads, 3 134
- Cytogenesis of pulmonary tumors induced by urethan Mostofi and Larsen, 9 544
- Cytological alterations in lymphocytes produced by estrogens Santisteban, Scheebell, and Dougherty, 10 239
- pulmonary tuberculosis which simulate carcinoma Chipps and Kraul, 10 210
- Cytology, exfoliative, of oral cavity Montgomery 9 627
- Cytolysis, hypotonic of sea urchin eggs effect of v radiation on Grand and Chambers 3 127
- Cytoplasmic fractions from spleens of normal and leukemic mice serological study of Dulaney, Goldsmith, Arnesen, and Buxton, 9 217
- inclusions and characteristics of Hodgkin's diseased lymph nodes in tissue culture Grand 9 183
- osmiophilic granules of interpreted as elementary bodies of lymphocystis virus Weissenberg 9 537 proteins partial physical and chemical characterization
- Barry, 10 694
- Cytotoxic action of mammary tumor agent antiserum on mam mary cancer cells Law, 9 544
- studies on mouse mammary cancer cells Imagawa Bittner and Syverton 10 226 Deer antiers and osteogenic sarcoma comparison of growth of
- Aub and Wislocki 3 120 influence of testosterone on growth of Aub and
- Wislocki 6 501 Dehydrogenase See also Succinic Oxideses
- studies of tissue from normal and tumor bearing mice I II Richland Lenta 9 42 47

- Dehydrogenases in normal and neoplastic tisues demonstrated with new tetrazolium salt Rutenburg Goistein, and Seligman, 10 113
 - liver and liver tumor, effect of nucleates on Green tein and Chalklev, 5 592
- Dehydrogenation of tumor tissue interrelationships of biotin CO Co and Cu in Burk, Hesselbach, Fischer, Hearon and Schade 6 497
- Dehydropeptidase activity in riro of sarcoma 37, effect of tumor-damaging compounds on Waravdekar and Leiter 10 247
- Dehydropeptidases from neoplastic and normal tissues, purification and properties of Shack, 7 713
- Dermal elastic tissue during epidermal carcinogenesi. morphological and chemical investigation of Ma, 9 481
- Desamidation of glutamine in tumors effect of added phosphate on Greenstein and Leuthardt 9 547
- Desoxycorticosterone acetate, failure to cause tumors or stimu late mammary gland growth in mice Strait and DeOme
- -, mactivation in guinea pig liver Dosne, 4 512 - synthetic, quantitative aspects of antifibromatogenic action of Lipschutz Luco and Zañartu 2 200
- Desoxyribonucleic acid See also Nucleic acids
- content of human epidermis and epidermoid carcinomas Stowell and Cooper 5 295
- transplantable mouse and rat mammars carcinomas, effects of roentgen radiation on Stowell 5 169
- per nucleus in normal, precancerous and cancerous tissues of rat Cunningham, Griffin and Luck 10 211 depolymerase in normal and cancerous tissues of hepatic and mammary origin Greenstein, 3 120
- from isolated chromosome threads in epidermal methylcholanthrene carcinogenesis in mice Gopal Avengar and Cowdry, 7 1
- in methylcholanthrene induced epidermal carcinogenesis Carruthers and Suntzeff 6 8
- tumors Stowell 5 283 reversal of aminopterin effect on Drosophila melanogaster Goldsmith and Harnly 10 220
- sodium salt of, effect of nitrogen mustards on ultraviolet absorption spectrum of Chanutin and Glessing 6 599
- of Gjessing and Chanutin, 6 593
- on dehydrogenases in liver and liver tumor Greenstein and Chalklev 5 592
- Desquamation, eugenol induced of mucus epithelium in gastric pouches influence of calcium and magnesium on Kraus and Hollander, 9 344
- Desthiobiotin, inhibitory effect on tumor growth of neutraliza tion by biotin Keresztesy Laszlo and Leuchtenberger 6 128
- Detergents, inhibition of carcinogenicity of 4-dimethylaminoazobenzene by Miller Kline and Rusch 6 674
- Deuterons, high energy initial use in cancer research Tobias Rosahn Anger, and Lawrence 9 619
- Development, early frog effects of water soluble carcinogen on Briggs and Briggs 3 1
- Diabetes, experimental study of effects on malignancy Carrie and Ham 9 629
- Diabetic rats incidence of benzpyrene-induced sarcomas in Dunning Curtis and Friedgood 8 83
- Diagnosis of adrenal cortical tumors by estimation of unnary 17 ketosteroids Warren 5 49
- human tumors, heterologous tran plantat (1) as aid to Greene 7 502
- primary ovarian estreinoms. Freed and Pe. dergra.
- Diagnostic carcer tests. See Heat congulation. Indianetate e c - I Inken Ellebrok a dI-pp ne 10 21
- test for human ca cer p-pepti fase activity of entra.

 Maser Johnson and Homp 1 1 1

- Diamidines and related compounds, action on nucleoproteins
 Kopac 7 44
- , aromatic, dissociation of protamine-nucleates by Kopac, 6 491
- 4,4'-Diaminodiphenylether complexes with nucleic acids, inhibitory action against animal tumors. Woodhouse, 7 398
- 4',4'-Diaminodiphenylthiourea, inhibitory action against animal tumors Woodhouse, 7 398
- 2,6-Diaminopurine, effect on growth of carcinoma, sarcoma, osteogenic sarcoma, lymphosarcoma, and melanoma in animals Sugiura and Stock, 9 628
- Burchenal, Beidler, and Nutting, 9 606
- —, tissue culture studies with Biesele, Berger, and Hitchings, 10 204
- Dibasic acids, unsaturated, influence on induction of skin tumors by chemical carcinogens. Crabtree, 5, 346
- 1,2,5,6-Dibenzanthracene, adenocarcinoma of small intestine in mice receiving oral administration of Lorenz and Stewart, 1 743
- ---, attempts to produce cancer in Rhesus monkeys with Pfeisfer and Allen, 5 589, 8 97
- eggs and mammalian crythrocytes Lucke, Parpart, and Ricca, 1 709
- ——, derivatives, carcinogenic action of Bradbury, Bachmann, and Lewisohn, 1 685
- ———, —— activity of Dunlap and Warren, 1 730, 953
 ———, determination in rat exercta Jones, 2 245
- Briggs, 3 1
- ---, detection, isolation, and biological effects of metabolites of Dobriner, Rhoads, and Lavin, 2 95
- —, disappearance in autovidizing lipids Mueller, Miller, and Rusch, 5 401
- —, distribution in rats following subcutaneous injection in olive oil Jones, 2 252
- ——, effect in stimulating secretion of mammogenic duct growth factor of anterior pituitary. Lewis and Turner, 1.55——, —— of ultraviolet irradiation on carcinogenic potency of Fingelbreth-Holm and Iversen, 7.372
- —, — radiation on Allsopp and Szigeti, 6 14
 on age incidence of leukemia in high-leukemia strain
 of mice Kirschbaum and Strong, 2 841
- ---, ---- ascorbic acid content of mouse liver Kennaway, Kennaway, and Warren, 4 367
- Rusch, 1 818
- Carruthers, 2 168
- —, ——— sulfur metabolism and induction of tumors in mice Crabtree, 6 553
- ---, elimination from ribbit Jones, Dunlap, and Gogek, 4 218
- 3 217 223

 ______, fulure to induce tumors in guinea pigs Warren and
 Gate 1 65
- fite in animal body Larionow, 7 230
- induction of parotid gland tumors by Bauer and Byrne,
- 1 hibition of autoxidation of aldehydes by Wasley and Ru ch 2 422

- ____, ___ phospholipid oxidation by Rusch and Kline,
- —, mechanism of carcinogenic action of Larionow, 1 860 —, persistence of growth inhibition induced in young rats by Maps, 1 499
- —, production of abnormal parameter by Mottram 1 318—, recovery from solution by use of pieric acid Jones and Jamieson, 5 341
- ——, retardation of epidermal carcinogenesis with, by unsaturated dibasic acids Crabtree, 5 346
- , spreams produced in pigeons by Murphy and Sturm, 6 11
- with Hoch-Ligeti, 1 484
- Goerner, 3 833
- ——, two-condition fluorometry in determination in animal tissue Miller and Baumann, 3 849
- 1,2,5,6-Dibenzanthracene-induced carcinogenesis, role of multiple irritation in Lauridsen and Eggers, 3 43
- fowl sarcoma, transplantable, comparison with virusinduced sarcomas Peacock, 6 311
- tumors, further investigation of Murphy and Sturm, 1 177, 609
- lung tumors, mouse, method of inheritance or susceptibility to Lynch, 1 740
- tumor, mouse, special condition of interphase nucleus in Green, 9 267
- tumors, occurrence of crystalline material in lungs of Swiss mice bearing. Green, 2 210
- lymphatic leukemia, transmission in rat Murphy and Sturm, 1 379
- mouse brain tumors Arnold and Zimmerman, 3 682
 sarcoma, nucleolar vacuoles in fibroblasts from
- Lewis, 3 531
 —— rat fibrosarcoma, nucleolar vacuoles in fibroblasts from
- Lewis, 3 531 —— sarcomas, growth in alien strain parabiotic mice Harris,
- 3 546 _____, incidence of primary lung tumors in mice bearing
- Dunlpp and Warren, 2 685

 1,2,5,6-Dibenzanthracene-9-C¹⁴, metabolism in mouse Heidelberger and Jones, 7 720
- 1,2,5,6-Dibenzanthracene-9,10-C14, metabolic degradation of II Heidelberger and Wiest, 10 223
- 1,2,5,6-Dibenzofluorene, delaying effect on methylcho lanthrene carcinogenesis Wartman, Shubik, Hill, Reeb, Stanger, and Riegel, 10 247
- 1,2,3,4-Dibenzophenanthrene, observations on carcinogenicity of Harris and Bradsher, 6 487, 671
- derivatives, mechanism of carcinogenesis with Bergmann,
- , 9-methyl-, carcinogenicity in mice Harris and Bradsher, 6 487, 671
- , 10-methyl-, carcinogenicity in mice Harris and Bradsher, 6 487, 671
- 1,2,5,6-Dibenzophenanthrene, effect on ascorbic acid content of mouse liver Kennaway, Kennaway, and Warren, 4 367
- p-Dichlorobenzene, effect on induced resistance to trans planted rat leukemia Murphy and Sturm, 3 173
- β,β'-Dichlorodiethylsulphide See Mustard gas
- Diet See Amino acids, Avidin, B vitamins, Biotin, Caloric, Carbohydrate, Casein, Choline, Cysteine, Cystine, Fasting, Tat, Lipid, Lysine, Milk, Protein, Riboflavin, Rice, Tryptophan, Vitamins Yeast
- —, amino acid deficient, effect on induction of leukemin in mice White, White, and Mider, 7 711
- —— and epithelial hyperplasia in forestomach of rata and mice Sharpless, 3 108
- ————hepatic tumor formation Miller, Miner, Rusch, and Baumann, 1 699
- —, calorie-restricted dependence of tumor formation on composition of Tannenbaum, 5 590, 616

-, deficient in thiamine and riboflavin, effect on induction of tumors derived from rat nervous tissue with methylcholanthrene Russell 5 152

, — vitamins relationship to oral and tongue le-sions in patients Abels Rekers, Martin and Rhoads 2 381 , effect of varying protein content of, on tumor formation in mouse Tannenbaum and Silverstone 7 711

on ability of rat livers to destroy 4-dimethylammoazobenzene and related compounds in vitro Kensler 9 565

- azo dye carcinogenesis during period when dve is not fed Clayton and Baumann, 9 575 623

carcinogenic activity of 2-acetylaminofluorene Wilson DeEds, and Cox 7 450

- 4-dimethylaminoazobenzene carcinogenesis Harris Krahl and Clowes, 6 487

 incidence of leukemia produced by methylcholanthrene White and Mider, 3 129

 irradiation of transplanted Bagg-Jacksen and Yale carcinomas in mice Plaut, Tennant, and Oughterson,

 levels of azo dyes in rat tissues Miller, Kline. and Rusch 6 674

- mammary tumor incidence in ovariectomized C3H mice Casas, King and Visscher 9 596

high-fat, effects on tumor genesis and growth Tannenbaum 2 468

, inhibitory effect on production of liver tumors with 4dimethylaminoazobenzene Sugiura and Kensler, 1 745

· lipid content of, during different stages of carcinogenesis. dependence of genesis of induced skin tumors on Tannenbaum 4 683

 liver and yeast fractions in, protection against carcinogenic action of 4-dimethylaminoazobenzene by Sugiura, Kensler, and Rhoads 3 130

-, low in cystine, effect on production of spontaneous mammary tumors in mice White and Andervont, 3 129

 lysine, effect on growth of spontaneous mammary tumors in mice and on nitrogen balance in man

Kocher, 4 251 -, modification of failure to influence 2-acetylaminofluorene

carcinogenesis Harris, 6 487 , relation to benign neoplasia of rat's stomach Brunschwig and Rasmussen, 1 371

 development of gastric lesions in rat Sugiura, 2 770

--- mammary tumors induced by feeding 2-acety laminofluorene Engel and Copeland, 9 608

Dietary availability of organic sulfur effect on reaction of mice to methylcholanthrene Mider and White, 1 784

effects on genesis and growth of tumors Tannenbaum and

Silverstone 9 162

- tumor production and metabolism in rats of azotoluene azotoluene split products and aniline Ekman and Strombeck, 9 618

factors influence on carcinogenicity of 2-acetylaminofluorene Pngel 10 215

 influence on 4-dimethylaminoazobenzene carcinogenesis in rat Harris, 9 602

- induction of epithelial tumors in mice

Rusch Boutwell and Brush, 9 607 fat and carbohy drate effect on diethylstilbestrol induced mammary cancer in rats Dunning Curtis and Maun, 9 354 - effect of proportion on rate of formation of mammary carcinoma in mice Silverstone and Tannenbaum

10 448 on tumor formation with ultraviolet radiation Rusch Kline and Baumann 5 431

- stimulating effect on carcinogenesis Boutwell Brush and Rusch 9 741

ingredients study of free choice of by tumor bearing rats Cabill Dunning and Smith 3 830

- pseudohypophysectomy effect on mammars gland development and tumor incidence in mice receiving diethyl stilbestrol Ball Huseby and Visscher 6 493

Diets containing fatty acids of hydrogenated coconut oil or

corn oil, carcinogenicity of 4-dimethylaminoazobenzene in Kline Miller Rusch ard Baumann 6 1

hydrogenated coconut oil carcinogenicity of a-dimethylaminoazobenzene in Miller Kline Ruich and Baumann 4 153

effect on formation of liver tumors in rats. White Hein and White, 10 249

- with 3'-methyl- ard 2methyl-4-dimethylaminoazobenzene Giese Clayton Viller and Baumann, 6 679

restricted studies on carcinogenesis with azo compounds in rats on Kirby, 7 333

, rice effect on formation of induced and spontaneous hepatomas in mice Silverstone 8 309

, supplemented effect on methylcholanthrene carcinogenesis Strong and Figge 6 466

various carcinogenicity of 4-monomethylaminoazobenzene in Miller and Baumann, 6 289

effect on hepatic riboflavin and tumor formation in rats fed azo dves Griffin and Baumann 7 731 8 279 · level of carcinogenic azo dve in livers of

rats fed 4-dimethylaminoazobenzene Silverstone, 8 301 -, levels of lipids and carcinogenic azo dves in livers of rats fed 4-dimethylaminoazobenzene in Silverstone and Tannenbaum, 7 731

-, purified effect on 4-dimethylaminoazobenzene carcinogenesis Harris Krahl, and Clowes 7 162

— varying in calories as means of studying stages of car-cinogenesis Tannenbaum, 3 129

Diethyl(8-iodoethyl)amine hydrochloride, radioactive dutribution of radioactivity following injection of Seligman, Rutenburg and Friedman, 9 624

Diethylstilbestrol See Stilbestrol

Differentiation See also Embryo

- in tissues of newborn rat enzyme changes during Potter, Schneider and Liebel, 5 21

Di-(hydroxymethyl)peroxide, lack of influence on incidence and growth of transplanted induced and spontaneous mouse tumors I, II III IV Belkin, 2 264 269, 273 276

2,7-Dihydroxynaphthalene, effect on tumor incidence and growth of mammary gland in mice Jones, 3 168

2,3-Dimercaptopropanol, influence of on skin tumor induction by 3 4-benzpyrene Lusky Braun and Woodard, 7 667

2,3-Dimercaptopropanol-modified trivalent arsenicals, lethal and tumor-damaging effects of Beck 10 202

4-Dimethylaminoazobenzene See also Aminoazo dve- Monomethy laminoazobenzene carcinogenesis effect of biotin on Harris Krahl and

Clowes 7 176

 diet containing dried egg albumin on Harris 7 178

- rat effect on host hemoglobin level Taylor and Pollack 2 223

several factors that influence Harris 9 602 - role of inhibition of succinic dehydrogenase by 4dimethylaminoazobenzene derivatives in Potter and Du Bors 3 133

studies on xanthine oxidase during Westerfeld Richert and Hilfinger 10 486

with various purified diets Harris krahl and Clowes 6 487 7 162

carcinogenic properties in mice Law 1 397

carcinogenicity in diets containing fatty acids of hydrogenated coconut oil or corn oil Kline Miller Rusch and Baumann 6 1

- hydrogenated coconut oil Miller Kline Rusch and Baumann 4 153

Robertson and Kreichmer 9 571

- choline-like effect in tumor-bearing animals. Jun hi a 3 Baumann 2 175

minorabenzene Miller and Baum on 6 2 2

densatives carenogenicity of Milier a d Bauma 5 22~

Sugiura, Halter, Kensler, and Rhoads,
5 295, Kirby, 5 673 683 7 268, 888, Sugium, 7 732, 8 141
———, —— in rat Miller and Miller, 9 563
9 504 Miller, Viller, Sandin, and Brown,
Cameron, and Chambers, 3 200
Potter, 2 688
house, 7 398 wood-
———, metabolism and careinogenicity of, in rat Miller and Miller, 7 39
destruction by hepatic cells in ritro, factors affecting
Kensler, 9 616 —, determination in tissue Miller and Baumann, 5 157 —, effect of cystine per se on formation of liver tumors in
rats fed White and White, 6 500 , dietary fats on production of liver tumors in
rats fed Kline, Miller, Rusch, and Baumann, 6 5
of Miller, Brumann, and Rusch, 5 713
with Goldfeder, 6 487
rats fed sub-protective level of riboflavin Kline, Miller, and
Husch, 5 641 ——, feeding on intracellular composition of livers of
rats Price, Miller, Miller, and Weber, 9 398, 616 —, ——————————————————————————————————
——, ———— fresh milk on production of liver tumors by
Hoch-I igeti, 6 563 —, —— lipids on carcinogenicity of Miller, Kline,
Husch, and Baumann, 4 756 ——,——— pyridoxine and other B vitamins on production
of liver cancer with Miner, Miller, Baumann, and Rusch, 3 296
——————————————————————————————————————
tumors in rats White and Hein, 10 248 on ascorbic acid content of liver in mice and rats
Daff, Hoch-Ligeti, Kennaway, and Tipler, 8 376 ———————————————————————————————————
Kennaway, and Warren, 4 367 —, —— autoxidation of linoleic acid Rusch and Miller,
7 730
1 818 —————————————————————————————————
-, blood protein formation Kline, 3 117, testosterone-induced comb growth Paschkis
and Cantarow, 10 284 ——, experimental liver cancer induced by Sta Cruz, 6 504
—, fluoro derivative of, effect of feeding on intracellular composition of livers of rats Price, Miller, Miller, and Weber, 10 18
—, — derivatives, carcinogenicity to rats Miller, Sapp,
and Miller, 9 616 652 ——further studies on protein-bound aminoazo dves formed
in livers of rats fed Miller and Miller, 9 563 —, histochemical localization of alkaline phosphitase during

carcinogenesis with Pearson, Novikoff, and Morrione,

, in ritro destruction, influence of diet on ability of rat

inhibition of autoridation of aldehydes by Wasley and

carcinogenicity by detergents Miller, Kline,

diphosphopyridine nucleotide system by de-

9 564 10 557

Rusch, 2 422

and Rusch 6 674

livers to carry out Kensler, 9 565

matives of Kensler Dexter, and Rhoads 2 1

```
- liver oxidative enzymes by derivatives of
Kensler and Rhoads, 3 184
             - phospholipid oxidation by Rusch and Kline
  -, intracellular distribution of protein, nucleic acids, ribo
flavin, and protein-bound aminoazo dve in livers of rats fed
Price, Miller, and Miller, 9 563
  -, intrasplenic implants producing splenic lymphosarcomas
Lowenhaupt, 9 121
  , levels of lipids and carcinogenic azo dyes in liver of rats
fed various diets containing Silverstone and Tannenbrum
7 731 8 301
  liver tumor formation and diet Miller, Miner, Rusch, and
Baumann, 1 699
  -, metabolism by rat liver homogenate, further studies on
Mueller and Miller, 9 625
       - in rats Stevenson, Dobriner, and Rhoads, 2 160
    2-methyl-, carcinogenicity of Miller and Baumann,
5 227
        -, effect of feeding on intracellular composition of rat
liver Price, Miller, Miller, and Weber, 9 616, 10 18
                                 succinoxidase of rat liver
Potter, Price, Miller, and Miller, 9 616
        -, protein-bound aminonzo dye formed in rico from
Miller, Miller, Sapp, and Weber, 9 336
       -, carcinogenicity of Miller and Baumann, 5 227
        -, effect of diets on liver tumor formation with Giese
Clayton, Miller, and Baumann, 6 679
                     feeding on intracellular composition of
livers of rats Price, Miller, Miller, and Weber, 10 18
        -, protein-bound aminoazo dye formed in rito from
Miller, Miller, Sapp, and Weber, 9 336
  -, 3'-methyl-, carcinogenesis, effect of diet on, during period
when dye is not fed Clayton and Baumann, 9 575, 623
         , carcinogenicity of Giese, Miller, and Baumann,
                   - Miller and Brumann, 5 227
 -,
        -, effect of diets on liver tumor formation with
Giese, Clayton, Miller, and Baumann, 6 679
              - - feeding on intracellular composition of
livers of rats Price, Miller, Miller, and Weber, 9 398, 616,
10 18

    succinoxidase of rat liver

Potter, Price, Miller, and Miller, 9 616
                   – various diets on hepatic riboflavin and
tumor formation in rats fed Griffin and Baumann, 8 279
        -, --- on liver cell structure Cunningham, Griffin,
and Luck, 10 194
                        - proteins Griffin, Nye, and Luck,
9 563
          production of liver tumors in rats by feeding
Cortell, 7 158
        -, protein-bound aminoazo dye formed in riro from
Miller, Miller, Sapp, and Weber, 9 336
  -, 4'-methyl-, carcinogenicity of Miller and Baumann,
, —, effect of feeding on intracellular composition of livers of rats Price, Miller, Miller, and Weber, 9 398
        -, protein-bound aminonzo dye formed in rivo from
Miller, Miller, Sapp, and Weber, 9 336
  , methylation and demethylation of, in rats Miller, Miller,
and Baumann, 5 162
  , morphology of liver tumors in rats fed Edwards and
White, 1 746
  -, presence and significance of bound aminoazo dyes in rat
livers after feeding of Miller and Miller, 7 468
  -, protection by liver and yeast fractions against carcino-
genic action of Sugiura, Kensler, and Rhoads, 3 130
   protein-bound aminoazo dye formed in eiro from Miller,
Miller, Sapp, and Weber, 9 336
  -, reductive cleavage by rat liver homogenates reactivation
of enzyme system by riboflavin-adenine dinucleotide
Mueller and Miller, 10 234
  -, response of mice to simultaneous application together
with methylcholanthrene Juffe, 7 529
       - --- rats to simultaneous application together with
```

methylcholanthrene or ethyl urethan Jaffe, 7 113

- , transamination in liver from rats fed Cohen Hekhuis. and Sober, 2 405
- tumor formation biotin-avidin balance in Burk Spangler, du Vigneaud, Kensler, Sugiura and Rhoads, 3 130
- 4-Dimethylaminoazobenzene-fed rats, effect of various diets on hepatic riboflavin and tumor formation in Griffin and Baumann, 8 279
- -, studies with C14-labeled acetate on cholesterol metabolism in Baker and Greenberg 9 701
- 4-Dimethylaminoazobenzene-induced liver tumors See Liver tumors
- pathological liver changes in rats effect of riboflavin on Antopol and Unna, 2 694
- N.N-Dimethyl-4-aminoazobenzene See 4-Dimethylaminoazobenzene
- 4-Dimethylaminostilbene, effect on growth of Walker rat carcinoma 256 Green and Lushbaugh, 9 692
- phosphoprotein phosphatase of tumor-bearing rats Feinstein and Volk 10 96
- tissue cathepsins of tumor-bearing rats Feinstem, 10 93
- 9,10-Dimethyl-1,2-benzanthracene, acceleration of development of leukemias and mammary carcinomas in mice by Engelbreth-Holm and Lefevre 1 102
- -, additive carcinogenic effect in conjunction with benzpyrene or methylcholanthrene and nonadditive effect with ultraviolet light Rusch, Kline and Baumann, 2 183
- as highly potent carcinogen for rabbit skin Berenblum, 5 265
- carcinogenesis, potential differences in skin of mice during Burrows, Roe, and Schober 5 524
- -, carcinogenic action of Bradbury, Bachmann, and Lewisohn, 1 685
- , effect of naphthacene on fluorescence of Miller and Baumann, 3 217
- ultraviolet irradiation on carcinogenic potency
- of Engelbreth-Holm and Iversen, 7 872 - on ascorbic acid content of mouse liver Kennaway,
- Kennaway, and Warren, 4 367 autoxidation of oils Deutsch, Miner, and
- Rusch, 1 818 , factors that alter fluorescence of Miller and Baumann,
- 3 223 in rat skin, fluorescence studies of Cambel 9 628
- studies on promoting phase in stages of carcinogenesıs Shubik, 10 13
- various lipids induction of tumors in rats by Davenport, Savage Dirkstine and Queen, 1 821
- -, induction of leukemia in mice by percutaneous application of Law, 1 564
- parotid gland tumors by Bauer and Byrne 10 755
- inhibition of phospholipid oxidation by Rusch and Kline 1 465
- -, joint action with Shope virus to induce cancer Rous and Rogers, 10 238
- -, production of abnormal paramecia by Mottram 1 313 -, repeated applications or single application followed by croton oil treatment comparison of skin tumors induced by Shubik 10 241, 713
- —, sensitivity of different mouse tissues to Engelbreth-Holm and Rask-Nielsen, 7 129
- transplantable sarcoma in Syrian hamster induced by Crabb 6 627
- , two-condition fluorometry in determination in animal tissue Miller and Baumann 3 849
- 9,10-Dimethyl-1,2-benzanthracene-induced sarcoma effect of heredity on susceptibility of rats to implants of Orbison Davenport Queen Spicer and Galt 1 891
- Dinitrophenol effect on formation of spontaneous mammars carcinoma in mice Tannenbaum and Silverstone 6 429
- tumors in mice Tannenbaum and
- Silverstone 9 403 Diphenylamine reaction of human serum Niazi and State

- Diphenylethylamines, effect in producing damage in sarcoma 37 Shear, Hartwell Downing MacCardle, Leiter Perrault, and Johnson 9 560
- of single injection on mouse tumo's Downing Hartwell Leiter, and Shear 9 598
- screening for tumor-inhibitory activity Hartwell Shear Johnson and Kornberg 6 489
- under investigation in cancer chemotherapy. Hartwell and Shear, 7 716
- Diphenylethyleneamine derivatives action on tactoid structures Kopac, 9 555
- Diphosphopyridinenucleotide system inhibition by derivatives of 4-dimethylaminoazobenzene Kensler Dexter and Rhoads, 2 1
- Diphosphopyridinenucleotide-cytochrome reductase content of cancer tissue Rhian and Potter 7 715
- Dogs, multiple primary tumors in Mulligan 4 505
- Drosophila melanogaster, comparison of benign and malignant lesions in Russell 3 125
- effect of ammopterm reversed by folic acid, desoxyribonucleic acid and thymidine Goldemith and Harnly, 10 220
- crowding on penetrance of hereditary melanoma of Harnly, Goldsmith, and Friedman 9 604
- roentgen radiation on tumor incidence in Hartung 2 837
- lethal mutation rate in following administration of methylcholanthrene and methyl-bis(β-chloroethyl)amine hydrochloride Burdette 9 594
- tumors studies on Burdette 10 209
- Ducks and chickens, reciprocal infection with tumor-inducing viruses Duran-Revnals, 2 343
- Dyes See Aminoazo Metachromatic, etc.
- Ear neurofibromas rat, produced by prolonged feeding of crude ergot Nelson, Fitzhugh Morris and Calvery, 2 11
- tumor mouse adenosinetriphosphatase in Potter and Liebl, 5 18
- , analysis for phosphorylated intermediates of glycolysis LePage 8 193
- induced by ultraviolet radiation, pathological features of Grady Blum and Kirby-Smith 1 736
- nucleic acids and other phosphorus com pounds in Schneider and Klug 6 691
- succinic dehydrogenase and cytochrome oxi-
- dase in Schneider and Potter 3 353 ultraviolet light-induced cytochrome c in DuBois and Potter, 2 290
- Egg albumin, effect on 4-dimethylaminoazobenzene carcinogenesis in rats Harris Krahl and Clowes 6 487
- white effect on carcinogenicity of 4-dimethylaminoazobenzene in rats fed subprotective level of riboflavin Kline Miller and Rusch 5 641
- in diet effect on tumor growth Kensler Wadsworth Sugiura Rhoads Dittmer and du Vigneaud 3 823 volk fertile growth of mammalian tumors in Twombly and Meisel 6 82
- Electrical resistance, in rivo of rate effect of injection of vari ous substances on Kahler and Buchanan 9 556
- Electrolyte content of testicular tumors. Huggins and Fichel berger 4 447
- metabolism in gastric career and Addison a di rase Potor Young Homburger and Reiferstein 9 557
- Electron microscopy of cells of chicken tumors Churse Porter and Pickel. 6 502 7 421
- normal and malignant cells. Porter and Pickels
- 6 103 tissue sections I II Ges 'er Cm Schu er Kelsch and Richter 8 551 549
- revealing some morphological feature of cal are rat spreams cells Porter and Thomps in 7 431
- Electronic theory of carci ogenes discussion of Decum

Embryoma, ovarian, heterologous transplantation of Greene and Murphy, 5 269

, transplantable mouse, studies on Jackson and Brues,

Embryonic tissues, abnormalities of distribution of biotin in West and Woglom, 2 324

, mammalian, heterologous transplantation of Greene, 3 809

, proliferating, effect of nitrogen mustards on Boden-stein, 7 49

transamination in Cohen and Hekhuis, 1 620 , transplanted neoplastic potentialities of Smith and Rous, 6 500

Emetine, effect on sarcoma 37 in tissue culture McConnell, Hallett, and Shear, 7 716

, screening for tumor-inhibitory activity Hartwell, Shear, Johnson, and Kornberg 6 489

Endocrine See also Hormone

factors in adrenal cortical tumor formation. Woolley and Dickie, 7 722

- growth of transplanted testicular tumors in mice Gardner, 5 590

-, possible role in abnormal breeding behavior of Albany rits Danzi Burack, and Wright, 1 795

gland tumors induced by hormonal inbalance Gardner, 7 709 8 397

glands experimental tumors in Franseen, Aub, and Simpson, 1 189

imbalance, adenocarcinoma in uterus of rat in Pfeiffer. 9 317, 519

-, development of leiomyomas in female rats with Pfeiffer, 6 491 9 277

- unbalances in tumorigenesis Gardner, 8 397

influence, inherited, enstration effects on Smith and Bittner, 5 588 6 494

-, --- relationship to inherited susceptibility in development of mammary cancer in mice Bittner and Huseby, 6 235, 49,

production of adrenal cortical tumors by castration Smith, 8 641

 interrelationship and spontaneous tumors of adrenal cortex in NH mice Frantz, Kirschbaum and Casas, 9 550

organs of mice, age and strain differences in phosphorus metabolism in Johnson and Albert, 9 612

state of donor in relation to mammary tumor agent in blood and other tissues of mice Hummel and I ittle, 9 129 system, relation to methylcholanthrene carcinogenesis Smith, Wells, and D Amour, 2 40

Endocrine-Cancer Conference, June 5-6, 1912 2 722

Endometrial polyps, experimental production in guinea pig Blandau, 9 526

Environmental factors affecting tumor formation, methods for determining relative importance of major classes of Russell,

Environments, mammalian, influencing tissue specificities of Rous chicken sarcoma virus Shrigley, 7 575

Enzyme activities changes during early phases of liver regeneration in the rat Rosenthal, Rogers, and Fahl, 10 237 - epidermal carcinogenesis-renew Car-

ruthers 10 255 changes during growth and differentiation in tissues of

newborn rat Potter, Schneider, and I iebl, 5 21 deficiency in human cancer Roskelley, Horwitt, and Salter 3 131

glycolytic, inhibitor therapy in human malignant neoplasia Black, Kleiner and Bolker, 9 314

inhibition in relation to chemotherapy. Ackermann and Potter 9 602

mhibitor in serum of cancer patients. Hirshfeld, Duboff, and West 6 57

- inhibitors of serum in relation to neoplastic disease activits West 10 248

- spectrum in normal and cancerous tissues of hepatic and man mary origin Greenstein 3 120

Enzymes See Acoustase, Activators, Adenosine pyrophosphatase, Adenosinetriphosphatase, Aldolase, p-Amino acid oxidase, Amylase, Antiprotesse, Antitrypsin, Arginase, Biocatalysts, Catalase, Cathepsins, Choline oxidase, Cholinesternse, Codehydrogenase, Cysteine desulfurase, Cytochrome oxidase, Dehydrogenase, Dehydropeptidase, Desam idation, Desoxyribonucleic acid depolymerase, Diphosphopyridine nucleotide, Esterase, Fermentation, Glucuronidase, Gly cerophosphatase, Gly colysis, Gly oxalase, Hyaluronidase, Krebs, Lactic dehydrogenase, Lipase, Malic dehydrogenase, Metabolism, Mucolytic enzymes, Oxalacetic acid oxidase, Oxidative, Oxygen, Pasteur effect, Peptidase, Phosphamidase, Phosphatase, Protease, Proteolytic, Respiration, Rhodanese, Succinic dehydrogenase, Succinoxidase, Sulfatase, Sulfhydryl, Transamination, Tyrosinase, Urease, Uricase, Xanthine oxidase, Zymohevase

-, activity of various, in primary and transplanted rat liver

tumors Greenstein, 6 495

and intracellular composition of livers from rats fed aminoazo dyes Potter, Price, Miller, and Miller, 10 28

- in normal and neoplastic tissues demonstrated with new tetrazolium salt Rutenburg, Gofstein, and Seligman, 10 113 —, intracellular distribution of II Schneider, 6 685

-, new methods for histochemical demonstration of Seligman, Manheimer, and Nachlas, 9 601

-, proteolytic, and peptidases, activators of, comparison in normal rat livers and hepatomas Zameenik and Stephenson, 7 712, 9 3

Enzyme-virus theory of carcinogenesis Potter, 3 358

Eosinophil factor in resistance of rabbit to Brown-Pearce tumor Casey, 3 121

— levels, hereditary, in acquired resistance of rabbit to Brown-Pearce tumor Casey and Drysdale, 7 728

Ependymobiastoma, transplanted, content of radioactivity after injection of methionine labeled with radiosulfur Kremen, Hunter, Moore, and Hitchcock, 9 174

Epidermal See Skin

carcinogenesis See also Benzpyrene, Dibenzanthracene, Methylcholanthrene

, amino acids in Roberts, Caldwell, Clowes, Suntzeff, Carruthers, and Cowdry, 9 347

-, arginase activity and nitrogen content in Roberts and Frankel, 9 231

 by infrequent application at long intervals of methylcholanthrene Cramer and Stowell, 1 849

— — single application of methylcholanthrene Crimer and Stowell, 3 36

——, further observations on Simpson and Cramer, 3 604

-, chemical changes induced by methylcholanthrene in Carruthers and Suntzeff, 7 46

— studies on—renew Carruthers, 10 255 - ---, citric acid and calcium metabolism in Miller and

Carruthers, 10 636 -, dependence on caloric intake during different stages

of Tannenbaum, 4 673

 fat content of diet during different stages of carcinogenesis Tannenbaum, 4 683

–, dosage of carcinogen as modifying factor in evaluating experimental procedures in Tannenbaum and Silverstone, 7 567

-, effect of massive doses of methylcholanthrene on Stowell and Mans 6 121

nenbaum and Silverstone, 7 711

-, further evidence for an alteration in the structure of a polarographically reducible substance in Carruthers and Suntzeff, 10 339

——, induced by certain catalytically cracked oils with high boiling points Sugium, Smith, and Sunderland, 9 631 -, methylcholanthrene induced, alkaline phosphatase in mouse skin during Biesele and Biesele, 4 751

-, changes in epidermal cholesterol during Wicks and Suntzeff, 5 464

-, ---, desoxyribonucleic acid from isolated chromosome threads in Gopal-Ayengar and Cowdry, 7 1

- desoxyribonucleic acid in Carruthers and mation on composition of restricted diet as well as on degree Suntzeff, 6 8 of restriction Tannenbaum, 5 590, 616 -, -, effect of age on calcium in Suntzeff, Carruthers, and Cowdry, 5 572 restriction Tannenbaum, 5 590 609 total epidermal lipid elicited by ultraviolet rays in hairless rats and their during Suntzeff, Cowdry, and Carruthers 6 179 haired litter-mates Hueper, 1 402 - benzene and acetone as solvents in transplanted growth rate of, in relation to latent Stowell and Cramer, 2 193 period and host vascular reaction. Algire and Legallais skin cornification on in hairless 7 724 rats Hueper, 5 831 tumors, benzpyrene-induced, mouse, and visible light - factors influencing Kline and Rusch, 4 762 Morton, Luce-Clausen, and Mahonev, 2 256 -, mouse, histochemical study of Thomas and - induced by repeated applications of carcinogenic Steinitz 10 245 hydrocarbons or by single application of carcinogen followed -, localization of stratum of maximum mitotic by croton oil treatment Shubik 10 241 713 frequency in Cowdry, van Dyke, and Geren 6 620 - induction with 3 4-benzpyrene, influence of bromo--, mast cells in Cramer and Simpson, 4 601 benzene on Crabtree 4 688 -, mitotic incidence in first 48 hours of Reller influence of unsaturated dibasic acids on induction and Cooper 4 236 of, by chemical carcinogens Crabtree, 5 346 -, methylcholanthrene-induced effect of climatic enmouse, and sebaceous glands Simpson and Cramer 3 515 vironment upon genesis of Wallace and Mills 1 742 - man, calcium, copper, and zinc in prothrombin activity in rats with Field, Bau-Carruthers and Suntzeff, 6 296 mann, and Link, 4 768 ——, P¹ uptake in phospholipid fraction of mouse epidermis during Costello, Carruthers, and Kamen, 6 486 -, mouse, benzpyrene induced histogenesis of Glucksmann, 5 385 growth potentialities of Shubik, 10 713 7 642 , polarographic studies on lipids during Carinduced by ultraviolet radiation, histologic ruthers and Suntzeff, 9 600 types of Grady, Blum, and Kirby-Smith, 3 128 -, quantitative evaluation of Cramer and produced by ultraviolet radiation studies of Blum. Kirby-Smith and Grady 1 742 Stowell, 3 668 ribonucleic acid and heterochromatin in Epidermis, comparison of hyperplasia induced with methyl-Biesele 4 737 cholanthrene with hyperplasia in healing wounds Paletta succinic dehydrogenase and cytochrome oxi-Cowdry, and Lischer, 1 942 dase in Carruthers and Suntzeff, 6 486 7 9 , mouse chemical studies on mode of action of methyl---- vitamin content of mouse epidermis during cholanthrene on Carruthers and Suntzeff 3 744 Tatum, Ritchey Cowdry, and Wicks, 6 486 histological localization of methylcholanthrene in , ---, water content of epidermis during Suntzeff after single application Simpson and Cramer, 3 362 and Carruthers, 6 574 , undergoing methylcholanthrene carcinogenesis -, morphological and chemical investigation of dermal P^{22} uptake in phospholipid fraction of Costello Carruthers Kamen, and Simoes, 6 486 7 642 elastic tissue and collagenic tissue during Ma, 9 481 nitrogen metabolism in II Roberts and Frankel , vitamin content of during methylcholanthrene car-9 548 cinogenesis Tatum Ritchev Cowdry and Wicks 6 486 potential differences in skin during Burros, Roe, -, polarographic studies on lipids of during normal and rapid growth Carruthers and Suntzeff 9 210 and Schober, 5 524 -, role of sebaceous glands and hair follicles in Sunttreated with methylcholanthrene, localized changes in zeff Carruthers, and Cowdry, 7 727 439 8 390 Liang 8 211 - single trauma in Simpson, 7 726 water content of, in mice undergoing methylcholanthrene , sensitization as first phase in Cramer and Simpson carcinogenesis Suntzeff and Carruthers 6 574 Б 593 Epidermoid carcinomas, mouse genetic analysis of methyl cholanthrene induction of Williams and Strong 4 11 sensitizing activity of carcinogenically inactive methylcholanthrene on skin for Simpson and Cramer 5 5 with 3 4-benzpyrene, influence of 2 3-dimercaptopro-Epithelial cells chemical factors in mutual adhesivenes of panol on Lusky, Braun, and Woodard, 7 667 Zeidman 7 719 - carcinoma, analysis of twenty cases in Negroes Schrek hyperplasm of forestomach of rats and mice effects of diet 4 119 on Sharpless 3 108 benzpyrene induced, mouse effects of high fat diet on genesis of Tannenbaum 2 468 - tumors malignant hvaluronidase and growth of Gopal Ivengar and Simpson 7 727 methylcholanthrene-induced, influence on induced , mouse influence of various dietary factors on induc tion of Rusch Boutwell and Brush 9 607 spindle-cell sarcoma Strong 1 572 transplantable mouse induced with methylcholanthrene Cooper Firminger and Reller 4 617 Epithelium, bronchial metaplasia in rats following applicatio i of benzpyrene Thornton and Adams 4 55 carcinomas actinic and arsenic rat morphological as Ergot crude reurofibromas of rit ears produced by polyged feeding of NeLon Fitzhugh Morra and Calvers 2 11 pects of Hueper 2 546 and normal epidermis, human thymonucleic acid content of Stowell and Cooper 5 295 Erythrocytes of cancerous rats and human subject. glacetase benzpyrene-induced mouse effects of caloric reactivity of Cohen and Sober 5 631 striction per se on genesis and growth of Tannenbrum Erythromelanomas hereditars in plats? hewcaltail lisher to histological and extelogical observations on Nigrel! Jalum 2 460 further studies on mode of origin of Willis 5 469 ska ard Gordon 10 - 3 ribbit biotin in West and Woglom 2 324 - in hybrid fishes crused by effect of two helicite' for a cornification influence on carcinogenesis in hairless rats on atypical growth of erathropheres and agencie and Hueper 5 331 phores Gordon and Nigre'll 10 -20 - lipid total influence of age on during methylcho-Es erase (butyne) netività "ule in I II III Fla lanthrene carcinogenesis Suntzeff Cowdra, and Carruthers and Chitre 2 067 3 55 4 125 - or test of liver of more and its excretion in sodium and calcium effect of methylcholanthrene on captible to manimers as our (man) ceptible or i

Kintollar 3 cc

Suntzeff and Carruthers 3 431

tumor benzpyrene-induced mouse dependence of for

neoplasia, spontaneous, studies on IV Nigrelli, 9 615 - melanomas, cell types in tissue culture, compared with mammalian melanomas Grand, Gordon, and Cameron, 1 660

tumors Schlumberger and Lucke, 8 657

-, Xiphophorin, ocular tumors with exophthalmin in Levine and Gordon, 6 197

Flabone-amidines, action on tactoid structures Kopac, 9 555 Flexner-Jobling carcinoma, adenosinetriphosphatase in Potter and I tebl. 5 18

-, amino acid content of Shuberlich, Blades, and Bhumann, 9 613

, analysis for phosphorylated intermediates of glycolvsis LePage, 8 193

-, choline and lecithin in Jacobi and Baumann, 2 175 , evtochrome c in DuBois and Potter, 2 290

, DPN-cytochrome reductase content of Rhian and Potter, 7 714

-, effect of anoxia and hypergly cemia on phosphorylated intermediates of glycolysis in LePage, 8 201

- 8-azaguanine on Sugiura, Hitchings,

Cavillieri and Stock, 10 178

3-bis(β-chloroethyl)aminomethyl-4methoxy-methyl-5-hydroxy-6-methylpyridine dihydrochloride, 2,4,6-tris(1-aziridyl)-s-trinzine, and 8-azaguanine on Sugiura and Stock, 10 244

- cortisone and other steroids on Sugiura, Stock, Dobriner, and Rhoads, 10 244

- diets rich in egg white and avidin on growth of Kensler, Wadsworth, Sugiura, Rhoads, Dittmer, and du Vigneaud, 3 823

 folic acid and folic acid antagonists on growth of Sugiura and Stock, 9 628

- phosphate bond energy on nucleic acid

Rusch, 3 702

pure chemical compounds on "takes" of

Kline, Wasley, and Rusch, 2 645 pyridoxine on growth of Kline, Rusch,

Brumrnn, and Lavik, 3 825

- transplantation on red and white cells in circulating blood and bone marrow Blumenthal, 1 196 -, inhibition of succinoxidase system by extracts of

Albaum and Potter, 3 303

 -, isolation of phosphorylated intermediates of glycolvsis from LePage 8 197

-, nucleic acids and other phosphorus compounds in Schneider and Klug, 6 691

-, pre-excisional fixation of tissue in treatment of Mohs and Guyer, 1 49

-, prothrombin activity in rats with Tield, Baumann, and I mk, 4 768

-, pyruvate metabolism in homogenates of Stoesz, Heidelberger, and LePage, 10 243

, succinie deliv drogenise and cy tochrome oxidase in Schneider and Potter, 3 353

Fluorene, 2-acetylamino- Sec 2-Acetylaminofluorene

Fluorenes, effect on sarcoma 180 in mice Stock, Sugiura, Moore and Rhords, 9 598

Fluorescence of certain carcinogens factors that alter Miller and Brumann, 3 223

- Weil-Malherbe, 4 102 - concentrates from nonsaponifiable fractions of hum in liver Jones and May, 4 301

- human urine, correlation with benign and malignant growth Rabinowitz 9 672

- hydrocarbons, effect of naphthacene on, Miller and Baumann 3 217

studies of eareinogens in slin I Simpson and Cramer, 3 .65

o concer I II III Figge, Jones Hundley and Wolfe 4 465 472 153

Fluoride, effect on formation of spontaneous mammars carer ora in mice. I inverbaum and Silverstone 6 499

- tumors in mice Tannenbaum and Silverstone, 9 403

in chemotherapy of human tumors Black, Kleiner, and Bolker, 7 717, 818 9 314, 599

- lymphomas Bolker, Black, and Kleiner. 9 561

Fluoro derivatives of 4-dimethylaminoazobenzene Sec 4-Dimethy laminoazobenzene

Fluoroacetate, citric acid content of normal and tumor tissues in the following injection of Potter and Busch, 10 236, 353

Fluorometry, two-condition, determination of carcinogenic hydrocarbons in animal tissue by Miller and Baumann, 3 849

Folic acid antagonists See Aminopterin, A-Methopterin

contrasting effects compared to nitrogen mustards, on leukemic cells in into Burchenal, Cremer, and Williams, 9 594

effect on transplanted mouse leukemia Kirschbaum, Judd, Geisse, and Meyer, 9 622

-, impairment of diethy lstilbestrol-induced tissue growth in chick genital tract by Hertz, 9 550

derivatives, effect on growth of surcoma 180 on chorioullantoic membrane of chick embryo Karnofsky, Parisette, and Patterson, 8 389

- sarcoma 180 in mice Stock, Sugiura, Moore, and Rhoads, 9 598

- in treatment of human leukemia Meyer, Fink, Ritz, Rowen, and Sawitzky, 9 562

-, effect on 4-dimethy laminonzobenzene chromogenesis Harris and Clowes, 9 565

growth of carcinoma, sarcoma, osteogenic sarcoma, lymphosarcoma, and melanoma in animals Su giuri and Stock, 9 628

reversal of aminopterin effect on Drosophila melanogaster Goldsmith and Harnly, 10 220

Foster nursing See Nursing, foster

Fowl See also Leukemia, Leukosis, Lymphomatosis, Sarcoma, Tumor, Virus

-, genetic resistance to transmissible sarcoma Cole, 1 714 , guiner, infection by Rous sarcoma virus Duran-Reynals, 3 569

- lymphoid tumor of chicken, serial passage of Olson, 4 707 - tumors, etiology of Percock, 6 311

, induced, further investigation of Murphy and Sturm, 1 477, 609

, transmissible, immunity reactions obtained with Burmester and Prickett, 4 364

- visceral lymphomatosis, transmission of I, II Burmester and Denington, 7 727, 779, 786

Freezing See Temperature, low

Frog adenocarcinoma, spontaneous, special condition of inter phase nucleus in Green, 9 267

carcinoma, effect of x-rays on, studied by direct microscopic examination of intra-ocular transplants Lucké and Schlumberger, 10 231

serial intra-ocular transplantation for 14 genera tions Schlumberger and Lucke, 9 52

development, early, effects of water soluble carcinogen on Briggs and Briggs, 3 1

kidney carcinoma transplantation from adults to tadpoles Briggs, 2 309

transplanted into tadpole tails, growth and regression of Briggs and Grant, 3 613

Fungi associated with tumor tissues Diller, 10 212

—, isolation from transplanted, chemically induced, and spontaneous tumors I Diller and Fisher, 10 595

metabolic products of, effects on viability and growth of carcinoma, sarcoma, and melanoma in mice Stock, Sugiura, ind Rhords, 8 384

Furacin, effect on growth of fibrosarcoma in mice Triedgood and Green, 10 217, 613

Gamma rays, effects of chronic irradiation on mammary tumor incidence in C3Hb female mice Lorenz, Heston and I schenbrenner, 9 621

-, long continued, irradiation with increased incidence

of lung tumors in mice following Lorenz, Heston, Deringer. and Eschenbrenner, 6 485

Gastric adenocarcinoma induced in mice by 20-methylcholanthrene Stewart and Lorenz, 3 123

 benign neoplasia, rat, relation of diet to Brunschwig and Rasmussen, 1 371

carcinoma, attempts to produce experimentally in gastric ulcer Denton, Sheldon, and Ivy, 10 684

, spontaneous and induced, in mice Strong, 5 593 epithelium hyperplasia induced by diet in forestomach of rats and mice Sharpless 3 108

lesions, probable remote induction by methylcholanthrene Strong Collins and Durand, 3 21

- produced in rats by tributyrin diets Salmon and Copeland, 9 546

production of, in rats fed high level of heated lard Lippincott, Morris, and Larsen, 3 128

-, rat, relation of diet to development of Sugiura,

pouches, influence of calcium and magnesium on eugenolinduced desquamation of mucus epithelium in Kraus and Hollander, 9 344

secretions from cancerous and noncancerous stomachs calcium and potassium in Dunham and Brunschwig, 6 54 tumors, attempts to induce I II, III IV Kirby, 3 519 4 88, 94, 5 129

-, experimental in mice Collins Gardner and Strong. 3 29

induced in mice with methylcholanthrene Smith and Rous 6 500

rat, attempts to induce with cholesterol heated to 300° C Kirby, 3 519

Gastrointestinal tract See also Colon, Gastric

Gene Ay, relationship to spontaneous lung tumor susceptibility in mouse Deringer and Heston 7 719

- action in mammary tumor development, paths of Heston, 7 43

- mechanism of, and carcinogenesis Spiegelman 7 42 hairless, relationship to susceptibility of mice to induced pulmonary tumors Heston and Deringer, 9 603

Genes See also Genetic

known, mouse relationship of susceptibility to lung tumors to Heston, 1 740

-, relation to development of mammary carcinoma in mice Murray 6 501

-tumor in mouse Heston 5 587 , role in spontaneous mouse leukemia MacDowell Potter, and Taylor 5 65

two linked color, effect on atvpical growth of ervthrophores and macromelanophores to form erythromelanomas in hybrid fishes Gordon and Nigrelli 10 220

Genesis and growth of tumors IV Tannenbaum and Silverstone 9 162

of mammary cancer in mice some enigmas associated with Bittner, 9 543

 tumors, effect of interrupted application of carcinogens on Rusch and Kline 9 545

-, retardation of in relation to physiological effects of calorie restriction Boutwell Rusch and Brush 9 552

Genetic analysis of induction of tumors by methylcho lanthrene Strong Collins and Durand 3 21

- II III VI Strong

and Williams 1 572 886 4 11 - constitution of Simpson tumor, effect of a rivs on Rein hard Warner and Goltz 1 653

role in induction of brain tumors with methylcho-Inithrene Zimmerman and Arnold 4 98

control of or arran secretion as related to mammars cancer mendence in mice Hu eby Smith and Bittner 6 494 differences between malignant blood cells from a duced

and spontaneous leukemias of mice I urth and Barnes 1 17 factors affecting synergum of leukemogenic agents Mixer and Kirchbaum 7 719

effect on net resistance to tumor growth. Salter and Schlegel, 5 589

- in adrenal cortical tumor formation. Woolley and Dickie 7 722

etiology of mammary cancer in mice Bittner

-, role in comparative appearance of x-zone of adrenal cortex in two inbred strains of mice Daughadav 1 883

- incidence of lung tumors in five related strains of mice Sive, 1 740

induced resistance to tumors. Ellen and Woglom, 1 629

occurrence of teratomas and ovarian dermoids Edmonds and Hawkins, 1 896 susceptibility of mice to transplanted and

spontaneous tumors Andervont, 1 739

origin, transplantation of plant tumors of White 4 791 resistance to transmissible sarcoma in fowl Cole 1 714 specificity role in occurrence of spontaneous tumors in hybrids between two inbred lines of rats. Dunning and Curtis 6 61

- susceptibility for mouse mammary tumors and foster nursing Bittner, 1 793

possible relationship to estrogens and milk influence in production of mammary cancer in mice Bittner 2 710

Genetics See also Inheritance

- and linkage relationships of inherited susceptibility to mammary cancer in mice Bittner 4 779

of spontaneous leukemia in mice experimental studies on Cole and Furth 1 957

- susceptibility for mammary cancer development in mice Bittner 2 540

role in reappearance in fishes of ancestral micromelanophores Gordon, 1 656

Genital tracts of rabbits and dogs effect of methylcholanthrene on Taylor Pallas, Wikle, McCallin and Goodman, 10 360

Genitalia, female rat effect of age on connective tisues of Burack Wolfe, Lansing and Wright, 1 227 red fluorescence of Jones Figge, and Hundley

4 472 red fluorescent extraction and identification of

porphyrins from Figge Jones and Wolfe 4 488 Germanin See Suramin

Germinoma of pineal identity with germinoma of testis Friedman, 7 363

Glioblastoma 42, mouse transamination in Cohen and Hekhus, 1 620

Gliotoxin, effect on growth of sarcoma 180 on chorioallantoic membrane of chick embryo Karnofsky Parisette and Patterson 8 389

Glucose fragments radioactive nerobic and anaerobic incor poration by normal and cancer tissue in ritro Wilzler Krause and Slater 10 249

tolerance test in relation to human cancer Robde burg

β-Glucuronidase activity in body fluids of patients with and without cancer Lishman, Markus Pfeiffer and Homburger 9 609

- cervical cancer, factors in evaluation of Ti 1 man Kasdon and Homburger 10 216 human female ge utal career. Odell and Bu≠

9 362 normal and neopla tic human tissues. Fi 1 x ==

and Inlan 7 908

content of circulating leul ocates obtained from lunar Ismphoblastomatous and co tril whole blood are less Anlyan Gamble and Ho ter 9 : 10

histori emical demonstration of Set grant Nact t Cohen 10 240 ten methods for l'stockement denn strate et was

man Mailemer and Nacil < 9 / 1 p-Glutamic acid Secot op 1m

- in the colorination Matter 1 187

Glutamine desamidation in normal and neoplastic hepatic tissues Friera and Greenstein, 7 712

Glyceraldehyde, retarding effect on benzpyrene sarcoma formation in mice Rilev and Pettigrew 4 502

Glycerophosphatase, acid and alkaline, in normal and cancerous human tissues and serum Woodard, 2 497

alkaline, some anomalies in occurrence of Woodard, 3 132

---- of rat liver cancer produced by feeding 4-dimethylaminoazobenzene Woodard, 3 159

Glycine, C14-labeled, incorporation into proteins of normal rat liver and hepatoma Zameenik, Frantz, and Stephenson, 9 612

Frantz, 10 207

----, comparison of uptake of C¹⁴ from, into slices of normal liver and hepatoma Zamecnik, Frantz, Loftfield, and Stephenson, 9 547

——, effect on urmary exerction of creatine and creatinine, especially by patients with cancer of gastrointestinal tract Abels, Kupel, Pack, and Rhoads, 4 145

Lee, Stowell, and Villisana, 9 600

—— Walker tumor 256 Ball, Schott, and Samuels, 2 146 Glycolysis See also Respiratory metabolism

—, aerobic, high level characteristic of cancer tissue found in normal mucosa of small intestine Rosenthal, 7 729

---, ---, of mammary tumors autogenous to DBA and C3H strains of mice Goldfeder, 10 89

—, — and anaerobic, of analogous mouse mammary tumors in ratro Goldfeder, 9 622

—, anaerobic, in tumor and normal tissues, effect of various factors on rate of LePage, 10 77

-, decrease in, correlated with decreased inoculation take of in intro induced sarcoma cells upon prolonged subculture Burk, Farle, Hesselbach, Fischer, Shelton, and Schilling, 9 558

—, effect of hormones on, in tumor particulate fractions Wight and Burk, 9 609

, inhibitor of, stimulation of tumor induction by Crabtree,

of blood in cancer, release of inorganic phosphorus accompanying Bernhard, Rosenbloom, and Eichen, 8 295

--- lymph nodes in mouse lymphoid leukemin Hall and Furth, 2 411

— mouse tissues in preleukemic state Burk, Sprince, Boon, and Furth, 3 121

on Grant and Krantz, 2 833

--- tumor homogenates LePage, 9 547

Cu in Burk, Hesselbach Fischer, Hearon, and Schade, 6 197

- tumors IV Beck and Krantz, 1 188

mycin preparations on Burk, Hesselbach, and Fischer, 7712

origin Dickens and Weil-Malherbe, 3 78

LePage 7 713 8 193, 197, 201

I ePige 8 203

———— Yale carcinoma 1 Belkin and Stern 3 164

Glycolytic enzyme inhibitor therapy in human malignant neoplasia Black Kleiner and Bolker 9 314 599

metabolism comparative of homologous normal, benign, and malignant rabbit tis use Kidd Winzler, and Burk, 4 547

—— of Gardner lymphosarcoma Summerson, Gilder, and Lee, 8 381

Glyoxalase activity of erythrocytes from cancerous rats and human subjects Cohen and Sober, 5 631

Cohen, 5 626

Gold colloids, radioactive, use in treatment of malignancies Hahn and Sheppard, 8 382

Goldfish See also Fish

—, common mesenchymal tumor of corium of Lucke, Schlumberger, and Breedis, 8 473

—— leiomyoma, cutaneous Schlumberger, 9 553 —— tumor, diplochromosomes in Biesele, 3 411

Gonadectomized mice, spontaneous basophilic tumors of piturtary glands in Dickie and Woolley, 9 372

Gonadectomy, effect on incidence of radiation-induced lym phoid tumors in strain C57BL mice Kaplan, 10 228

Gonadotrophin, crusing cellular alteration and decreased growth in transplanted testicular tumor Hooker, 10 225

, equine, alteration of cells of transplanted tumor by injection of Hooker, Pfeisfer, and Strong, 7 728

—, role in pathogenesis of ovarian tumors in mice Li and Gardner, 9 35

Gonads, role in development of mouse leukemia McEndy, Boon, and Furth, 4 377

Granulocytic cells, effect of nitrogen mustard on Osgood and Chu, 10 98

Granulosa-cell tumor See also Ovarian

———, transplanted, effect on parabiotic mice Wolstenholme, 10 344

ng Wolstenholme, 9 630

bearing Cliffton and Wolstenholme, 9 331

—— tumors, induced, mouse, transplantability and secondary effects of Furth, 6 503

Granulosa cells, neoplastic transformation in ovaries grafted into spleens of custrated mice Furth and Sobel, 7 710

Growth characteristics of analogous mouse mammary car cinomas in tissue culture Goldfeder, 9 559

---- inhibitor, effects on phosphoprotein phosphatise of tumor-bearing rats Feinstein and Volk, 10 96

Feinstein, 10 93

----, initiation and completion of, radiation effects on Quasiler and Baer, 10 604

—— rate, quantitative determination of, of transplantable mouse adenocarcinoma Reinhard, Goltz, and Warner, 5 102 Guanazolo See 8-Azaguanine

Guandines, preliminary screening for potency in producing damage in sarcoma 37 Shear, Downing, Hartwell, Leiter, MacCardle, Perrault, and Vivian, 9 625

Guinea pig See also Anterior chamber, Fibromy oppitheliom i Polysaccharide, Transplantation

———, carcinogenic activity of methylcholanthrene in Shimkin and Mider, 1 751

_____, fibromatogenic action of specific urinary estrogen in Lipschütz, Thibaut, and Vargas, 2 45

natural and artificial estrogens I ipschitz, Vargas, and Palma, 1 575

Gates, 1 65

extragental fibroids in Lipschütz and Vargas 1 236

1 367

3 321 ----, spontaneous III Olcott and Papanicolnou

Habrobracon, differential radiosensitivity of haploid and dip loid prepupae and pupae of Clark and Kelly 10 318 Hair anlage, tumor of Wallace and Halpert 10 246

follicles, role in epidermal carcinogenesis Suntzeff, Carruthers, and Cowdry, 7 439, 727

role in cutaneous neoplastic responses elicited by ultraviolet rays in rats Hueper, 1 402

Halogen derivatives of 4-dimethylaminoazobenzene See 4-Dimethy laminoazobenzene

Hamster cheek pouch, growth rate of tumor transplants in Lutz, Fulton, Patt, and Handler 10 231

-, golden, adrenal medullary tumor in Shrader, 6 504 Syrian, transplantable 9 10-dimethyl-1,2-benzanthracene

sarcoma in Crabb, 6 627

Harderian glands, fluorescent porphyrins in, and susceptibility to spontaneous mammary carcinoma in mice Figge, Strong Strong and Shanbrom, 2 335

Harding-Passey melanoma See also Melanoma

- effect of 8-azaguanine on Sugiura, Hitchings Cavalieri, and Stock, 10 178

3-bis(β-chloroethyl)aminomethyl-4methov-methyl-5-hydroxy-6-methylpyridine dihydrochloride 24,6-tris(1-aziridvl)-s-triazine, and 8-azaguanine on Sugiura and Stock, 10 244

- cortisone and other steroids on Sugiura Stock Dobriner, and Rhoads 10 244

 folic acid and folic acid antagonists on growth of Sugiura and Stock 9 628

- metabolic products of fungi on viability and growth of Stock, Sugiura, and Rhoads, 8 384

- various factors on Sugiura, 4 282 - virus of Russian encephalitis on Moore

and Stock 10 233

— particulate fractions effect of hormones on suc-cinoxidase and glycolysis of Wight and Burk, 9 609 -, segregation of subcellular particulates of by chrotransplanted, growth rate of in relation to latent period and host vascular reaction. Algire and Legallais 7 724

 metabolic characterization by high oxidative response to p-phenylenediamine Hesselbach, Burk, Algire Fischer and Legallais 7 724

Heat See also Temperature congulation of homogenates from normal and precancerous livers Griffin and Baumann, 8 135

plasma from cancer patients changes in Black

acetate inhibition of Duboff 10 213

– proteins II Huggins Miller and Jensen 9 177

Hemangioblastoma, demonstration of active carbonyl groups in Seligman and Ashbel 10 240

Hemoglobin content of blood of RIII and CBA mice Goulden and Warren 4 421

- level and tumor growth Taylor and Pollack 2 223 embryonic chick effect of volk sac-cultivated tumors on Taylor Mc Mee and Taylor, 3 542

Hemolysin concentration, dependence of immediate and delaved anticomplementary effects of serum and antigen on Thornton Ellerbrook I appincett and Fong 10 245

Hepatoma See Liver tumor

Hepbisul See Heptylaldehyde bisulfite

Heptaldehyde, influence on pregnancy in rats Carruthers and Stonell 1 724

effect on growth of sarcoma 180 on chorroallantoic membrane of chick embrao Karnofska Parisette and Patterson 8 350

Heptanal sodium bisulfite methylsalicylate See Heptylalde hyde bisulfite

Heptylaidehyde bisuifite action on tissue cultures of human and animal tumors Cameron Kensler and Chambers 4 495 - administration to patients with inoperable many

mary cancer Abels Treves Herrmann Singhe- Kensler and Rhoads 4 438

- lymphomas Singher Abel Craver and Rhoads, 4 444

effect on spontaneous mouse mammary tumor Strong 1 473

- Walker carcinoma 256 Herbut, Kraemer and Jacksen **10** *221*

-, toxicity and effect on spontaneous mammary car cinoma in mice Garai, 1 144

Heredity See also Genetics Inheritance

-, effect on susceptibility of rats to implants of induced sarcoma Orbison Davenport, Queen Spicer, and Galt 1 891

- maternal influence on spontaneous mouse leukemia Furth Cole, and Boon, 2 280

-, possible role in multiple occurrences of bilateral breast caremoma in family Wood and Darling 3 509

-, role in causation of mouse leukemia Furth and Cole

Hermaphroditic mouse ovarian tumor in Hool er and Strong

Heterochromatin in epidermal carcinogenesis and ribonucleic acid Biesele 4 737

Heterologous See also Transplantation

growth of sarcoma 180 with progression to death of hosts Patti and Moore, 10 674

tissues, intra-ocular transplantation of Morris McDonald, and Mann, 10 36

Histidine, protection of tumor respiration against cobalt inhibition by Hearon, Schade Levy, and Burck 7 713

Histochemical demonstration of active carbonyl group new reagent for Seligman and Ashbel, 9 624

β glucuronidase and sulfatase Seligman Nachlas and Cohen 10 240

- intracellular enzymes new methods for Selig man Manheimer and Nachlas 9 601

 localization of alkaline phosphatase during carcinogenes in rats fed 4-dimethylaminoazobenzene Pearson Novikoff and Morrione 10 557

- study of epidermal carcinogenesis in mouse. Thomas and Steinitz 10 245

Histogenesis of tumors induced by intramuscular inoculation of cell-containing leukotic material. Pil ovski and Doljanski. 10 1

Hodgkin's disease I II Hoster, Dratman Craver and Rol nick 8 I 49

 antireticular cytotoxic serum in therapy of Slapier 7 369 -associated with viral hepatitis Hoster Zanes and

von Hanm 9 473 624 - blood serum effect on cellular growth and morp! of

ogy in tissue culture Reiman and Hoster 9 62°

lymph nodes in tissue culture. Worken and Chambers 10 250

clinical application of methyl be Bellevethyl amine to treatment of Spure Jacobson Smith a d P ---7 51

etiologie studies in Hos er 7 45 -factor increased activity by serial trangle term to sue culture. Grand ai d. Cameron. 6 /02

- human lymph rodes of grown it are 'um Grand and Cameron 3 135

tive culture studies of live pt ... des of firms t 7 39

- lymph node cells a fue ce of remula 2 H deces diense enim en knowth a dirempi te i t

Reman and Ho 'e- 9 . - Industribi more so le mo in ti sie cultire Gra d 9 1 5

5 1

Homogenates and ultrafiltration sediments of mouse tissues growth enhancement of tumor homosotransplants in mice after injections of Kaliss, Jonas, and Avnet, 10 228

of normal and precancerous livers, heat congulation of

Griffin and Brumann, 8 135

tumor, effects of phosphate bond energy on nucleic acid stability in LePage, 9 297

, glycolysis in Novikoff, Potter, and LePage, 8 203, 9 517

, —, glycolyzing, ovalacetate metabolism in Potter I ePage, and Pardee, 9 547

Hormones See ACTH, Adrenal, Androgen, Castration, Cortisone Desoxycorticosterone, Endocrine, Estradiol, Estrogen, Estrone, Gonadectomy, Gonadotrophin, Hypophysections, 17-Ketosteroids, Metahormones, Ovarian, Pituitary, Progesterone, Sex hormones, Steroid, Stilbestrol, Testosterone, Thiouricil, Thiourea, Thyroid, Thyroxin

—, effect on adrenal cortical tumor formation in mice

Woolley, 10 250

 host resistance to implanted tumors. Salter, Nathanson, and Wilson, 1 60

 succinoxidase and glycolysis of tumor particulate fractions Wight and Burk, 9 609

 uterine and vaginal implants in mice Gottschalk and Swartz, 10 220

-, excretion in patients with metastatic mammary car-cinomia, effect of testosterone propionate therapy on Segaloff, Coppedge, Schlosser, Horwitt, Gordon, and Murison, 9 595 10 240

, failure to promote ultraviolet light carcinogenesis Rusch,

Kline, and Brumann, 2 183

· involved in normal metamorphosis, effect on carcinogenesis with methylcholanthrene and dibenzanthracene Franks, Bather, and Thompson, 10 216

, pituitary growth, producing tumors of adrenal glands

Moon, Simpson, Li, and Tvans, 10 364

- pulmonary and lymphatic tissues Moon, Simpson, Li, and Evans, 10 297 - reproductive organs Moon,

Simpson, Li, and Evans, 10 549

stimulation by, influence on activity of mammary tumor

milk agent Bittner, 6 493

, therapy with, and castration, chemical and systemic changes in patients with advanced mammary carcinoma following Kennedy, Tibbetts, Nathanson, and Aub, 9 551 -, effect on pulmonary and osseous metastases in patients with advanced mammary cancer Nathanson and Kennedy, 9 551

treatment with, effect on appearance of uterine and cervical tumors in mice Gardner and Pan, 9 549

Host-tumor relationship of two transplantable mouse tumors Cloudman, 6 503, 7 585, 709

Human See also Blood, Dingnosis

body, further study of carcinogens in Kleinenberg, Neufach and Shabad, 1 853

bronchogenic carcinoma, effects of nitrogen mustard on Boyland, 8 388

-, rapid growth of Eveleth and Wetzel, 1 721 - enncer, actual and potential, mass screening of population for Schram, 10 239

- chemosurgery of Mohs, 5 592 —, communicability of Gross, 4 293

 enzyme deficiency in Roskelley, Horwitt, and Salter, 3 131

, evaluation of chemotherapeutic agents against Karnofsky and Burchenal 8 388

, glucose tolerance test in relation to Rohdenburg, 1 311

, induction of tumors in mice with extracts of Steiner, 2 425

, malignant alterations of sulfhydrel reduction of methylene blue in Black, 7 592

-, malignant and benign, method of staining nucleoli of cells in fresh tissue of Avres, 8 352

-, correlation of biological test with clinical diagnosis in Beard, Libert, and Halperin, 7 710

gly coly tie enzyme inhibitor therapy in Black, Kleiner, and Bolker, 9 314, 599

-, ---, radioactive phosphorus as therapeutic agent in Kenney, 2 130

- of childhood, heterologous transplantation of Lichwald, 8 273

patients, abortifacient substance in urines from Ross and Dorfman, 1 158

-, acid and alkaline phosphatase in tissue and serum of Woodard, 2 497

and albumin isolated from serum in Huggins, Jensen, Player, and Hospelhorn, 9 753

Black, Kleiner, and Bolker, 8 79, 9 548

- reducing power of serum or plasma of Black, 7 321, 718

Hirshfeld, Duboff, and West, 6 57

———, electrophoretic, nitrogen, lipid, and enzyme

studies of plasma and plasma fractions in Dillard, Pearsall, and Chanutin, 9 661

-, failure to find carcinogens in urine of Bowman and Mottshaw, 1 308

-, β-glucuronidase activity and lactic acid con tent of body fluids of Fishman, Markus, Pfeiffer, and Hom burger, 9 609

glyovalase activity of erythrocytes from Cohen and Sober, 5 631

—, inactivation and conversion of estrogens in ritro by liver and other tissues from Twombly and Taylor, **2** 811

, incidence of carcinogenic factor in livers of Steiner, 3 385

, Negro, analysis of 20 cases of cutaneous car cinoma in Schrek, 4 119

-, in British West Indies and Panama, incidence of malignant tumors in Tomlinson and Wilson, **5** 368

parenteral thiamine clearance in Roskelley, Schlegel, and Salter, 6 496

, plasma mucoprotein levels in Winzler, Mehl, and Smyth, 9 556

-, protense and antiprotense of plasma in Dillard and Chanutin, 9 665

, release of morganic phosphorus accompanying glycolysis of blood in Bernhard, Rosenbloom, and Fichen 8 295

-, results of study of living blood of Wyeth, 1 735

-, serum albumin in Jensen and Huggins, 10 227 esterase in Moulton and Huggins, 9 547 - polysaccharide level in Shetlar, Foster,

Kelly, Shetlar, Bryan, and Everett, 9 515 - proteins in Huggins, 9 321

- zymohevase in Sibley and Lehninger, 9 547 -, steroid excretion in II Pincus and Pearlman,

, thiamine deficiency in Roskelley, Schlegel, and

Salter, 5 589 , utilization of vitamin C by Minor and Ra mırez, 2 509

, urmary excretion of metabolites of adrenal cortical hormones in Dobriner, Lieberman, and Rhoads,

7 711 , p-peptidase activity of serum as diagnostic test for Maver, Johnson, and Thompson, 1 761

, pH studies in Mever, Kammerling, Amtman,

Koller, and Hoffman, 8 513 problem, significance of industrial cancer in Hueper, 7 47

statistics analysis of 2,407 admissions to tumor clinic of Veterans Hospital in Hines, Illinois, during 1943 Schrek and Allaben, 5 549

- changing death rate Potter, 7 351 - in Hainan, China Bercovitz, 1 154

- in Korea Yun 9 370 amine to treatment of Spurr Jacob on Smith, and Barron mortality among males and females in Denmark, England, and Switzerland I II, III IV Clemmesen and Busk, 7 281, 286 8 129 9 411 415 evaluation of nitrogen mustards in Burchenal Karnofsky Ersley Craver, and Rhoads 8 587 - mortality in Egypt Afifi, 7 537 folic acid derivatives in treatment of Mever Fink, - New York City 1901 to 1938 Ritz Rowen and Sawitzky 9 562 Duffield and D1 Mario, 1 413 posturadiation changes in levels of organic phos-- North America relation of solar phorus in blood of patients with Abels Kenney Craver radiation to Apperly 1 191 Marinelli and Rhoads 1 771 relative incidence according to site age color , treatment with radioactive phosphorus Warren and sex Little, 3 126 , treatment with radioactive manganese and gold - leukemic cells oxidative behavior of Salter, Craig and colloids Hahn and Sheppard, 8 382 Bassett, 1 751, 869 - radiophosphorus Hall 8 383 -, pyruvate metabolism by Abels Jones Craver and Rhoads 4 149 - carcinoma, evtologic alterations in pulmonary tuberculosis similar to Chipps and Kraul, 10 210 - patients distribution of doses of radioactive phos-, histologic changes in central vegetative centers of phorus in Warren, 3 334 hypothalamus in, indicating vegetative functional disretention of radioactive phosphorus by Warren 3 872 turbances Morgan, 6 142 in tissue culture action of heptylaldehyde bisulfite - liver cancer in Negro in Africa and America Kenraway and of 2,4 6-trimethylpyridine on Cameron, Kensler and 4 571 Chambers 4 495 — livers fluorescent concentrates from nonsaponifiable fractions of Jones and Wav 4 304 of lung, incidence of Halpert 1 900 - penis etiologic factors in Schrek and Lenoinduction of tumors in mice with extracts of witz 7 180 Steiner 1 750 2 425 polysaccharide content of serum fractions in -lymph nodes of Hodgkin's dilease grown in tissue culture Shetlar Shetlar, Richmond, and Everett, 10 681 Grand and Cameron 3 133 carcinomas and papillomas of colon, calcium and potas-- lymphoma bearing patients effect of hepatic and spleric extracts from on lymphatic systems of experimental anisium content of Dunham, Nichols and Brunschwig 6 233 mals Storer and Lushbaugh 9 108
— lymphomas administration of heptylaldehyde bisulfite in origin at levels of tissue organization Nettleship 7 721 Singher, Abels Craver and Rhoad. 4 444 spreading factor in McCutcheon and Coman 7 379 - cervical cancer, influence of syphilis in Harding 2 59 -, observations on clinical response and histopatho-- carcinoma colloidal vanadate reaction in Gemmell logic reaction of to nitrogen mustard therapy Spurr Block 2 296 Smith and Jacobson 8 387 - mammary carcinoma advanced effect of stilbestrol on evaluation of β -glucuronidase activity in Fishman, Kasdon and Homburger, 10 216 Nathanson 6 484 embryonic tissues heterologous transplantation of use of sex hormones in patients with Greene, 3 809 Mellors Escher Adair Farrow Woodard and Urban endometrial adenocarcinoma, histochemical observations 8 386 9 552 on alkaline phosphatase in Gusberg and Atkinson 9 554 alterations of pulmonary and osseou, metastases of following hormone therapy and castration Nathan epithelial tumors of skin, lip and breast racial distribu tion of Schrek 4 433 son and Kennedy 9 551 - analysis for phosphorylated intermediates of female genicalia, β -glucuronidase activity in cancer of glycolysis LePage 8 193 Odell and Burt, 9 362 - and mastopathia cystica Logie 2 894 -, prevention of cancer of Taussig 1 735, 901 - bilateral multiple occurrences in family Wood -, red fluorescence of Jones, Figge, and Hundley 4 472 and Darling 3 509 -, red fluorescent extraction and identification -, chemical and systemic changes in patients with following hormone therapy and castration Kennedy of porphyrins from Figge Jones and Wolfe 4 483 Tibbetts Nathanson and Aub 9 551 fibrosarcoma heterologous transplantation of Greene estrone conversion capacity of blood of po t-2 649 menopausal women with Werthes en Schwenk Baller and gastric cancer, acid phosphatase activity of gastric con-Field 10 679 tents of patients with Dunlap and Changus 9 610 excretion of estrogens and 17 keto tero d in , changes in carbohydrate metabolism in papatients with Taylor Mecke and Twombly 3 150 tients with Abels Kensler, Young and Homburger 7 720 - hi tological alterations of in patie is treated tients with Homburger Potor and Young 7 725

early MacCarty 1 536 with steroid hormones Finerson Kennedy and Natla so: 9 551 male advanced effect of orchiectoris on electrolyte metabolism in Potor Young Nathanson 7 723 Homburger, and Reifenstein 9 557 of testosterone therapy Laszlo Schulman Belli Gettes geographic distribution in States of Union Cramer, 3 126 man and Schilling 10 250 metabolic studies in patients with XIII therapy on hormore exerction in patients with with Coppedge Schlos er Horwitt Gordon and Mun n 9 10 240 AVII Abels Kupel, Pack, and Rhoads 3 177 4 145 -, potassium and calcium content of Brun schwig Dunham, and Nichols 6 230 results of surgers in Meyer 1 756

steroid exerction in Dobriner Lieberman
Abels Homburger Reifenstein and Rhonds 9 595 - to bone in opendie administrati heptaldehide bisulfite in Abels Treves Herrman a glas Kensler and Rhonds 4 435 leukemin acute remission induced by ACTH Pear on - polite ectr mis men Beelear P -Flic and Talbot 10 235 Willer Rowen Bock and Rutzky 9 606 3 779 and 17-ketoster d 1 Nation 3 1 attempted transmission by sternal marrow route - un arv exercia a cles r come a da

by nomen with Re x = d D =ft 1 2

Thiersch 6 695

clinical application of methyl bis(8-chloroethyl)-

medulloblastoma resemblance of brain tumor in dog to — tumors, adhesiveness of malignant cells in various types Neubuerger and Davis 3 213 of Coman and McCutcheon, 9 559 - melanoma cutis, malignant Peller, 1 538 advanced, effect of inhibitors of intermediary -, malignant Burke and Thibaudeau, 3 133 metabolism on Black and Kleiner, 7 717 multiple primary malignant tumors and susceptibility to -, ascorbic acid content of Goth and Littmann, 8 349 cancer Warren and Lhrenreich, 4 554 -, biotin content of Pollack, Taylor, Woods, Thompmy cloma patients, physical chemical studies on sera of son, and Williams, 2 748 Stern Laszlo, and Krakauer, 9 614 - in West and Woglom, 2 324 oral and respiratory cancer and tobacco smoking habits -, codely drogenase I content of Schlenk, 6 495 Mills and Porter, 10 539 - ---, cultural and extological characteristics of, in ritro Royle, 6 225 - tongue lesions, relationship of dictary deficiency -, distribution of iron and copper in Buchwald and Hudson, 4 645 tive cases Khanolkar, 4 313 -, effects of iodinated bacterial polysaccharides on ovarian dermoids, relationship to twinning and teratomas patients with Sack and Seligman, 7 715 I'dmonds and Hawkins, 1 896 , electron microscopy of tissue sections of Gessler, princreatic islet cell carcinoma, insulin-producing, at-Grev, Schuster, Kelsch, and Richter, 8 549 tempted chemotherapy of Brunschwig and Allen, 4 45 energy mechanisms in relation to chemotherapy of prostates, normal and enlarged, cholesterol content of Black, Kleiner, and Bolker, 7 818 Suyer, 2 372 -, β-glucuronidase activity in Fishman and Anlyan, prostatic adenoma, ketosteroid content of urine of patients with McHenry, Semmons, Pearse, and Meyer, 7 534 7 808 , growth in chick embryo Bender, Friedgood, and Lee, 9 61 - carcinoma, ketosteroid content of urine of patients with McHenry, Semmons, Pearse, and Meyer, 7 534

———, metastatic, effect of castration, estrogen and -, heterologous transplantation of Greene and Lund, 4 352 androgen injection on serum phosphatases in Huggins and -, in tissue culture I, II Coman, 2 618 3 526 Hodges, 1 293 -, isotopic constitution of potassium in Lasnitzki and -, scrum acid phosphatase activity in Herger and Brewer, 2 494 Sauer, 2 398 -, multiple Lombard, Levin, and Warren, 6 436 - pseudomyxoma peritonei, heterotransplantation into , nicotinic acid content of Taylor, Pollack, Hofer mice and rats Zondek, Mandl, Sulman, Brezezinski, and and Williams, 2 744 Tietz, 3 198 -, nucleic acids in Stowell, 5 591, 6 426, 496 - skin cancer nodules, oxidative behavior of Salter, Craig, pantothenic acid content of Taylor, Pollack, Hofer, and Bassett, 1 751, 869 and Williams, 2 752 -, sunlight as crusal factor in Blum, 5 592 , pathology following administration of S marcescens - - carcinoma IV Schrek, 4 119 polysaccharide Reimann, Holloman, Oakley, McConnell, and normal epidermis, relative thymonucleic and Shear, 6 489 acid content of Stowell and Cooper, 5 295 -, phospholipids in Buchwald and Hudson, 5 591 -, lateral spread and reaction to wound-healing -, riboflavin content of Pollack, Taylor, Taylor, and stimulus Brunschwig and Thornton, 5 515 Williams, 2 739 -, studies on mode of origin of Willis, 4 630, -, treatment of, by bacterial toxins developed by Coley, reviewed in light of modern research Nauts, Swift, -, of patients with multiple precancerous keratoses of and Coley, 6 205 actinic origin, lack of extractable carcinogens in Mohs, -, use of heterologous transplantation as aid in ding 8 371 nosis and classification of Greene, 6 502 tumors, metabolism of, compared with that of tissue -, vitamin \mathbf{B}_{6} and biotin in Ballantyne and McHenry, of origin Dickens and Weil-Malherbe, 3 73 9 689 -, pigmented Khanolkar, 7 692 urine, extraction of carcinogenic fraction from Steele, - squamous-cell carcinoma, calcium, copper, and zinc in Koch, and Steiner, 1 614 Carruthers and Suntzeff, 6 296 Hyaluronidase and growth of malignant epithelial tumors Gopal-Avengar and Simpson, 7 727 - cells, mutual adhesiveness of Coman, 4 625 - teratomas, relationship to twinning and ovarian dermoids Edmonds and Hawkins, 1 896 , failure to increase invasiveness of neoplasms Coman, McCutcheon, and Zeidman, 7 383 - testicular tumors, bilateral Hamilton and Gilbert, 2 125 , malignant, studies in IV Hamilton and Gil--, further studies on relationship of, to invasive growth of carcinomas and sarcomas in mice Simpson, Denues, and bert 2 125 Keller, 9 602 spontaneous maturation and regression of I riedman, 7 719 Hydrocarbon-protein conjugates, chemical and immunological tissues, carcinogens in Hieger, 6 657 properties of Creech, Jones, and Cheever, 3 133 - tumor cells changes in mitotic mechanism of Timonen , inhibition reactions in immunological studies of and Therman, 10 431 Creech, Oginsky, and Tryon, 7 301 _____, precipitin reactions of Creech, Oginsky, and Cheever, 7 290 - from peritoneal and pleural effusions, observations in tissue culture Coman, 3 526 - subjected to reduced temperatures, behavior in quantitative results of immunological studies of tissue culture Sano and Smith, 2 32 Creech, Oginsky, and Allen, 7 297 - hydrolyzates p-glutamic acid in Mathers, 1 146 Hydrocarbons, aromatic, carcinogenicity of new derivatives of tissue fixation of quinine by Kelsey and Brunschwig 7 591 I, II Dunlap and Warren, 3 606, 6 454 -, early effect on mast cells on mouse skin Sylven and -, further experiments on extraction of carcinogenic factor from Menke 2 786 Larsson, 8 449 -, effects of ultraviolet radiation on I, II, III - implantation on choricallantoic membrane of Allsopp and Szigeti 6 14, 22, 24

on sulfur metabolism and tumor induction developing chief embryo Karnofsky, Ridgway, and Patter-4on 9 554

Crabtree, 6 553

earcinogenic See also Methylcholanthrene Benzpyrene

-, ---, and metabolites, spectrographic analysis of I, II,

Dibenzanthracene, Hydrocarbon-protein conjugates

-, oxidative response to succinate and p-

specific rabbit precipitin antiserums for protein

phenylerediamine Rosenthal and Drabkin, 4 487

of I II III Mann and Welker 3 193 196 6 625

- III IV, V Jones, Dunlap, and Gogel 2 237, 245 252 4 209, 218
- —, disappearance in autoxidizing lipids Mueller, Miller, and Rusch, 5 401
- ----, fate in animal body Larionow, 7 230
- ---, --- recovery from solution by use of picric acid Jones and Jamieson, 5 341
- -, spectrographic analysis of Jones and Creech, 3 134 -, effect of ultraviolet irradiation on carcinogenic potency of Engelbreth-Holm and Iversen, 7 372
- Baumann 3 217
- Hydroquinone, inhibition of autoxidation of aldehydes by Wasley and Rusch, 2 422
- Hyperglycemia, effect on phosphorylated intermediates of tumor glycolysis LePage, 8 201
- Hyperplasia, nodular, of thyroid glands induced by thiouracil Laqueur 9 247
- Hypervolemia and associated changes in mice bearing transplanted granulosa-cell tumor Cliffton and Wolstenholme, 9 331, 630
- Hypophysectomy, experimental fibroids in female guinea pigs after Vargas, 3 309
- in mice with special reference to mammary cancer Korteneg and Thomas, 6 385
- -- pseudo- See Caloric restriction
- dietary, effect on mammary gland and mammary tumor development in mice receiving diethylstilbestrol Ball Huseby, and Visscher 6 493
- Hypophysis See Pituitary
- Hypothalamus, central vegetative centers of histologic changes in, in patients with carcinoma Morgan, 6 142
- Hypothermia See Temperature, low
- Hysticcytoma, malignant, in liver of mice, pathology of Gorer 6 470
- Immune bodies, natural from chickens and ducks, reciprocal effects on variants of sarcoma virus Duran-Reynals and King 7 21
- Immunity induced against Brown-Pearce carcinoma Cheever and Janeway, 1 23
- reactions obtained with transmissible fowl tumor (Olson) Burmester and Prickett, 4 364
- to alien strain tumors use of parabiotic mice in study of Harris 3 546
- Brown-Pearce carcinoma, attempts to abrogate Saphir and Appel 3 767
- tumors in mice induced with lyophilized tissue
- Snell, Cloudman, and Woodworth, 8 429
 —, tumor, mechanism as investigated by means of intra-ocu lar inoculation of Brown-Pearce carcinoma Cheever and Morgan 2 675
- Immunization, intradermal against transplantable neoplasms, importance of dosage in Gross 3 770
- of S3H mice against sarcoma originating in animal of same line Gross, 3 326
- of rabbits to tumor failure to inhibit growth of Brown-Pearce carcinoma in anterior chamber of eye Saphir Appel
- and Striuss, 1 545

 ---, passive and active, effects on lethal activity of polysaccharides from Serratia marcescens Creech, Hankwitz and Wharton 9 150
- Immunological factors that influence neoplastic effects of rib-
- bit fibroma virus Duran Revnals 5 25

 properties of Serratia marcescens polysaccharides I II

 III Creech Wharton, Nishimura and Hankwitz 9 150
- 561 589 relationships between Serratia marcescene culture filtrates
- and Shear polysaccharide Shwartzman 4 191
 studies of hydrocarbon protein conjugates 1 II III
 Creech Oginsky Cheever Allen and Tryon 7 200 207 301
- tests for papilloma virus in cottontal carcinomas Sever ton Wells Koomen, Dascomb and Berry 10 474
- Inbred strains of mice, growth rates of Howard 1 505

- moule strains origin of Strong 2 531
- Inclusion bodies, intracytoplasmic in spontaneous primary mouse liver tumors Burns and Schenken 3 697
- β-Indolebutyric acid, inhibition of takes of Flexner-Jobling carcinoma in rats by Kline Wasley and Ru.ch 2 645
- β-Indolepropionic acid, inhibition of takes of Flexner-Jobling carcinoma in rats by Kline Wasley and Rusch 2 645
- Indolin blue, use in color reactions with malignant serum Weiss 10 247
- Induction of accessory limbs in salamander: with mixtures containing carcinogens Breedis 10 205
- Industrial cancer, significance in cancer problem Hueper 7 47 Infiammation, chronic, and carcinogenesis Woglom 5 576
- Inheritance See also Genetics Heredity
 of cancer in mice Viller and Pybus 5 84
- hormonal influence, castration effects on Smith
- mammary carcinoma in mouse Murray, 1 123
- —— susceptibility and hormonal influence effect on development of mammary cancer in mice. Bittner and Huseby 6 235 493
- 1 740 of mice to lung tumors method of Lynch
- Strong 3 13 318
- Innervation of cancer Shapiro and Warren 9 707
- Inositol content of mouse epidermis during methylcholanthrene carcinogenesis Tatum Ritchey Cowdry and Wicks 6 486 — effect on choline deficiency induced neoplasms Schaefer Copeland Salmon and Hale 10 239 786
- —, inhibitory effect on tumor growth of, neutralization by p-aminobenzoic acid or pyridoxine Keresztesy Laszlo and Leuchtenberger 6 128
- International Cancer Research Commission Cowdry 7 827
 Interstitial-cell lipoid of testis in normal and stilbestrol treated mice ultraviolet absorption studies on Firminger 10 216—tumors dog demonstration of active carbonyl groups in
- mouse testicular changes resembling early stages of after long-continued injections of pregnant mare serum Pfeiffer and Hooker, 3 762
- Intestine, small adenocarcinoms of in mice receiving oral ad ministration of methylcholanthrene and 1256-dibenz anthracene Lorenz and Stewart 1742
- Intracellular composition of liver and liver tumor from rats fed 4-dimethylaminouzobenzene Price Miller Miller and Weber 9 96
 - Price Willer Willer Potter and Weber 9 398 616 10 18
- comparison of Price and Laird 10 2°6 650
- distribution of protein nucleic acids ribonavia and protein bound aminoazo dve in livers of rats fed 4-d methal aminoazobenzene Price Willer and Willer 9 50
- Intra-ocular transplantation See Transplantation is to proper intrasplantation See Transplantation is to proper
- Invasiveness of career Comman i McCutchen 9
 Invertebrates, tumors in-series Schamer and Leaders 10 408
- Todine redirective collection of his language of the more of their d Rames See a Fig. of a 1 1/2 1
- 1500la of empeting of reference to a state of the Mei Re Quil and senare 10.1

mor 256 after injection of radioactive sodium iodide Stevens, Stewart, Quinlin, and Meinken, 9 188

_____, ____, nitrogen mustards labeled with, distribution of

I riedman, Rutenburg, and Seligman, 10 218

doses of Gorbman, 9 596

therefore, thereon labeled with, distribution in C3H and

C57 mice Gross and Schwartz 10 222

with Seligman, Leiter, Sweet, and Shear, 7 715

Iodoncetamide, toxicity, growth-inhibitory activity against surcoma 37 in mice, and distribution of radioactivity after labeling with I¹²¹ Friedman and Rutenburg, 9 619

Iodoacetate, effect on advanced human tumors Black and Kleiner, 7 717

growth of Walker rat carcinoma 256 Brunschwig, Arnold, and Edgeomb, 6 560

— in chemotherapy of lymphomas Bolker, Black, and Kleiner, 9 561

—— index and deficient heat congulation of serum proteins in cancer Huggins, Miller, and Jensen, 9, 177

—— inhibition of heat congulation of serum protein in cancer and tuberculosis Duboff, 10 213

N-iodoacetyl amino acids, relative toxicity, growth-inhibitory activity against surcoma 37 in mice, and distribution of radioactivity after labeling with I¹³¹ Friedman and Rutenburg, 9 619

————, study in relation to inhibition of tumor growth Friedman and Rutenburg, 9 599

Iodotetrazolium salt, radioactive, preparation and distribution in mice Seligman, Gofstein, and Rutenburg, 9 366, 601

Iron assimilation in rat, influence of sex on Kletzien, 1 736—, distribution in malignant neoplastic disease Buchwald and Hudson, 4 635

—, epidermal, after single application of methylcholanthrene to mice Carruthers and Suntzeff, 3 744

----, nonheme, content of tissues of high-cancer and low-cancer strains of mice Warren and Goulden, 4 417

Irradiation See Radiation, X-ray

Irritation, multiple, carcinogenesis after Lauridsen and Eggers, 3 43

Isoquinolines, preliminary screening for potency in producing damage in surcoma 37 Shear, Downing, Hartwell, Leiter, MacCardle, Perrult, and Vivian, 9 625

—— under investigation in cancer chemotherapy. Hartwell and Shear, 7-716

Isotopes See Alpha particles, Atomic, Betatron, Carbon 14, Chromium, Radioactive, etc

Janus green, effect on yolk sac cultivated tumor tissue Taylor and Galinsky, 9 622

Jensen sarcoma, adenosinetriphosphatase in Potter and Liebl, 5 18

--- analysis for phosphorylated intermediates of gly-colysis LePage, 8 193

----, cytochrome c in DuBois and Potter, 2 290

Potter, 7 71;

growth rate and course of Jones 2 697

— inhibition of succinoxidase system by extracts of Albaum and Potter, 3 303

Brewer 1 776

nucleic acids and other phosphorus compounds in Schneider and Klug 6 691

ard Burk 3 1.5

————, studies on morphology of peripheral blood of rats bearing Dunning and Reich, 3 266

———, succinic dehydrogenase and cytochrome oxidase in Schneider and Potter, 3 353

Keratin and carcinomis deriving from Shope rabbit pipillomas, chemical investigation of Scherp and Syverton, 9 12

Keratoses, multiple precancerous, of actinic origin, lack of extractable carcinogens in skin of patients with Mohs, 8 371

Ketoacids, measurements in normal and neoplastic rat tissue LePage, 10 393

a-Ketoglutaric acid, measurements in normal and neoplastic rat tissue LePage, 10 393

Ketones, unsaturated, preliminary screening for potency in producing damage in sarcoma 37 Shear, Downing, Hartwell, Leiter, MacCardle, Perruilt, and Vivian, 9 625

17-Ketosteroids See also Hormones, Steroids

—, content of urine of prostatic cancer patients McHenry, Semmons, Pearse, and Meyer, 7 534

——, urinary estimation of, in adrenal cortical tumor diagnosis Warren, 5 49

—, — excretion in patients with breast carcinoma Taylor, Mecke, and Twombly, 3 180

Nthanson, 3 132

—, — — high and low mammary tumor strains of mice Karnofsky, Nathanson, and Aub. 4 772

Kidney curcinoma, frog, transplantation from adult frogs to tadpoles Briggs, 2 309

---, --, transplanted into tadpole tails, growth and regression of Briggs and Grant, 3 613

—, convoluted tubules, specific injurious action of alloxan upon Brunschwig and Allen, 4 45

---, in intro studies on effect of, on sarcoma 180 and mammary carcinoma in mice Jones, 9 27

— tumors, malignant, in male hamsters treated with estrogen Kirl man and Bacon, 10 122

Krebs condensation, further evidence for absence of, in tumor tissues citric acid content of normal and tumor tissues in two following injection of fluoroncetate Potter and Busch, 10 236

Lactic acid See also Phosphorylated intermediates of glycoly-

Lanolin, anhydrous, loss of carcinogenic activity of methylcholanthrene when dissolved in Simpson, Carruthers, and Cramer, 5 1

, apparent anticarcinogenic action of Berenblum and Schoental, 7 390

----, effect of use as solvent upon effectiveness of carcinogenic agents Strait, Hrenoff, and DeOme, 8 231

---, --- on carcinogenicity of methylcholanthrene to mouse skin Simpson and Cramer, 3 515

Lard, effect of use as solvent upon effectiveness of carcinogenic agents Strut, Hrenoff, and DeOme, 8 231

—, heated, production of liepatic and gastric lesions in rats fed high level of Lippincott, Morris, and Larsen, 3 128

Lecithin in tumor-bearing animals Jacobi and Brumann, 2 175

—, purified, medium containing, incorporation of 3,4 benzpyrene in Weil-Malherbe and Dickens, 4 425

Leiomyomas, cutaneous, of goldfish Schlumberger, 9 553

development in female rats with endocrine imbalance

Pleiffer, 6 491, 9 277

Leprous rats, liver catalase of Dounce and Shanewise, 10 105

Leprous rats, liver catalase of Dounce and Shanewise, 10 103

Leukemia See also Lymphoma

, acceleration of development in mice by 9,10-dimethyl
1,2-benzanthracene Ungelbreth-Holm and Lefevre, 1 102

1,2-benzanthracene Trigelbreth-Holm and Letevre, 1 102

, AK4, effect of A-Methopterin and 2,6-diaminopurine on leukocytes of mice with Burchenal, Beidler, and Nutting, 9 606

Stock, and Rhoads, 10 209

related compounds on Skipper, Bennett, Edwards Bryan Hutchison, Chapman and Bell 10 166

and Stock, 10 233 virus of Russian encephalitis on Moore

— inhibitory effect of A-methopterin on prevented by citrovorum factor Burchenal, Johnston, Broquist, and Jukes, 10 208

AA 1394 transmitted, mouse, nitrogen mustards in chemotherapy of Burchenal, Riley, and Lester, 8 385

— AK 9417, effect of 8 azaguanine on Gellhorn, Engelman Shapiro, Graff and Gillespie, 10 170

spleens of mice bearing Dulaney, Goldsmith, Arnesen, and Buxton, 9 217

chemotherapy of Burchenal, Riley, and Lester, 8 385

chondria and submicroscopic particles of organs of mice bearing Alfin-Slater, Larack, and Petermann, 9 215

and Strong 1 785

man 9 158

—, effect of carcinogens on age incidence in high leukemia strain of mice Kirschbaum and Strong, 2 841

of Rockefeller Institute Leukemia strain Murphy and Sturm, 9 88

— genetic factors affecting synergism of agents causing Mixer and Kirschbaum, 7 719

— in high leukemia strains of mice effect of thymectomy on incidence latent period, and type of Law and Miller 10 230

- induced pathogenesis of McEndy and Furth 3 121
- L1210, acute lymphoid, mouse response to aminopterin

Law and Dunn, 9 606

— lymphoid, effect of 8-azaguanine on Law 10 186

—, lymphatic induced, transmission in rat Murphy and
Sturm 1 379

— inhibition of development in rats by urethan Murphy and Sturm 7 417

spontaneous, mouse, chromosomes in Biesele 7 70
transplantable effect of adrenalectomy on suscepti

-, -, rat, induced resistance to Sturm 1 627

lymphoid effect of adrenal grafting on Murphy and
Sturm 10 191

— metabolism of livers of mice with Hall, 4 785
— mouse, biotin in West and Woglom 2 324
— effect of urethan on survival time in Kirsch-

brum and Lu 9 562
_____, metabolic studies in I II Hall and Furth,

 $\frac{2411,785}{\Gamma_{\text{urth}}}$ metabolism of lymph nodes in Hall and

Flory Furth Saxton and Reiner 3 729

transplantable mouse effect of rate of freezing on

survival of Snell and Cloudman, 3 396
— metabolism of mouse tissues in period preceding Burk
Sprince Boon, and Furth 3 121

mouse XII XIV MacDowell, Potter and Taylor 5 65

effect of added phosphate on glutamine desamidation by digests of Greenstein and Leuthardt, 9 548

dence of Murphy 4 622

det deficient in certain amino acids on

Burchenal Ormsbee Cornman and Rhords 7 50

radioactive sodium on Frans 6 400

______, ____, induction by percutaneous application of 9 10dimethyl-1 2-benzanthracene Law 1 564

, — role of heredity and extrinsic factors in cau. ation of Furth and Cole 1 739

ment of McEndy Boon, and Furth 4 377

, —, tumor immunity induced with lyophilized tissue of Snell Cloudman and Woodworth 8 429

—, myeloid mouse effect of urethan on survival time in Kirschbaum and Lu 9 562 —, — response to urethan Kirschbaum and Lu

7 720 transmitted chemotherapeutic studies on

Flory Furth Saxton, and Reiner, 3 729

—, of F strain of mice effect of folic antagon, t. 01

Kırschbaum, Geisse Judd and Mever 9 622 10 762

, transplantable mouse effect of rate of freezing on

survival of Snell and Cloudman 3 396

transplanted mou.e as test object for evaluation of

chemotherapeutic agents Geisse and Airschbaum 10 108

produced by methylcholanthrene effect of dietary constituents on incidence of White and Vider 3 129

— spontaneous and induced moule difference between malignant blood cells from Furth and Barnes 1 17 — transplantability of Furth Boon

and Kalisc 4 1
transplantable isolation of fungi from Diller and Fisher 10 595

---, --- in 1km mice effect of single dose of C14 labeled sodium bicarbonate on pattern of death from Shipper Bell and Chapman, 10 362

— inhibition of development by underfeeding in mice Saxton Boon and Furth 4 401

Saxton Boon and Furth 4 401

— — mouse effect of maternal influence on Furth Cole
and Boon 2 280

Cole 1 99 nursing on incidence of Barnes and

— experimental studies on genetics of Cole and

— stem-cell mone action of peltatins on Greenspan Leiter and Shear 9 597

susceptibility of mice to after treatment with x ray or methylcholanthrene Mixer and Kirschbaum 6 485

transplanted effect in rules of specific antibodies on cell of Werder Kirschbaum and Syverton 10 248

pounds on Burchenal Johnston Stock Cros lev and Rhoads 10 208

moule characterization of influence affecting growth of Law 4 257

effect of foster nursing on growth of Law

2 10S 3 125 ____ mitrogen mustard, on Burcleval

Murphy and Sturm 3 178

Nearly induced effects of estradiol and testosterune on Gardner 10 219

9421 effect of virus of Ru sian encephaliti on Moore and Stock 10 23

Leukemic cells disappearance of in nonleuteric recipients during translations and cross-circulation tubes Bernary

Byron and Lanham 10 20.

factors affecting in rise c tocadal action of x rays

on Schrek 6 498

in the contrasting effects of folic and antanal and integer mu tards on Burchena! (remains a William)

him 9.4 metabolism of studies in relativity been win

metaboli m Warren 3 621

Ismphoestes in Cos race effects of exit more for the cost of the

ehremo ome size in Biesele and Ca e 7 to mice antigenic properties of runni commod in a spleets of Ameson Gold with a d Duning 2 679

———, metabolic studies on, with aid of radioactive phosphorus Scott, 5 365

_____, mitochondria in lymphocytes of Potter and Ward, 2 653

——, oxidation of octanoate by liver homogenates from Vestling Williams, Kaufman, Maxwell, and Quastler, 9 639
 —— mouse spleen, isolation of nuclei of Schneider and Petermann, 10 751

--- rats, prothrombin concentration in plasma of Sturm,

Leukocytes of normal and leukemic mice, effects of A-methopterin and 2,6-diaminopurine on Burchenal, Beidler, and Nutting, 9 606

Leukosis, chicken, factors influencing stability of filtrable agent of Gottschalk, 6 270

—, —, respiratory metabolism of Burk, Sprince, Kabat, and Furth, 1 732

____, fowl, agent in tissue culture Doljanski and Pikovski, 2 626

—, relationship to sarcoma in chickens I, II Pikovski, Goldhaber, and Doljanski, 7 393, 10 1

chicken tumor to Gottschalk, 3 649

—, spontaneous, effects of carcinogenic agents on mice subject to Morton and Mider, 1 95

----, tissue culture of blood cells, bone marrow, and myocar-dium of fowls with Doljanski and Pikovski, 1 205

Leydig-cell tumors See Testicular tumors

Light See also Sunlight, Radiation, Ultraviolet

-, deterrent effect on incidence of spontaneous mammary cancer in mice Apperly and Carv, 5 697

—, filtered ultraviolet, selective differentiation of tissues by means of Herly, 4 227

—, visible, and benzpyrene-induced skin tumors in mice Morton, Luce-Clausen, and Mahoney, 2 256

— green SF, sarcoma production with Harris, 7 35

Linoleic acid autovidation, effect of carcinogenic aminoazo dyes on Rusch and Miller, 7 730

on Rusch and Miller, 7-730

Lipase in mouse hepatomas produced by carbon tetrachloride

Lee, Stowell, and Villisan's, 9 600

—, new methods for histochemical demonstration of Seligman, Manheimer, and Nachlas, 9 601

Lipid content of diet during different stages of carcinogenesis, dependence of genesis of induced skin tumors on Tannen-bium, 4 683

4 147 — testicular tumors Huggins and Eichelberger,

dictary, effect on diethylstilbestrol induced mammary cincer in rats Dunning Curtis, and Maun, 9 354

- liver, changes in, during administration of 4-dimethylminorzobenzene Robertson and Kretchmer, 9 564

— of plasma and plasma fractions in human cancer Dillard, Pear-all, and Chanutin, 9 661

—— phosphorus in normal, pregnancy stimulated, and cancerous mammary glands of inbred mice Albert, Johnson, and Cohan, 10 201

---- total content of rats, affected by Walker carcinoma 256 Mider, Sherman, and Morton, 9 222

Inthrene carcinogenesis Suntzeff, Cowdry, and Carruthers, 6 179

Lipids See also Tats

, autoxidizing disappearance of carcinogenic hydrocarbons in Mueller, Miller, and Rusch, 5 401

---, effect of carcinogenic hydrocarbons and related compounds on autoxidation of Deutsch, Miner, and Rusch, 1818

Miller Kline, Rusch, and Baumann, 4 756

n adrenals of tumor-bearing rats Bloor, Haven, and Randall 9 548

mouse hepatomas produced by carbon tetrachloride

Lee Stowell and Villisana 9 600

——— normal and tumor mast cells Paff, Montagna, and Bloom 7 798

—, induction of tumors in rats by carcinogens administered in Davenport, Savage, Dirstine, and Queen, 1 821

—, levels in livers of rats fed various diets containing 4dimethylaminoazobenzene Silverstone and Tannenbaum 7 731

——, liver, evtoplasmic, changes in, during carbon tetrachloride induction of hepatoma Kretchmer and Barnum, 9 564 —— of adrenals and blood plasma in cancer Bloor, Haven, and Ashworth, 10 205

3,4-benzpyrene dissolved in Rusch, Mueller, and Kline, 5 565

Lipoid solvents See Solvents

Liver catalase activity of normal and tumor-bearing mice and rats Greenstein, White, and Andervont, 3 120

— cell cortex, calcium-ribonucleoprotein complex in region of Rosenthal and Lansing, 9 619

cells, normal, of mice bearing methylcholanthrene-in duced tumors, fulure to produce tumors with Dmochowski, 3 608

of normal appearance from methylcholanthrene treated mice, production of tumors by transplantation of Selle, Brindley, and Spies, 1 618

ferent conditions of normal and neoplastic growth Stowell 9 543

———, succinoxidase studies of, in mice fed carbon tetrachloride Kretchmer, Tsuboi, and Barnum, 7 714

changes, pathological, produced in rats by 4 dimethylaminorzobenzene, effect of riboflavin on Antopol and Unna, 2 694

—— cirrhosis caused in rats by sclenium, liver tumors following Nelson, Fitzhugh, and Calvery, 3 230

———, dietary, influence of estrogens and androgens on development of Nathanson and Zumeenik, 7 711

content of ascorbic acid, mice and rats, effect of carcino gens on Daff, Hoch-Ligeti, Kennaway, and Tipler, 8 376
 cytoplasmic lipids, changes in, during carbon tetrachloride induction of hepatoma Kretchmer and Barnum, 9 564

—, effect of carcinosarcoma 256 on water content of Mc-Ewen and Haven, 1 148

-, - on methylcholanthrene carcinogenesis of diets con-

taining abundance of Strong and Figge, 6 466
— extract, failure to influence liver tumor production with
2-aminofluorene and 2-acety laminofluorene Harris, 7 88

methylaminoazobenzene carcinogenesis Harris, Kralil, and Clowes, 6 487, 7 162

- fractions, protection against carcinogenic action of 4 dimethylaminoazobenzene by Sugiura, Kensler, and Rhoads, 3 130

— from rats fed various aminoazo dyes, intracellular composition of I, II, III Price, Miller, Miller, Potter, and Weber, 9 398, 616 10 18, 28

—, growth of, relationship of nucleolus to cytoplasmic nucleic acids and proteins in different conditions of Stowell, 7 724

---, guinea pig, inactivation of progesterone and desovycorticosterone by Dosne, 4 512

homogenates of leukemic mice, oxidation of octanoate by Vestling, Williams, Kaufman, Maxwell, and Quastler, 9 639
 human, and other organs, carcinogenic activity in extracts of Steiner, Stanger, and Bolvard, 7 273, 709

-, fluorescent concentrate from nonsaponifiable frac-

tion of Jones and May, 4 304

—, increased weight of in Wistar albino rats with induced and transplanted tumors Yeakel 8 392 changes in liver cytoplasmic lipids during carbon tetrachloride induction of Kretchmer and Barnum 9 564 - lesions produced by 2-acetylaminofluorene, effect of parcross-connections between carbohydrate and protial ablation of bone marrow on Stasney, Paschkis, and tein metabolism in Zamecnik and Stephenson 10 251 Cantaron, 9 565 development 4-dimethylaminoazobenzene-induced -, production of, in rats fed high level of heated lard changes in liver succinoxidase activity during Hoch Ligeti, Lippincott, Morris, and Larsen 3 128 7 148 , metabolism of, in mice with lymphoid leukemia Hall , 4-dimethylaminoazobenzene-induced Sta Cruz 6 50% , mouse, ascorbic acid content of Kennaway, Kennaway, adenosinetriphosphatase in Potter and Lieb! and Warren, 4 245 5 18 effect of aromatic compounds , biotin content of Pollack Taylor, Woods on Kennaway, Kennaway, and Warren, 4 367 Thompson, and Williams 2 748 -, ----, esterase content of, in strains susceptible or insus--, catheptic enzymes in Zamecnik and Stephenceptible to mammary cancer Chitre and Khanolkar 3 88 son, 7 326 , normal and neoplastic, glutamine and asparagine desam-, cultivated in fertile eggs Gray Armstrong idation in Errera and Greenstein 7 712 and Ham 10 221 - precancerous heat coagulation of homogenates - ---, cytochrome c in DuBon and Potter 2 290 from Griffin and Baumann, 8 135 proteolytic enzymes Zamecnik and Stephenson, 6 495 7 712 difference from normal liver in activation of of cancer resistant and cancer-susceptible mice, vanthine oxidase activity in Figge and Strong 1 779 -, effect of fresh milk on production of Hoch- pregnant mice, ascorbic acid content. Kennaway and Ligeti 6 563 Kennaway, 4 704 - rats bearing transplanted tumors, p-amino acid · -- veast feeding on Sugiura and ovidase, uricase and choline ovidase in Lan, 4 37 Rhoads 2 453 – fed 4-dimethy laminoazobenzene, gly ovalase ac -, glvcerophosphatases of Woodard 3 159 tivity of Cohen, 5 626 -, glvovalase activity of Cohen 5 626 -, increased vicosity of cells of Guver and - transamination in Cohen, Hekhuis, Claus 2 16 and Sober, 2 405 inhibitors effect of diet on development of oxidative enzymes inhibition by derivatives of 4-di methylaminoazobenzene Kensler and Rhoads 3 134 Sugiura and Kensler, 1 745 - metabolum of compared with that of tissue of proteins, effect of azo dves on Griffin, Nye, and Luck origin Dickens and Weil-Walherbe 3 73 , nicotinic acid content of Taylor Pollack of rats fed acetylaminofluorene, precancerous Hofer, and Williams 2 744 changes in Griffin, Cook, and Luck, 9 617 - or transplanted glyoxalase activity of regenerating arginase activity in Greenstein, Jenrette ervthrocytes from rats bearing Cohen and Sober 5 631

— , — , oxidative capacity of Mayer 4 345

— pantothenic acid content of Taylor Pollack Mider, and White 1 732 -, calcium and potassium content of Comin de Long and Zeidman, 9 614 Hofer and Williams 2 752 -, chromosome complexity in Biesele, 4 232 - proteose changes in rat blood cau.ed by glyoxalase activity of Cohen 5 626 Winzler and Burl 3 135 , transamination in Cohen and Hekhuis 1 620 - prothrombin activity in rats with Field - regeneration, comparison of intracellular composition dur Baumann and Link 4 768 ing and of liver tumors Price and Laird 10 236 650 -, respirators metabolism of Burk Behrens and - effect of age on Bucher and Glinos 7 724 10 324 Sugiura, 1 735 - on growth capacity in ritro Glinos 9 593 -, riboflavin content of Pollack Taylor Taylor nucleic acids and morphology of rat liver and Williams 2 739 cells Stowell 9 548 effect of added phosphate on glutamine desamida - rate of protein synthesis and degradation in rat liver Bucher Loftfield, and Frantz 9 623 enzyme activity changes during early phases of after feeding of certain azo dves Griffin Clayton and Bau Rosenthal, Rogers and Fahl 10 237 mann 9 82 in parabiotic rats Bucher Scott, and Aub 10 207 evotine per se on formation of an rats fed riboffavin and tumor formation in rats fed azo dves in 4-dimethylaminoazobeazone White and White 6 500 various diets Griffin and Baumann 8 279 4-dimethylaminoszobenzene Kline Miller Rusch and Bau sinusoidal dilatation of, in mice with transplanted testicu lar tumor Wolstenholme and Gardner 10 249 mann 6 5 succinoxidase activity, changes in, during liver tumor de velopment in rats caused by feeding 4-dimethylaminoazo-benzene Hoch-Ligeti 7 148 - diets on formation of White Heir ar i White 10 24? - nucleates on dehadrogena es in Green tumor, 2-acetylaminofluorene-induced effect of added stein and Chalkles 5 092 dictary tryptoplian on occurrence of Dunning Curtis and - samous concentrations of 4-dimental Maun 10 454 aminoazobenzene on production of White and Hein 10 2,5 - sex hormones on Cantaron - enzyme spectrum in Greenstein 3 120 Paschkis, Stasney, and Rothenberg 6 492

o-aminoazotoluene-induced heterologous trans - experimental in rate and its inlih tion by mer-bran extract years and years extract hugura and R1 and 1 3 plantation of Greene and Murphy 5 269 - following cirrl os s cau ed by sele ium in rate Sel from alanine and glycine into Zameenik Frantz Loftfield son Litzhugh and Calvers 3 250 tion of chemically induced liver turn of the res Parch and Stephenson 9 547 - livers rat comparison of activators of and Cantarow 9 617 proteolytic enzymes and peptidases Zameenik and Stephen lular composition of Price Miles Miles and Weber 2 no son 9 3 appearance following ingestion of 12 benzanthra cene White and Eschenbrenner 5 594 of Edwards and White 1 746 -, azo dve-induced amino acid content of Sauberlich

Blades and Baumann 9 613

- term culture effects of p 1 products of 4

- dimethylaminoazobenzene on Kopac, Cameron, and Chambers, 3 290 , incorporation of radioactive phosphorus in nucleic neids of Griffin, Cunningham, Brandt, and Kupke, 10 222 - induced, and regenerating livers, comparison of intracellular composition of Price and Laird, 10 236, 650 , intracellular distribution of enzymes in Schneider. 6 685 , mouse amino acids in hydrolysates of mitochondrial friction of Roberts and Li, 9 613 - and rat, biotin in West and Woglom, 2 324 -, free amino acids in, as studied by paper chromatography Roberts and Frankel, 9 645 -, induced with 2-amino-5-azotoluene or carbon tetrachloride, catheptic activity of Mayer and Dunn, 5 591 earbon tetrachloride, histochemical studies of Lee, Stowell, and Villisma, 9 600 -, ---, organophilic tendencies of Cloudman, 6 508 -, pathology of Gorer, 6 470 - spontaneous, special condition of interphase nucleus in Green, 9 267 sue of Snell, Cloudman, and Woodworth, 8 429 -, nucleic acid content of Schneider, 5 717 - acids and other phosphorus compounds in Schneider and Klug, 6 691 -, primary, in dog Mulligan, 9 76 ---, analysis for phosphorylated intermediates of glycolysis LePage, 8 193 - and transplanted, enzymatic activity in Greenstein, 6 495 DPN-cytochrome reductase content of Rhun and Potter, 7 714 -, produced with 2-acetylaminofluorene, effect of sex hormones on Cantarow, Paschkis, Stasney, and Rothenberg, – or 4-dimethylaminoazobenzene, influence of thiouracil on formation of Paschkis, Cantaron, and Stasney, 8 257 - 4-dimethylaminoazobenzene in tissue culture, effects of N,N-dimethyl-p-phenylenediamine on Cimeron, Kopae, and Chambers, 3 281 production affected by certain diets. Griffin and Brumann, 7 731 - during treatment with azo dyes, use of Thorotrist in the visualization of Wilson, Leduc, and Corner, 10 249 - in rats fed 3'-methyl-4-dimethylaminoazobenzene Cortell, 7 158 nith methylcholanthrene and benzpyrene Lisen, 6 421 with 2-aminofluorene and 2-reetylaminofluorene, failure of liver extract and of dietary protein level to influence Harris, 7 88 - 4-dimethylaminoazobenzene, and diet Miller, Miner, Rusch, and Baumann, 1 699 effect of dried spleen on Goldfeder, 6 487 pyridoxine and other B vitamins on Miner, Miller, Baumann, and Rusch, 3 296 - 3'-methyl- and 2'-methyl-4-dimethylimmonzobenzene, effect of diets on Giese, Clayton, Miller, and Baumann, 6 679 -, purification and properties of dehydropeptidases from Shack 7 713 -, spontaneous and induced, mouse, effect of rice diets on formation of Silverstone, 8 309 -, ----, effect of varying proportion of casein in diet on genesis and growth of Tannenbaum and Silverstone 9 162 mouse II, III, IV Burns and Schenken, 3 691 693, 697 effect of degree of caloric restriction on formation of Tannenbaum and Silverstone, 9 724 diet on formation of Innnenbaum and Silverstone 7 711 -, -- metabolism of, compared to that of tissie of origin. Diel ens and Weil-Malherbe. 3-73
- -, primary, transplantation in CSH mice Burns and Schenken, 5 587 -, study of amino acid composition and distribution of radioactivity in proteins of Zameenik, Frantz, and Stephenson, 9 612 , succinic dehydrogenise and cytochrome oxidase in Schneider and Potter, 3 353 -, synthesis of citrulline and p-aminohippuric acid by Tung and Cohen, 10 793 pseudo-hybrid mice to inoculation of Cloudman, 3 47 -, transplanted, arginase activity of Greenstein, Jenrette, Mider, and White, 1 782 , proteose changes in rat blood induced by Winzler and Burk, 3 185 tumor 31, transplanted, p-amino acid oxidase, uricase, and choline oxidase in livers and in isolated liver cell nuclei of rats bearing Lan, 4 37 -, p-amino acid oxidase, uricase, and choline oxidase in subcutaneous transplants of Lan, 4 42 —, size and synthetic activity of chromosomes of transplants of Biesele, 4 540 vitamin A stores, mice and rats, effect of carcinogens on Carruthers, 2 168 Longevity, role in occurrence of spontaneous tumors in hybrids between two inbred lines of rats Dunning and Curtis, 6 61 Luminescence-porphyrin photosensitization theory of car cinogenesis Figge, 6 498 Lung tumor in rats following injections of urethan Guyer and Claus, 7 342 - treated with pituitary growth hormone Moon, Simpson, Li, and Evans, 10 297 , incidence in 5 related strains of mice and their hybrid derivatives Slye, 1 740 -, increase in incidence following long-continued irra diation with gamma rays Lorenz, Heston, Deringer, and Eschenbrenner, 6 485 - induced by urethan, cytogenesis of Mostofi and Larsen, 9 544 - in mice with methylcholanthrene Smith and Rous, 6 500 -, susceptibility to, related to hairless gene in mice Heston and Deringer, 9 603 - induction by carbamic acid derivatives in mice Larsen, 7 726 - in mice with urethan, mechanism of Larsen, 10 230 ---, mouse, biotin in West and Woglom, 2 324 -, ---, effect of human influenza virus (type A) on incidence of Steiner and Loosli, 10 242, 385 ----, ----, induction by urethan derivatives Larsen and Heston, 5 592 -, method of inheritance of susceptibility to , narcotizing agents and Larsen, 6 500 —, nucleic acid content of Schneider, 5 717 —, —, acids and other place. Lynch, 1 740 acids and other phosphorus compounds in Schneider and Klug, 6 691 -, spontaneous, special condition of interphase nucleus in Green, 9 267 of two inbred strains of mice, changes occurring in transplantation Breedis, Robertson, Osenkop, and Turth, , primary, incidence in mice with induced sarcomas Dunlap and Warren, 2 685 , mouse, effects of high-fat diet on genesis of Tannenbaum, 2 468 -, relationship of known genes in mice to susceptibility to Heston, 1 740

spontaneous, mouse, effect of nursing on incidence

, --- rat, occurrence and pathology of Wells, Slye,

of Barnes and Cole, 1 99

and Holmes, 1 259

- -, relationship between susceptibility to and A^y gene Deringer and Heston 7 719
- Ma 387, effect of virus of Russian encephalitis on Moore and Stock, 10 233
- free amino acids in, as studied by paper chromatography Roberts and Frankel 9 645
- growing in roller tube cultures effect of nitrogen mustards on Karnofsky, Burchenal, Ormsbee Comman, and Rhoads, 7 50
- , mouse, in ritro effect of podophyllin on Ormsbee and Cornman, 7 717
- Lungs, early changes in, of rats treated with urethan Rosin, 9 583
- of normal and cancerous Swiss mice, occurrence of crystalline material in Green, 2 210
- Luteoma, mouse, content of mast cells in Bali 9 553 —, transplantable, polycythemia associated with Gott-schalk and Furth, 9 594
- transplantation of, and secondary changes Furth and Sobel, 6 503, 7 246
- Lymph nodes, experimental tumors in Franseen Aub and
- Simpson, 1 489 -, human, application of differential centrifugation and electron microscopy to segregation and visual study of macromolecular particles obtained from cells of Hoster,
- McBee, Rolnick, and Hoster 9 610 malignant, effects of N,N,N',N'-tetramethyl-ophenylenediamine and other compounds in tissue cultures on Chambers Cameron, and Kopac 3 293
- metabolism of, in lymphoid leukemia Hall and Furth, 2 411
- , neoplastic and non-neoplastic, macromolecular particles obtained from I Hoster, McBee, Rolnick, van Winkle, and Hoster, 10 530
- of Hodgkin's disease, tissue culture studies of Grand 7 49
- Lymphoblast-like cells, MB 13, in ritro study of strain of, derived from mouse lymphosarcoma MB (T 86157) de Bruyn,
- Lymphoblastoma, human β glucuronidase content of circulating leukocytes in Anlyan, Gamble, and Hoster, 9 610
- Lymphocystus tumor cells of fish, studies on I Weissenberg, 9 537
- Lymphocytes, cytological alterations in, produced by estrogens Santisteban, Scheebeli and Dougherty, 10 239
- leukemic and normal sex homones affecting chromosome size in Biesele and Gasic 7 65
- of normal and leukemic mice mitochondria in Potter and Ward, 2 654
- mouse lymph nodes, effect of Hodgkin s disease blood serum on Worken and Chambers 10 250
- Lymphoid tissues, mouse treated with carcinogenic and noncarcinogenic hydrocarbons studies on changes in Hoch-Ligeti, 1 484
- normal and malignant response to methyl bis (βchloroethyl)amine and urethan in adrenalectomized and nonadrenalectomized mice Bass and Feigelson 8 503
- of hosts, effect of growth or retrogression of transplantable lymphosarcoma of rat on Murphy and Sturm 8 139
- strun C57 black mice comparative susceptibilits to induction of lymphoid tumors by irradiation Kaplan
- tumor antiserum avian extotoxic effect of Burmester 7 459
- chicken serral passage of Olson 4 707 , transplantability of Duran Resnals 6 545 - in mice receiving steroid hormones Gardner
- Dougherty and Williams 4 73 - induction by irradiation comparative susceptibility of lymphoid tissues of strain C57 black mice to Kaplan 9 55,
 - in mice and local irradiation with roentgen rays Kaplan 9 621

- -, propagation by senal pastage in chickens of filtrable agents producing Burmester and Cottral, 7 669
- -, radiation-induced effect of thymectoms splenectomy, and gonadectomy on incidence in strain C57 black mice Kaplan, 10 228
- ---, observations on Kaplan 7 141
 strains avian, effect of storage at low temperature on viability of Burmester, 10 708
- highly malignant development from naturally occurring avian lymphomatosis Burmester and Prickett 5 652
 - -, transmissible chicken Olson 1 384
- filtrable tumor agent associated with Burmester, Prickett, and Belding 6 189
- tumors See also Leukemia Lymphoma, Lympho arcoma Lymphoma, chemotherapy of in relation to adaptation
 - Bolker, Black, and Kleiner, 9 561 incidence relationship to age in CF-1 mice Brues Finkel, Lisco, and Sacher 9 604
- induction by x-rays in mice Sacher and Brues 9 620 malignant, development in young rats such led by mothers receiving methylcholanthrene by stomach tube only during lactation period Shav, Weinhouse, Gruenstein Mary, and Friedman 10 241
- -, of mouse, dog and man intra-ocular transplantation in heterologous species Lushbaugh and Steiner 9 299 , multiple, transmissible, plasma changes in fowls with Krejci Ross, and Sweenv 8 575
- Lymphomatosis, avian, naturally occurring development of highly malignant tumor strains from Burmester and Prickett, 5 652
- -, visceral, transmission of I, II Burmester and Denington 7 727 779 786
- Lymphosarcoma cathepsin rat sulfhydryl groups of Mayer and Thompson 6 494
 - -, effect of 8-azaguanine on Law 10 186 Gardner See Lymphosarcoma 6C3HED
 - in rats treated with pituitars growth hormone Moon Sumpson, Li and Evans 10 297
 - mouse action of peltatins on Greenspan Leiter and Shear 9 597
 - -, originating in inbred strain of rats induced resistance of
- homozygous rats to Goldfeder 5 593

 Patterson and Mecca effect of 3 bis(β-chloroethyl) aminomethyl-4-methovy-methyl 5-hydroxy-6-methyl pyri dine dihydrochloride 246-tris(aziridyl) s triazine and 8azaguanine on Sugiura and Stock, 10 244
- cortisone and other steroid on Sugiura, Stock Dobriner and Rhoads 10 244
- -, effect of 8-azaguanine on Sugiura Hitching Cavalier and Stock 10 178 - folic acid and folic acid antagonists on
- growth of Sugura and Stock 9 628 production in transmission of induced lymphatic leukemia
- in rat Murphy and Sturm 1 379 rat in tissue culture action of heptylaldehyde bisulfite
- and of 246-trimethylpvridine on Cameron hersler and Chambers 4 495 splenie in rats bearing intrasplenie implants of directivity
- aminoazobenzene Lowenhaupt 9 121

 T S6157 (MB) injection of tumor tissue and cell free f1
- trates of followed by finding of lymphopenia-cau ing agent in mice de Bruvn 9 385
- mouse in ritro study of strain of lymphiblia + like cells MB 18 derived from de Bruvn 9 592
- transplantable mouse studied in em in en and at autoper de Bruvn Korteneg and san Wasere 9 200 thymic in mice synergistic action of estroge in 4x rays
- in the induction of Kirchbaum 10 229 - transpla itable clicken Pe timalli 1 00
- effect of ionizing radiatio sen Heller It Iver and Hunstiger 10 2.5
- -viru of Ru, and ceptate of Merand Stock 10 2
- Indication of rad active compound a Men 10 2 3

- , mouse, effects of nitrogen mustard on Boyland, 8 799
- , free amino acids in, as studied by paper chromatography Roberts and Frankel, 9 645
- -, rat, effect of growth or retrogression of, on lymphoid organs and adrenals of hosts. Murphy and Sturm, 8 139
- -603HFD, effect of 8-azaguanine on Gellhorn, Engelman, Shapiro, Graff, and Gillespie, 10 170
- -, effect of suramin, azo dies and vasodilators on mice with Williams, 6 344
- mouse, metabolic and enzymatic characteristics of Summerson, Gilder, and Lee, 8 381
 - -, oxidative capacity of Mayer, 4 345
- -, response to colchicine Bass and Probert, 10 420 -, response to methyl-bis (β-chloroethyl) amine and urethan in adrenalectomized and nonadrenalectomized mice Bass and Feigelson, 8 503
- Lysine, diet low in, effect on growth of spontaneous mammary tumors in mice and on nitrogen balance in man Kocher, 4 251
- Macromolecular particles obtained from human lymph node cells, application of differential centrifugation and electron microscopy to segregation and visual study of Hoster, McBee, Rolnick, and Hoster, 9 610
- neoplastic and non-neoplastic lymph nodes I Hoster, McBee, Rolnick, van Winkle, and Hoster, 10 530
- Magnesium, effect on eugenol-induced desquamation of mucus epithelium in gastric pouches Kraus and Hollander, 9 344
- mutual adhesiveness of epithelial cells Zeidman, 7 386, 719
- -, epidermal, after single application of methylcholanthrene to mice Carruthers and Suntzeff, 3 744
- , serum, rise in rabbits during hypothermic states, as shown by spectrochemical method Steadman, Ariel, and Warren, 3 471
- Maleate, effect on growth of Walker rat carcinoma 256 Brunschwig, Arnold, and Edgeomb, 6 560
- Maleic anhydride, retardation of epidermal carcinogenesis by Cribtree, 5 346
- Malic dehydrogenase in normal and tumor-bearing mice Lenta and Richl, 9 47
- Malignancy, experimental study of effects on diabetes Carrie and Ham, 9 629
- indicated by serological flocculation reaction Penn, 9 592
- -, results of biological test for Beard, 9 631
- -, stromal, in mouse-grown transplants of egg-cultivated mouse mammary carcinoma Taylor and Carmichael, 7 78
- Malignant growth, correlation with fluorescence of human urine Rabinowitz, 9 672
- neoplasia, origin from benign, suggested by monozygotic twins with similar breast pathology Jackson, Jackson, Oliver and Steinberg, 9 604
- tissue, transformation of normal tissue into, in tissue culture Sanford Earle, Schilling, Duchesne, and Shelton, 9 558
- Malonate in chemotherapy of human tumors Black, Kleiner, and Bolker, 7 717, 818 9 314, 599
- lymphomas Bolker, Black, and Kleiner, 9 561
- inhibitory action against animal tumors Woodhouse, 7 398
- Malononitriles, effect on growth of transplantable tumors Greenberg, Irish, and Gal, 10 221
- Mammary adenocarcinoma DBA and C3H analogous, physiological and extological characteristics and their relation to radiosensitivity Goldfeder 10 219
- relative metabolism *in ritro* of Goldfeder, 9 622 10 89
- -, effect of continued serial transplantation in yolk sac on embryo Taylor and Carmichael, 9 498

- dbrB and C3H, analogous, growth in tissue culture and response to radiation Goldfeder and Cameron, 8 465 9 559
- -, ---, relative metabolism in titro I Goldfeder, 10 89 -, effect of rate of freezing on survival of Snell
- and Cloudman, 3 396 , tumor immunity induced with lyophilized tis-
- sue of Snell, Cloudman, and Woodworth, 8 429
- E 0771, distribution of radioactive 8 azaguanine in mice with Bennett, Skipper, Mitchell, and Sugiura, 10 644
- , effect of 8-azaguanine on Gellhorn, Engelman, Shapiro, Graff, and Gillespie, 10 170 Sugiura, Hitchings,
- Cavalieri, and Stock, 10 178
- 3-bis(\$ chloroethyl)aminomethyl-5 methory-methyl-5-hydroxy-6-methyl pyridine dihydrochloride, 2,4,6-tris(1-aziridyl)-s-triazine, and 8 azaguanine on Sugiura and Stock, 10 244
- cortisone and other steroids on Sugiura, Stock, Dobriner, and Rhonds, 10 244
- folic acid and folic acid antagonists on growth of Sugiura and Stock, 9 628
- moculation of viruses of influenza, herpes, and Russian Far East encephalitis on growth of
- Moore, 9 611 - metabolic products of fungi on viability and growth of Stock, Sugiura, and Rhords, 8 384
- rate of freezing on survival of Snell and Cloudman, 3 396
- virus of Russian encephalitis on Moore and Stock, 10 233
- -, nucleic acids in, from animals injected with radioactive 8-azaguanine Mitchell, Skipper, and Bennett, **10** 647
- sue of Snell, Cloudman, and Woodworth, 8 429

 Karnofsky, effect of virus of Russian encephalitis
- on Moore and Stock, 10 233
- , Marsh-Simpson, transplantable, mouse, quantitative study of rate of growth of Hoffman, Goltz, and Warner, 3 126
- , mouse, biotin content of Pollack, Taylor, Woods, Thompson, and Williams, 2 748
- effect on host hemoglobin level Taylor and Pollack, 2 223
- -, interrelationships of biotin, CO2, Co, and Cu in glycolysis, fermentation, and dehydrogenation of Burk, Hesselbach, Fischer, Hearon, and Schade, 6 497
- -, meetime reid content of Taylor, Pollack, Hofer, and Williams, 2 744
- , pantothenic heid content of Taylor, Pollack,
- Hofer, and Williams, 2 752 -, riboflavin content of Pollack, Taylor, Taylor,
- and Williams, 2 739 -, transplants, effects of irradiation with x-rays
- in viio Merwin, Algire, and Kaplan, 9 620
- -, treatment with insoluble radiophosphorus Allen, Hempelmann, and Womack, 5 239
- RC, effect of 8-1z1guanine on Gellhorn, Engelman,
- Meisel, 6 82, mouse, growth in fertile eggs Twombly and
- , heterologous transplantation of Greene and Murphy, 5 269
- -, spontaneous and transplanted, mouse, action of yeast extract on Lewisohn, Leuchtenberger, Leuchtenberger, Laszlo, and Bloch, 1 799
- streptomycin preparations on metabolism of Burk, Hesselbach, and Fischer, 7 712
- special condition of interphase nucleus in Green, 9 267
- -, ---, rat, amino acid content of Sauberlich, Blades, and Brumann, 9 613
- transplanted in mice, containing mammary tumor agent Hummel and Little, 9 137

-, transplanted, rat, tumor inhibition associated with -, rat, nonspecific nature of induced resistance to secretory changes produced by estrogen in Eisen 1 457 Eisen and Woglom 1 629 - transplants effect of variations in ovegen pressure - sarcomatous transformation of stroma of Ludford upon Pollack Taylor, and Sortomme, 2 828 and Barlow 5 257 -, Trypanosoma cruzi in treatment of Hauschka, spindle-cell localization of radioactive compounds 7 717 in Mvers 10 234 - 755, effect of 8-azaguanine on Gellhorn, Engelman, - spontaneous content of radioactivity after injection Shapiro Graff, and Gillespie 10 170 of methionine labeled with radiosulfur Kremen Hunter - mouse, growth in fertile eggs Twombly and Moore, and Hitchcock 9 174 Meisel 6 82 ---, ---, effect of varying proportion of casein in diet heterologous transplantation of Greene and on genesis and growth of Tannenbaum and Silverstone. Murphy 5 269 9 162 - carcinoma, acceleration of development in mice by hv bridization upon susceptibility of methylcholanthrene Engelbreth-Holm, 1 109 mice to Andervont 1 739 - 9,10-dimethyl-1,2--, ---, isolation of fungi from Diller and Fischer benzanthracene Engelbreth-Holm and Lefevre, 1 102 10 595 , adrenal glands of mice from strains with different mouse, cultivated in volk sac of embryonic susceptibilities to Blaisdell, Gardner, and Strong 1 283 chick Heilman and Bittner 4 578 cells, mouse, influence upon growth of fibroblasts in dependence of formation on composition ritro Ludford and Barlow 4 694 of restricted diet as well as on degree of caloric restriction consistent production in rat by feeding 2-acetyl-Tannenbaum, 5 590, 616 ammofluorene Engel and Copeland 9 566 – degree of caloric re-----, frozen, in mice assay for mammary tumor milk agent Bittner and Imagawa, 10 739 striction Tannenbaum, 5 590 609 proportion of die-- in AK mice, transplantability of Furth, Boon, and tary fat Tannenbaum and Silverstone 9 607 Kalıss 4 1 -, ---, effect of calonic restriction per se on Marsh-Buffalo mice influence of breeding on genesis and growth of Tannenbaum 2 460 incidence and onset of Bischoff 5 582 - diet rich in egg white and - mice of A stock changes in incidence by foster avidin on growth of Kensler Wadsworth, Sugiura Rhoads nursing Bittner, 1 113 Dittmer, and du Vigneaud 3 823 - inactivation and conversion of estrogens in ritro by foster nursing on incidence of liver and other tissues from mice of strains susceptible to Miller and Pvbus, 5 94 Twombly and Taylor, 2 811 heptvlaldehvde-sodium bi--, incidence and cancer age in mice injected with sulfite on Garai, 1 144 estrogen and in noninjected mice of different strains high fat diet on genesis of Suntzeff Kirtz, Blumenthal, and Loeb, 1 446 Tannenbaum, 2 468 -, local and remote induction by methylcholanthrene – sodium fluoride dinitrophe-Strong and Williams 1 886 nol and low environmental temperature on formation of -, mouse action of oxazine dyes on Lewis Goland Tannenbaum and Silverstone 6 499 9 403 and Sloviter, 9 736 varving protein content in amino acids in hydrolysates of mitochondrial diet on formation of Tannenbaum and Silverstone 7 711 fraction of Roberts and Li 9 613 fate after simple biopsy Lewisohn - catheptic activity of Maver and Dunn 5 591 Leuchtenberger Leuchtenberger and Laszlo 1 324 , cells subjected to reduced temperatures be-- ---, free amino acids content as studied by havior in tissue culture Sano and Smith 2 32 paper chromatography Roberts and Frankel 9 621 645 hyde bisulfite and of 2 4 6 trimethylpyridine on Cameron comparative morphological study of mammary glands with reference to known factors influencing development of Huseby and Bittner 6 240 Kensler and Chambers 4 495 striated muscle and kidney on growth of Jones 9 27 -, cultivated in yolk sacs effect on hemoglobin level in embryonic chick Taylor McAfee and Taylor 3 542 - effect of proportion of dietary fat on rate of - - increase in number and growth rate of formation of Silverstone and Tannenbaum 10 448 caused by riboflavin Morris Lippincott and Robertson failure of intermittent fasting to inhibit forma 3 129 phyrins in harderian glands Figge Strong Strong and tion of Tannenbaum and Silverstone 10 577 genetic analysis of methylcholanthrene induction of Williams and Strong 4 11

—, inheritance of Murray, 1 123

—, Viller and Pybus 5 84 Shambrom 2 335 physiological age as basis for comparison of struns of mice subject to Murray and Hoffman 1 295 -, --, milk induced Haagensen and Randall 5 352 --, occurrence in whole blood of material influence - transplanted distribution and action of radioactive oxazine dve in mice bearing. Slovater. 9 677 - growth rate in relation to latent pen da d ing incidence of Woollev Law and Little 1 955 3 122 - particulate body associated with epithelial host vascular reaction. Algire and Legallais 7 72; themonucleic acid content of Stonell 5 109 cells cultured from Porter and Thompson 9 557 , relation of foster nursing to development of - effect of sulfo inted azo dien en siem Murray, 1 738 790 - genes to development of Murray 10 565 - maternal inflier ce on growth of Barrett 6 501 alpha particles on Tobias Rosahn Anger and Lawrence and Morgan 9 60 - res tareces erlisin to the m growth inhibiting action of armines. Brues a 1 J c particulate fractions effect of hormones on suc cinoxidase and glycolysis of Wight and Burk 9 (09)

R2126 study of free choice of dictary ingredients by - unu wills notice granth of its hand of e brso ated ease Tasher Care of chand North E 2 1 rats bearing Cahill Dunning and Smith 3 850 Bittrer 1 113 - trinsplanted constancy under varying condimouse-growitry plat Tast 1 (make 7 m tions in inbred rate I isen 2 489 - rubbit chromosome colorgement in Bic-cle 5 179

78 - 150911 content of radioactivity in, after injection of mice with radioactive iodinated trypin blue Stevens, Lec. Stewart, Quinlin, and Gilson, 9 139 -, mouse, effect of rate of freezing on survival of Snell and Cloudman, 3 396 - ---, ---, lack of influence of di-(hydroxymethyl)peroxide on incidence and growth of Belkin, 2 264 -, localization of radioactive compounds in Myers, 9 612 -, transamination in Cohen and Hekhuis, 1 620 -, tumor immunity induced with lyophilized tissue of Snell, Cloudman, and Woodworth, 8 429 excretion of methylcholanthrene Shay, Friedmann, Gruenstein, and Weinhouse, 10 797 - fibroadenoma, effect of thorium dioxide on estrinized rats bearing Heiman, 2 25 -, rat, choline and lecithin in Jacobi and Baumann, 2 175 -, transformation to fibroma by androgens Mohs, 1 151 , spontaneous, comparative histological study of anterior hypophysis and ovaries of two strains of rats, one of which is characterized by high incidence of Wolfe and Wright, 3 497 gland, comparative morphological study of, with reference to known factors influencing development of mammary carcinoma in mice Huseby and Bittner, 6 240 development in mice receiving diethylstilbestrol. effect of dietary pseudohypophysectomy on Ball, Huseby, and Visscher, 6 493 mouse, effect of 2,7-dihydroxynaphthalene on growth of Jones, 3 168 - estrogen on, during pregnancy, lactation and regression Loeb and Suntzeff, 1 439 - region, metastasis of spontaneous chondrosarcoma of guiner pigs from iliac bone to Olcott and Papanicolaou, 3 321 , structure and tumor incidence, in mice treated with estrogen and testosterone Gardner, 6 493 - lesions, benign and malignant, in rats treated with crystalline estrogen Eisen, 2 632 - surcoma MS-2, rat, pre-excisional fixation of tissue in treatment of Mohs and Guyer, 1 49 - tumor agent (factor, virus) See Milk agent - cells, cytotoxic action of mammary tumor agent antiserum on Law, 9 544 -, mouse, evtotovic studies on Imagawa, Bittner, and Syverton, 10 226 -, effect of radiation on Goldfeder, 8 383 - development in mice receiving diethylstilbestrol, effect of dietary pseudohypophysectomy on Ball, Huseby, and Visscher, 6 493 -, relation of genes to Heston, 5 587 - incidence and thy roid tissue growths in lungs of mice after prolonged ingestion of thiourea and thiouracil Morris, Dubnik and Dalton, 6 492 , genetic control of ovarian secretion as related to Huseby, Smith, and Bittner, 6 494 - in castrate and noncastrate male mice after ovarian transplantation Huseby, Smith, and Bittner, 6 494 - mice from transferred ova Fekete and I ittle 2 525 - treated with estrogen plus testosterone Gardner, 6 493

- simple caloric restriction on

10 642

-, studies on control of Murray, 3 125

Huseby, Ball, and Visscher 5 40

brum Williams, and Bittner, 6 354 9 93

, mixed, rat, transplantation and separation of components of Dunning, Curtis, and Maun, 5 644 tumors and porphyrins, possible association between Bittner and Watson, 6 337

—, benign, rat, comparative effects of estrogen, testosterone, and progesterone on Heiman, 3 65 , decline in incidence in mice of inbred strain Bur rows, 1 121 -, differentiation from normal mammary gland tissue by examination in filtered ultraviolet light Herly, 4 227 -, effect of foster nursing on esterise content of blood serum and liver of strains of mice susceptible or insusceptible to Khanolkar and Chitre, 4 128 - presence on abnormal breeding behavior of Albany rats Danzi, Burack, and Wright, 1 795 - splenectomy on development of, in mice containing milk agent Bennison, 9 543 -, estrogen-induced, spectrochemical study of I, II Strait, McCawley, and Perry, 3 370, 378 -, foster nursing and genetic susceptibility for Bittner. 1 793 , genetics and linkage relationships of inherited susceptibility of mice to Bittner, 4 779 -, hypophysectomy in mice with special reference to Korteweg and Thomas, 6 385 in castrate and hormonized C3H mice, effect of caloric restriction on Casas, King, and Visscher, 7 722 - fostered and unfostered female mice and their hybrids Bittner, 3 441 foster-nursed mice, influence of estrogens on incidence of Bittner, 1 290 - hybrid mice, effect of estrogen on incidence of Gardner, 1 345 - inbred stocks of mice and their hybrids, development following postcastration adrenal changes Huseby and Bittner, 10 226 Heston, Deringer, and Levillain, 9 544 - KIII mice, incidence of, effect of testosterone propionate on Heiman, 4 31 - induced by 2-acetylaminofluorene, effect of sev hormones on Cantarow, Stasney, and Paschkis, 8 412 - feeding 2-acetylaminofluorene, relation of diet to development of Engel and Copeland, 9 608 — —, methylcholanthrene-induced, histogenesis of Kirschbaum, Williams, and Bittner, 6 484 -, mouse, distribution of phosphorus-containing compounds in Albert, Johnson, and Keller, 9 611 desamidation by digests of Greenstein and Leuthardt, 9 548 - 2,7-dihydroxy naphthalene on incidence of Jones, 3 168 propionate on incidence of Heiman, 5 426 - on development of Burrows and Hoch-Ligeti, 6 608 -, genetic factors in etiology of Bittner, 5 588 -, genetics of susceptibility for development of Bittner, 2 540 -, grown in yolk sacs, effects produced in chicks by Armstrong and Ham, 7 481 ceptibility and milk influence in production of Bittner, 2 710 -, ---, ---- types of Bittner, 2 755 hormonal influence in development of Bittner and Huseby, -, mouse, effect of caloric restriction on ovarian 6 235, 493 , relative importance of milk agent and inherfunction in relation to Ball, Huseby, and Visscher, 3 181 ited susceptibility to it in development of Warner, Rein - chronic irradiation with hard, and Goltz, 5 584 gamma rays on Lorenz Heston, and Eschenbrenner, 9 621 Bittner, 8 625 9 543 tivity to estrogen Trentin 10 246, 580 -, paths of gene action in development of Heston, , rapidly growing, uptake and distribution of radio-- induction with methylcholanthrene I, II Kirschactive phosphorus in chicken eggs containing Galinsky,

- ---, rat, acetylaminofluorene-induced, influence of pro--, normal and tumor evtochemical studies in tissue gesterone on Cantarow, Paschkis and Stasnev, 9 595 and in ritro Paff Montagna and Bloom 7 798 diethylstilbestrol induced effect of dietary fat of normal moule skin estimation of rumber of and carbohydrate on Dunning Curtis and Maun 9 354 Larsson and Sylven 7 676 608 Maternal influence on growth of transplantable tumor in mice -, oxidative response to succinate and p-Barrett and Morgan 9 603 phenylenediamine Rosenthal and Drabkin, 4 487 Meats overcooked, possible carcinogenicity of Steiner Seele spontaneous adenosinetriphosphatase in Potter and Aoch 3 100 and Liebl, 5 18 —, – arginase activity in Greenstein Jenrette Meiostagmin reaction, use of acetamide in Polva and Dunn Mider, and White 1 732 10 543 benign effect of androgens and estrogens on Melamine, inhibition of sarcoma 180 by Buckle Heiman, 1 735 Crosslev and Rhoads 10 207 -, C3H mice influence of environmental tem-Melanoma, amelanotic, mou.e effect of added phosphate on glutamine desamidation by digests of Greenstein and perature upon incidence and course of Wallace Wallace, and Mills, 4 279 Leuthardt, 9 548 , effect of milk factor concentration in hybrid fish cell types in tisue culture compared to mammalian mice on development of Warner 1 738 -, in mice treated with veast extract, influence of polished rice diet upon Lewisohn, Leuchtenberger Leuch-- genetics and pathology of in hybrid off-pring of two species of swordtails Gordon and Nigrelli 9 553 tenberger, Laszlo, and Dische 2 818 -, mouse, after 31 transfers in fertile eggs dem-Harding-Passev See Harding-Passev melanoma onstration of milk factor in Armstrong and Ham 10 201 hereditary, of Dro ophila rielanogaster effect of cro-ding cytochrome c in DuBois and Potter on penetrance of Harnly Goldsmith and Friedman 9 604 2 290 - in dogs Mulligan 9 615 ----, deterrent effect of light on incidence of mammalian cell types in tiscue culture compared to Apperly and Cary, 5 697 fish melanotic tumors Grand Gordon and Cameron 1 660 —, ——, effect of heptylaldehyde-sodium bimouse action of peltatins on Greenspan Leiter and sulfite on Strong 1 473 Shear, 9 597 low cystine diet on production S39 See Sarcoma S39 of White and Andervont, 3 129 - S91 mouse effect of rate of freezing on survival of Shell low lysine diet on growth of and Cloudman 3 396 Kocher, 4 251 mitochondria and associated subcellular par. - mursing on incidence of ticulates in Wood, du Buy Burk Hesselbach and Lackey Barnes and Cole, 1 99 9 554 - testosterone propionate on segregation of sub-cellular particulates of by Jones 1 787 chromatography Riley Hesselbach Woods and Burk - enzyme spectrum in Greenstein, 3 120 9 614 —, histological changes produced in, by particulate fractions effect of hormones on sucsingle large injection of radiophosphorus Grad and Stevens cinoxidase and glycolysis of Wight and Burk 9 60% 9 620 transplanted growth rate of in relation to latent period and host vascular reaction. Algue and Legallate 7 724 homoiotransplantation into mice bearing spontaneous tumors Blumenthal, 2 56 , ——, ——, lack of influence of di (hydroxymethyl)- metabolic characterization by high oxidative perovide on incidence and growth of Belkin 2 276 response to p-phenylenediamine Hes-elbach Burk, Algire Fischer and Legallais 7 724 -, ---, --- nucleic acids and other phosphorus compounds in Schneider and Klug 6 691 Melanosarcoma in pine snakes Ball 6 134 succinic dehy drogenase and cytochrome oxidase in Schneider and Potter, 3 353 Mercapturic acids urinary excretion after admira tration of bromobenzene and 34-benzpyrene Gutmann and Wood - observations on inherited susceptibility in 10 701 mice to Bittner, 4 159 -, persistence and growth in hypophysectomized Mesenchymal tumor common of corium of goldf th I ucke mice Gardner 2 476 Schlumberger and Breedt 8 473 prothrombin activity in rats bearing Field Mesothelioma, mouse anterior chamber transplants innerva-tion of Shapiro and Warren 9 707 Baumann and Link, 4 768 8 172 - sex hormone excretion rates in mice of strains Metabolic studies in multiple inveloma Sem and Lazlo with high and low incidence of Aub Karnofsky and Towne 10 242 1 737 patients with career of gastreintestinal tract -, stilbestrol-induced effect of added dietary trypto-XIII XVII ibel Kupel Pack and Rhoads 3 177 4 145 phan on Dunning Curtis, and Maun 10 319 - carcinoms of prostate and effects of -, strun differences in response to diethylstilbestrol stilbestrol therapy Schilling Bellin Gottesman and La zlo and induction of Dunning Curtis and Seguloff 7 511 **10** 259 -, strains of mice susceptible or insusceptible to – mammars carcinema and effects of esternse content of livers and its excretion in Chitre and testosterone theraps La zlo Schulman Belin Ge tesm Khanolkar, 3 88 and Schilling 10 2.0 transplantability of, associated with source of milk Metabolism of normal and tumor tistic XX Dinkers and agent Bittner 7 741 Weil-Walberbe 3 73 Manganese colloids, radioactive use in treatment of malig-Metabolites of human tumore studied by charma maphs nancies Hahn and Sheppard 8 382 1wapara 10 502 Mast cell reaction of normal skin to some organic chemicals I II III Larsson and Sylvin 7 676 680 8 449 Metachromatic dies base retardation of grant of tra-plantable coreners in monfed P = 8 183 cells in experimental epidermal carcinogenesis. Cramer Metahormones foromatoge e e i i gureape Luciu and Simpson 4 601 The back and langs 2 45 - rat sarcomas Holmgren and Wohlfart Metalloporphyrins affinity of response when the profits and the unit of Fage and Well of 9.

7 686

- ---- neoplasm Bali 9 555

Metastases, pulmonary and osseous alterations in patients with advanced mammary cancer following hormone theraps and castration Nathanson and Kennedy, 9 551

, tumor, attempts to localize in long bones by mechanical trauma Saplur Appel and Levinthal, 5 722

, factors affecting distribution of Coman, Eisenberg. and McCutcheon, 9 649

- number of Zeidman, McCutcheon, and Coman, 10 357

Metastasis, studies on, effect of anatomical location on growth of tumor implants DeLong and Coman, 10 212 —, mechanisms of Jeidman, 9 629

of Brown-Pearce tumors, blood cell factors in Casey, Pearce, and Rosahn, 2 401

, skeletal, from methylcholanthrene carcinoma of rat prostate Dunning, Curtis, and Segaloff, 6 256

Methanes, di- and triphenyl, preliminary screening for potency in producing damage in sarcoma 37 Shear, Downing, Hartwell, Leiter, McCardle, Perrault, and Vivian, 9 625

Methionine, effects on retention of hepatic riboflavin and on development of liver tumors in rats fed certain azo dyes Griffin, Clayton, and Baumann, 9 82

-, Inbeled with radiosulfur, distribution of tracer doses in normal and neoplastic tissues Kremen, Hunter, Moore, and Hitchcock, 9 174

Methyl-4-aminoazobenzene See Aminoazobenzene, methyl-

Methylbis(β-chloroethyl)amine Sce Nitrogen mustard

Methylbis(β -iodoethyl)amine hydrochloride, radioactive, distribution of radioactivity following injection of Seligman Rutenburg, and Friedman, 9 624

Methylcholanthrene, acceleration of development of mammary carcinoma in mice by Engelbreth-Holm, 1 109

-, action on certain scars of skin in mice Lacassagne and

Latarjet, 6 183

-, additive carcinogenic effect in conjunction with benzpyrene or 9,10-dimethyl-1,2-benzanthracene and nonadditive effect with ultraviolet light Rusch, Kline, and Baumann, **2** 183

- effects of 1,2,5,6-dibenzanthracene, benzpyrene, and 1,2-benzanthracene in conjunction with Lavik, Moore, Rusch, and Baumann, 2 189

, adenocarcinoma of glandular stomach in mice injected with Stewart and Lorenz, 3 123

small intestine in mice receiving oral adminis-

tration of Lorenz and Stewart, 1 743

-, administered to mothers during lactation period only, and development of malignant lymphoma in young rats suckled by these mothers Shav, Weinhouse, Gruenstein, Mary, and Friedman, 10 241

— adsorbed in activated carbon, production of reticulum-cell sarcoma and fibrosarcoma by McDonald, 7 305

and regeneration patterns after injury Howes, 6 298 , attempts to induce cancer in Rhesus monkeys with Pfeiffer and Allen, 5 589 8 97

- gastric tumors in mice with Peacock and Kirby, 4 88

, behavior of Paramecium multimicronucleatum after long adaptation to Spencer and Melrov, 1 748

brain tumors induced with, behavior in intra-ocular transplants Freeman and Zimmerman, 4 273

carcinogenesis, affected by background radiation Franks and Meek, 10 217

morphosis Franks, Bather, and Thompson, 10 216

delayed by 1,2,5,6-dibenzofluorene Wartman, Shubik Hill Reeb, Stanger, and Riegel, 10 247

dietary fat and I avik and Brumann, 1 181, 3 749 effect of supplemented diets on Strong and Figge, 6 166

in guiner pig Shimkin and Mider, 1 751

Durin-Revnals Shrigley and de Hostos, 5 11

- rat effect on host hemoglobin level Taylor and Pollack 2 223

-, relation of endocrine system to Smith, Wells and D Amour, 2 40

chemical studies on mode of action on mouse skin Carruthers and Suntzeff, 3 744

-, choleic acids of, failure to alter permeability of marine eggs and mammalian erythrocytes Lucke, Parpart, and Ricer, 1 709

, comparison of methyl salicylate and benzene as solvents for Burdette and Strong, 1 939

derivatives, carcinogenic activity of Bradbury, Bachmann, and Lewisohn, 1 685

- Dunlap and Warren, 1 730, 953 -, comparative carcinogenicity of Law and Lewisolin. 1 695

, disappearance in autoxidizing lipids Mueller, Miller, and Rusch, 5 401

, effect, early, on mast cells of mouse skin Sylven and Larsson, 8 449

-, -- of availability of dietary organic sulfur on reaction of mice to Mider and White, 1 734

- diet deficient in thiamine and riboflavin on induction of tumors derived from rat nervous tissue with Russell, 5 152

a-estradiol-3-benzoate on response of mice to Segaloff, 2 794

- naphthacene on fluorescence of Miller and Baumann, 3 217

ultraviolet irradiation on carcinogenic potency of Engelbreth-Holm and Iversen, 7 372

on age incidence of leukemia in high leukemia strain of mice Kirschbaum and Strong, 2 841

- ascorbic acid content of mouse liver Kennaway, Kennaway and Warren, 4 367

autoxidation of oils Deutsch, Miner, and Rusch, 1 818

epidermal sodium and calcium Suntzeff and Carruthers, 3 431

genital tracts of rabbits and dogs Taylor, Pallas, Wikle, McCallin, and Goodman, 10 360

- hepatic vitamin A stores in mice and rats Carruthers, 2 168

induction of accessory limbs in salamanders Breedis, 10 205

mice subject to spontaneous leukoses Morton and Mider, 1 95

mutual adhesiveness of epithelial cells Zeid man, 7 386, 719

testosterone-induced comb growth Paschkis, 10 234

- viscosity of Paramecium Butros, 8 347 -, experimental production of adenomas and adenocar cinomas of stomach by threads impregnated with Howes and de Oliveira, 8 419

, gastric and pulmonary tumors induced in mice with Smith and Rous, 6 500

, factors that after fluorescence of Miller and Baumann, 3 223

-, failure of rat liver to respond to Dunning, Curtis, and Segaloff, 6 256

- to accelerate papilloma-to-cancer sequence in virusinduced papillomis on cottontail rabbits Syverton, Wells and Berry, 3 124

-, fate in animal body Larionow, 7 230

- fibrosprcoma, rat, effects of lowered body temperatures on Hill, Rutledge, Ware, Schultz, and Livingston, 3 841

-, genetic factors affecting synergism with x-rays in induc

tion of leukemia Mixer and Kirschbaum, 7 719

—, — analysis of induction of tumors by II, III, IV, VI Strong, Williams, Collins, and Durand, 1 572, 886, 3 21, 4 11

-, histological localization in skin after single application, shown by fluorescence studies Simpson and Cramer, 3 362 -, histopathologic and genetic study of tumors of forcstomach in mice treated with single subcutaneous injection of Bagshaw and Strong, 9 603

-, human sebum as vehicle for Plaut and Sobel, 9 291

 in attempts to produce gastric carcinoma experimentally -, two-condition fluorometry in determination in animal tiin gastric ulcer Denton, Sheldon, and Iva, 10 684 sue Miller and Baumann, 3 849 rat skin, fluorescence studies of Cambel, 9 628 Methylcholanthrene-induced carcinomas arginase activity tricaprylin malignant tumors induced in cottontail and nitrogen content in Roberts and Frankel 9 231 ribbits by injection of Swierton, Berry and Dascomb mouse amino acids in Roberts Caldwell Cloves 2 436 Suntzeff, Carruthers and Cowdry, 9 347 various lipids, induction of tumors in rats by polarographic studies on lipids of Carruthers and Davenport, Savage, Dirstine, and Queen 1 821 Suntzeff 9 210 -, induction of adenocarcinoma and other lesions of glanduepidermal carcinogenesis See Epidermal carcinogenesi lar stomach by intramural injection of Stewart, Hare methylcholanthrene-induced Lorenz, and Bennett, 9 618 epithelial tumor, rat choline and lecithin in Jacobi and bone fibrosarcomas with Franseen, Aub, and Baumann 2 168 Simpson, 1 393 fibrosarcoma rat nucleolar vacuoles in fibrobla ts from brain tumors with Zimmerman and Arnold Lewis 3 531 1 919 4 98 fibrosarcomas in ritro effect of saponin on Butros 8 221 cancer, effect of cosmic radiation on Figge hyperlastic epidermis comparison with benign hyper 7 721 plastic epidermis in healing wounds. Palette Cowdry and gastric carcinoma in mice with Strong, 5 593 Lischer 1 942 germinal mutations by Strong, 6 501 7 44 intestinal adenocarcinoma mouse catheptic activity of liver sarcoma in rat with Eisen, 6 421 Mayer and Dunn, 5 591 malignant tumors of uterus and uterine cervix leukemia effect of dietary constituents on incidence of in mice by Pan and Gardner, 8 613 9 549 White and Mider 3 129 mammary cancer with I II Kirschbaum metabolism of mouse tissues in period preceding Williams, and Bittner, 6 354 9 93 Burk Sprince Boon and Furth 3 121 pathogenesis of McEndy and Furth 3 121 parotid gland tumors by Bauer and Byrne 10 755 mammary cancer histogenesis of Kirschbaum Williams and Bittner 6 484 tumors by transplantation of normally appear-- malignant fibroblasts morphologic stability of six strains ing liver cells from mice previously treated with Selle, Brindles and Spies 1 618 growing in ritro Earle 7 727 - rhabdomyosarcoma mouse micromanipulation studie-- derived from nervous tissue with Russell on phyciological reactions of mulcle elements in Grand 5 140 6 504 - in lymph nodes and in endocrine and - sarcoma chicken containing antigen related to that of salivary glands with Franseen Aub, and Simpson, 1 489 leukosis sarcoma agent Gottschalk 3 649 inhibition of androgen-induced comb growth in chick by effect of adrenal cortical extract on growth of Hertz and Tullner 9 551 Diller Beck and Blauch 8 581 - autoxidation of aldehydes by Wasley and heredity on succeptibility of rats to im-Rusch, 2 422 plants of Orbison Davenport Queen Spicer and Galt - phospholipid oxidation by Rusch and Kline 1 891 1 465 - incidence of primary lung tumors in mice bearing joint action with Shope virus to induce cancer Rous and Dunlap and Warren 2 685 Rogers 10 238 mouse effect of pyridoxine on growth of Kline lethal mutation rate in Drosophila melanogaster following Rusch Baumann and Lavik 3 825 administration of Burdette, 9 594 - sulfonated azo dves on Stern 10 , leukemogenic action in mice Mixer and Kirschbaum 565 6 485 rat amino reid content of Sauberlich Blades and , loss of carcinogenic activity when dissolved in anhydrous Baumann 9 613 lanolin Simpson, Carruthers and Cramer 5 1 - mast cells in Holmgren and Wohlfart 7 686 mammary excretion of Shav Friedmann Gruenstein, - skin carcinomas transplantable mouse Cooper Firmin and Weinhouse 10 797 ger and Reller 4 617 tumors and sarcomas effect of varying proportions mouse effect of diet deficient in certain amino acids on induction of leukemia with White, White, and Mider, 7 711 of easein in diet on genesis and growth of Tannenbaum and skin after single and multiple applications of as Silverstone 9 162 influence of degree of caloric restriction on for studied by fluorescence microscopy Simpson and Cramer, 5 449 mation of Tannenbaum and Silverstone 9 724 - squamous-cell carcinoma ammonia and urea content of papillomas and virus problem Woglom 5 420 possible linkage between development of local tumors Roberts and Frankel 9 748 — of rat prostate with skeletal metastases Du ning Curti, and Segaloff 6 256 and pulmonary adenomas induced by Jaffe, 7 117 probable remote induction of various gastric lesions by - tumors failure to produce tumors with normal liver cell Strong Collins and Durand 3 21 of mice bearing Dmochowski 3 608 recovery from solution by use of pieric acid Jones and in five inbred strains of mice. Burdette and Strong Jamieson, 5 341 3 13 repeated applications or single application followed by - progens of C3H and J1 mice Burdette 3 315 croton oil treatment comparison of skin tumors induced by increased weight of liver in Wi tar albi o rat bea Shubik 10 241 713 ing Yeakel 8 392 response of central nervous system of chicken to Russell - Lolation of fungi from Diller and Figer 10 5% and Loquenm 9 629 - mouse delivedrogenale tudios in Relland Lorda – mice to simultaneous application together with 9 42 urethan or 4-dimethylaminoazobenzene Jaffe 7 529 - lieterologous transplantation of Creene 4-dimethylaminoazobenzene Jaffe 7 113 6 396 - rat effect of tuberele barilli extracts on Discus mice to application of Silberberg and Silberberg 10 718 Shanklin and Butra 9 520

studies on morphology of peripheral blood of rats in

- with carried out at Institut du Radium Paris dur

jected subcutaneously with Dunning and Reich 3 258

ing nar Laterict 6 191

- ____ studies on morph closy of pempi emil bi with m

Methylcholanthrene-treated epidem : limit of characteristics

bearing Dunning and Reich 3 206

Imng 8 211

- mice further studies on mutations from Hollander and Strong 9 767
- Methylcholanthrene-11-C14, distribution of radioactivity and met ibolic degradation in mouse Dauben and Mabee, 9 612
- Methyl-1,2,3,4-dibenzophenanthrene Sec 1,2,8,4-Dibenzophenanthrene, methyl-
- Methyl-4-dimethylaminoazobenzene See 4-Dimethylaminonzobenzene, methyl-
- Methyl-4-monomethylaminoazobenzene Scc 4-Monomethylaminoazobenzene, methyl-
- Methylene blue reduction by plasma, test for malignant neoplastic diseases Eriksen, Ellerbrook, and Lippincott, 10 215 —, sulfhydryl reduction of Black, 7 592
- Methylpteroic acid in treatment of human leukemin Meyer, I ink, Ritz, Rowen, and Sawitzky, 9 562
- Methylsuccinic acid, inhibitory action against animal tumors Woodhouse, 7 398
- Micro-absorption spectroscopy of cells studies with reflecting ultraviolet microscope Mellors, 10 232
- Micromanipulation studies on physiological reactions of muscle elements in rhabdomy osarcoma Grand, 6 504
- Micromelanophores, fish, reappearance in offspring of parents lacking them Gordon, 1 656
- Milk agent, mammary cancer in line of C3H mice deprived of Heston, Deringer, and Levillain, 9 544
- ———, —— tumor See also Nursing, foster ———, ———— Graff, Moore, Stanley, Randall, and
- Hangensen, 7 722 —, affecting growth of transplantable leu-
- kemins in mice, characterization of Law, 4 257
- importance in development of mammary tumors in mice Wirner, Reinhard, and Goltz, 5 584
- mice of inbred strains Davidsohn, Stern, and Bittner, 10 212
- and Bittner, 5 588
- cinoma for Bittner and Imagawa, 10 739
- mary cancer cells Law, 9 544
- mary tumor after 31 transfers of the tumor in fertile eggs
 Armstrong and Ham, 10 201
- on activity of Bittner, 6 493
- of spontaneous tumors in hybrids derived from reciprocal cross of two high cancer strains of mice Warner, 1 738
- of mammary tumors in mice containing Bennison, 9 543
- Salter and Schlegel, 5 589
- Bittner, 7 722
- splenectomy and vital strining Borges, 9 328
- and Bittner, 6 479, neutralization with antiserum Green
- sources Barnum Bill and Bittner, 7 522
- genetic susceptibility in production of mammary cancer in mice Bittner 2 710
- 6 199 properties of Barnum, Ball, and Bittner,
- parent Bittner 10 20;
- and without Samuels Bittner, and Samuels, 7 722

- 9 129, 135, 137, studies on I, II, III Hummel and Little,
- crographs of epithelial cells cultured from mammary carcinomas of mice Porter and Thompson, 9 557
- tumors and in hosts that grew these tumors in their tissues
 Hummel and Little, 9 137
- associated with source of Bittner, 7 741
- Randall, and Haagensen, 9 611
- mary gland cells Huseby, Barnum, and Bittner, 10 516—, effect on methylcholanthrene carcinogenesis of diets con-
- taining abundance of Strong and Figge, 6 466
- ——, fresh, effect on production of liver tumors by 4 dimethylaminoazobenzene Hoch-Ligeti, 6 563
- Milk-induced mammary carcinoma in mice Haagensen and Randall, 5 352
- Minerals, changes during epidermal carcinogenesis—review Carruthers, 10 255
- Mitochondria in lymphocytes of normal and leukemic mice Potter and Ward, 2 654
- —— mouse melanomas Woods, du Buy, Burk, Hessel bach, and Lackey, 9 554
- of normal and leukemic mouse organs, preparation and properties of Alfin-Slater, Larack, and Petermann, 9 215
- Mitotic activity of Brown-Pearce epithelioma, effect of col chicine on DuBilier and Warren, 1 966
- and intermitatic time of various mouse tissues, use of x-rays in determination of Knowlton and Widner, 10 59
- frequency, maximum, localization of stratum of, in epidermal methylcholanthrene carcinogenesis in mice Cowdry,
- van Dyke, and Geren, 6 620

 —— incidence in first 48 hours of methylcholanthrene epidermal carcinogenesis Reller and Cooper, 4 236
- mechanism of total
- and Therman, 10 431
 —— poisons, action on tactoid structures Kopac, 9 555
- on Fardon, Prince, and Berning, 8 531

 Mold extracts, effect on growth of sarcoma 180 I aszlo and
- Leuchtenberger, 3 401

 Monkeys, aged female, estrogen administration to, with no
- resultant tumors Engle, Krakower, and Hangensen, 3 858—, carcinomas of tongue in Steiner, Klüver, and Brunschwig, 2 704
- ---, infiltrating adenomatous lesions of stomach, eccum, and rectum in, similar to early human carcinoma and carcinoma in situ Lushbaugh, 9 385
- ——, oral carcinoma in Klüver and Brunschwig, 7 627
 ——, Rhesus, attempts to produce cancer in, with carcinogenic hydrocarbons and estrogens Pfeiffer and Allen, 5 589, 8 97
- 4-Monomethylaminoazobenzene See also Aminoazo dycs, Azo dycs, 4-Dimethylaminoazobenzene
- ty with 4-dimethy laminoazobenzene Miller and Baumann
- 8 141
 —— derivative, studies on carcinogenesis with Kirby, 7 333
 —— determination in tissue, Miller and Baumann, 5 157
- —, determination in tissue Miller and Baumann, 5 157
 —, effect on autoxidation of linoleic acid Rusch and Miller,
- -, inhibition of growth of Lactobacillus cases by Miller, Kingsley, and Miller, 7 730

- -, methylation and demethylation of, in rats Miller, Miller, and Baumann, 5 162
 - -, 2'-methyl, carcinogenicity of Sugiura 8 141
- -, 3 methyl-, effect of feeding, on intracellular composition of livers of rats Price, Miller, Miller, and Weber, 10 18 -, protein-bound aminoazo dye formed in vivo from

Willer, Miller, Sapp, and Weber, 9 336

- -, 3'-methyl- carcinogenicity of Sugiura, 8 141 -, 4'-methyl-, carcinogenicity of Sugiura, 8 141
- Monozygotic twins with similar breast pathology suggesting origin of malignant from benign neoplasia Jackson, Jackson Oliver, and Steinberg 9 604
- Morphogenesis, comparative, of extragenital and gonadal teratoid tumors Friedman, 10 218
- Mucolytic enzymes, further studies on relationship of, to invasive growth of carcinomas and sarcomas in mice Simpson Denues, and Keller, 9 602
 - in tissue cultures Shifrin and Simpson, 9 624
- Mucopolysaccharides, effect in tissue cultures Shifrin and Simpson 9 624
- Mucoprotein levels, in plasma, in cancer patients Winzler, Mehl, and Smyth, 9 556
- Muscle, striated in citro studies on effect of, on sarcoma 180 and mammary carcinoma in mice Jones, 9 27
- Mussel, fresh-water, tumor in Butros, 8 270
- Mustard gas, action on living sells in ritro I, II Fell and Allsopp, 8 145
- -, carcinogenic action of Heston, 10 224
- , effect of repeated applications of minute quantities of, on skin of mice Fell and Allsopp 8 177
- sulfone, effect on growth of sarcoma 180 on chorollantoic membrane of chick embryo Karnofsky, Parisette, and Patterson, 8 389
- Mustards See also Nitrogen mustard
- -, carcinogenic action of Heston, 10 224
- Mutation See also Genetics
- from methylcholanthrene-treated mice, further studies on Hollander and Strong, 9 565
- , germinal, induction of, by methylcholanthrene Strong,
- rate, lethal, in Drosophila melanogaster following administration of methylcholanthrene and methylbis(8-chloroethyl)amine hydrochloride Burdette, 9 594
- , somatic theory of Furth, Boon, and Kaliss, 4 1
- Myeloma cells micrometric investigations of Gormsen, 7 729 , intramedullary plasma cell, occurring spontaneously in dog Bloom 6 718
- -, multiple, protein and metabolic studies in Stern and Laszlo 10 242
- Myocardium, from leukotic fowls, tissue culture of Doljanski and Pikovski 1 205
- Naphthacene See 2 3-Benzanthracene
- Naphthoquinone, effect on growth of neoplastic cells Kline and Rusch 4 762
- Necrosia, effect of, in particular type of spontaneous tumor in mice Menkin 9 557
- Neoplasm Sce also Cancer, Tumor
 studies VIII IX, X XI Cameron Kopac, Chambers
 Grand and Gordon, 1 660, 3 281 290 293
- Nephroblastoma, transplantable and other spontaneous tu mors in rat colony Olcott, 10 625
- Nephromas, embryonal, chicken transplantability of Duran
- Revnals 6 545 rabbit, occurrence and transplantation Greene 3 434
- Nervous system, central, chicken fulure of methylcholanthrene to induce tumors in, after 4 years of stimulation Russell and Loquiam 9 629
- Russell 5 140 152
- Neuroblastoma C1300, mouse transplantation to homologous hosts Fichwald Frans and Browning 10 483

- Neuroepithelioma 17, moule, transamination in Coben and Hekhus, 1 620
- Neurofibromas of rat ears produced by prolonged feeding of crude ergot Nelson Fitzhugh Morris, and Calvers 2 11 , volume of cell nuclei in Altschul and Frieer, 9 225
- Neutral red, effect on volk sac-cultivated tumor tusur Taylor and Galinsky, 9 622
- Neutron radiation, nucleic acid content in intestines of rats after Elv and Ross, 8 607
- Nicholson's blue, use in color reactions with malignant serum Weiss, 10 247
- Nicotinic acid in cancerous tissues Taylor Pollack Hofer and Williams 2 744
- 2-Nitrofluorene, carcinogenic activity of Morris Dubnik Dunn, and Johnson, 7 730
- , inhibitory action against animal tumors. Woodhouse
- Nitrofurazone See Furacin
- Nitrogen balance, man, effects of low lysine diet on Kocher 4 251
- content in epidermal carcinogenesis in mice. Roberts and Frankel 9 231
- metabolism of mouse epidermis in carcinogenesis II Roberts and Frankel 9 548
- mustard and its hydrolysis products tissue culture experiments on biological action of Fell and Allsopp 9 238 -, carcinogenic action of Heston 10 22;
- clinical application to treatment of neoplastic dis orders of hemopoietic system Spurr Jacobson, Smith and Barron 7 51
- containing radioactive iodine distribution studies with Seligman Rutenburg and Friedman 9 624
- -, effect on chichlid fish Jakowska and Nigrelli 9 630 granulocytic cells as observed by the mar-
- row culture technic Osgood and Chu 10 98
- serum sulfhydryl content Shacter and Shimkin 10 240
- tumors Boyland 8 388
- in ritro reaction of cells to Schrek 9 559
- lethal mutation rate in Drosophila ridanoraster following administration of Burdette 9 594
- observations on clinical response and histopatholog ic reaction of lymphoma to therapy with Spurr Block Smith and Jacobson 8 387
- -, response of normal and malignant lymphoid tissue to Bass and Teigelson 8 503
- mustards clinical evaluation of in leukemin Burchenal Karnofsky Ersley, Craver and Rhoads 8 397
- contrasting effects compared to folic acid antagonists on leukemic cells in riro Burchenal Cremer and Wil
- liams 9 594 - effect on growth of sarcoma 180 on chonoallantoic
- membrane of chick embryo Karnofsky Parisette and Pat terson, 8 389
- Ormsbee Comman and Rhoads 7 50 nucleic acid Chanutin and Glessing
- 6 496 - proliferating embryonic til suc Boden
- stein 7 49 sarcoma 180 in mice Stock Sugitary
- Moore, and Rhoads 9 598 - ultraviolet absorption spectrum of the
 - monucleate uricil and purines Chanutin and Gjering 6 599 - viscosity of themonucleate. Gjes i gand
- Chanutin 6 593
- in chemotheraps of transmitted leaders is in man Burchenal Riles and Lester 8 2 5
- Klopp Bateman Berry Alford and Wishing 10 222
- labeled with radioactive indire distribution studies with Friedman Rutenburg and Sof gran 10 215 - relationship between chemical structure
- therapeutic activity Burcheral and Riles 9

tumor, potential sources of Sherman, Morton, and Mider, 10 374

-, source of, in rats bearing Walker caremoma 256 Sherman and Mider, 9 615

Nuclear differentiation and origin of tumors Schultz 7 41 volume, chromosome size in normal rat organs in relation to Bicsele, 4 529

Nuclei, basic proteins of Bloom, Codgell, and Lewis, 10 205 from normal and leukemic mouse spleen I Schneider and Petermann 10 751

 interplace special condition of, in normal and cancerous cells Green 9 267

isolated, of liver cells of rats bearing transplanted tumors, p amino acid oxidase, uricase, and choline oxidase in Lan, 4 37

, isolation in neutral medium Schneider and Petermann, 10 751

- of cells of transplanted rat tumors, n amino acid oxidase,

uricase, and choline oxidase in Lan, 4 12 - Walker carcinosarcoma 256, phospholipids of

Haven and Levy, 2 797

____, rabbit liver, different types, difference in turnover rate of

radioactive phosphorus in Marshak, 10 232 segregated from spleens of normal and leukemic mice, intigenic properties of Arnesen, Goldsmith, and Dulaney,

, volume in amputation neuromas and in neurofibromas Altschul and Priesen, 9 225

Nucleic acid concentration, effect of cobalt on correlation of, with rate of growth Levy, Skutch, and Schade, 9 613

- content in intestines of rats after neutron radiation The and Ross, 8 607

– x-radiation Ely and

Ross, 8 285

 of homologous normal and cancer tissues Schneider, 5 717

evele in dividing cells, relationship to sensitivity of chromosomes to breakage by x-rays Sparrow, Moses, and Steele, 10 212

effect of nitrogen mustards on Chanutin and Gjessing 6 496

-, liver, changes in, during administration of 4-dimethylaminorzobenzene Robertson and Kretchmer, 9 564 metabolism, relation to growth Brues, Tracy, and Colin, 3 136

–, studies on Graff, 8 *382*

- phosphorus, distribution in mammary glands and mammary tumors of mice Albert, Johnson, and Keller, 9 611

- in normal, pregnancy-stimulated, and cancerous mammary glands of inbred mice Johnson, Albert, and Cohan, 10 227

synthesis, inhibition by folic acid antagonists Skipper, Mitchell, and Bennett, 10 510

- acids See also Desoxyribonucleic acid, Ribonucleic acid, Thy monucleate

- and cancer Toennies, 7 193

, cytoplasmic relationship of nucleolus to, in different conditions of growth of rat liver Stowell, 7 724

distribution in normal and malignant animal tissues Schneider and Klug 6 691

- in human tumors Stowell, 5 591, 6 426, 196

- normal and precancerous livers and liver tumore incorporation of radioactive phosphorus in Griffin, Cunningham Brandt and Kupke, 10 222

- mouse hepatomas produced by carbon tetra-

chloride Lee Stowell, and Villisana 9 600

 rat liver cells under different conditions of normal and neoplastic growth Stowell 9 543

-relation to tissue growth-renew Davidson and Leslie 10 587

interfacial denaturation of proteins in presence of Kopac 7 714

intricellular distribution in livers of rats fed 4dimethylamino izobenzene Price Miller, and Miller, 9 563 of viscers and tumor tissue from animals injected

with radioactive S-azaguanine Mitchell, Skipper, and Bennett 10 647

, stability of, affected by phosphate bond energy in tumor homogenates LePage, 9 297

-, stimulating action on mouse heart fibroblasts Tennant, Stern, and Liebow, 2 218

, studies on recombination with tissue polypeptide Lewis, Bloom, and Smart, 9 103

Nucleolar vacuoles in living normal and malignant fibroblasts Lewis, 3 531

Nucleon of cells in fresh benign and malignant tissues, method of staining Ayres, 8 352

Nucleolus, relationship to cytoplasmic nucleic acids and protems in different conditions of growth of rat liver Stowell,

Nucleoproteins, action of diamidines and related compounds on Kopac, 7 44

, evtochemical studies of, in nuclei of sarcoma 180 Leuchtenberger, 9 600

, use of protamine-nucleates as crude models of Kopac 6 491

Nursing, foster Sec also Milk agent

, and genetic susceptibility of mice for mammary tumors Bittner, 1 793

- mammary cancer in breeding female mice and their hybrids Bittner, 3 441

-, ---, changes in incidence of mammary carcinoma in mice of A strain by Bittner, 1 113

-, effect of estrogens on incidence of tumors in mice rused by Bittner, 1 290

– on esterase content of blood serum and liver of strains of mice susceptible or insusceptible to mammary cancer Khanolkar and Chitre, 4 128

- growth of transplantable leukemias Law, 2 108, 3 125

 incidence of spontaneous leukemia and tumors in mice Barnes and Cole, 1 99

- irradiation of transplanted Bagg-Jacksen and Yale carcinomas in mice Plaut, Tennant, and Oughterson, 2 546

- spontaneous mammary caremoma meidence in mice Miller and Pybus, 5 94 - mouse leukemia Furth, Cole, and

Boon, 2 280

-, relation to development of mammary carcinoma in mice Murray, 1 738, 790

Nutrition See Diet

Obituary George Frederick Ludlaw (1871-1937) Stout, 8 189
— William Cramer (1878-1945) Woglom, 6 30

Octanoate, oxidation of, by liver homogenates from leukemic mice Vestling, Williams, Kaufman, Maxwell, and Quastler, 9 639

Ocular See Lye

Oils, animal and vegetable, effect of carcinogenic hydrocarbons and related compounds on autovidation of Deutsch, Miner, and Rusch, 1 818

—, entaly treally cracked, with high boiling point, carcino genic action of Sugiuri, Smith, and Sunderland, 9 631

-, sesume or olive, influence of use as solvent upon effectiveness of carcinogenic agents Strait, Hrenoff, and DeOme, 8 231

Onion root tips, effect of colchiene and x-rays on I evine, 5 107

Oral cancer I Woelfel, Spies, and Cline, 1 748

- not elicited by betel chewing Lisen, 6 139 - carcinoma in monkeys Klüver and Brunschwig, 7 627

—— cavity, exfoliative cytology of Montgomery, 9 627

Organs Sec specific organ, Tissues

-, various, relative susceptibility to tumor transplantation de Long and Coman, 10 513

Osteogenic sarcoma See also Sarcoma

- and deer antler, comparison of growth of Aub and Wislocki, 3 120

-, anomalies in occurrence of alkaline glycerophosphatase in Woodard, 3 132

beryllium-induced Hoagland, Grier, and Hood 10 629

–, Wagner, effect of folic acid and folic acid antagonists on growth of Sugiura and Stock, 9 628

- 8-azaguanine on Sugiura, Hitchings, Cavalieri, and Stock, 10 178

- and Ridgway, effect of 3-bis(β-chloroethyl)aminomethyl-4-methoxy-methyl 5-hydroxy-5-methyl pyridine dihydrochloride 24,6-tris(1-aziridyl)-s triazine, and 8 azaguanine on Sugiura and Stock, 10 244

 cortisone and other steroids on Sugiura Stock, Dobriner, and Rhoads, 10 244 - virus of Russian encephalitis on Moore and Stock, 10 233

Osteopetrosis, chickens, filtrable agent producing Burmester Prickett and Belding, 6 189

-, propagation by serial passage in chickens of filtrable agent producing Burmester and Cottral, 7 669

Ovarian See also Granulosa-cell

carcinoma, primary, diagnosis and treatment of Freed and Pendergrass, 8 361

custs, occurrence of estrogenic hormone in Watts and Adair, 1 638

function in relation to mouse mammary cancer incidence, influence of caloric restriction on Ball, Huseby, and Visscher

grafts intrasplenic and intrapancreatic, influence of age of host and ovaries on tumorigenesis in Gardner and Li, 9 595 secretion, genetic control of as related to mammary cancer incidence in mice Huseby, Smith, and Bittner, 6 494

teratomas bilateral, in mouse Fawcett, 10 705 transplantation, mammary tumor incidence in castrate and noncastrate male mice following Huseby, Smith, and Bittner 6 494

tumor formation in intrasplenic ovarian grafts, role of food intake and thyroid function Miller, 10 233

- in hermaphroditic mouse Hooker and Strong, 9 550 - induction in mice by x-rays Furth and Boon 7 241 - tumors, further studies on pathogenesis of Li and Gardner 7 710 9 35

 mouse, experimental studies on pathogenesis and histogenesis of Li and Gardner, 7 549

- mechanism of induction by x-rays Lick Kırschbaum, and Mıxer, 9 532

transplantable v ray induced, morphological and biological characteristics of Bali and Furth 9 449 621

Ovaries, age of, influence on tumorigenesis in intrasplenic and intrapancreatic ovarian grafts Li and Gardner, 10 162

nged rats, tubular adenomas and testis-like tubules in Engle 6 578

, comparative histological study in two strains of rats one of which is characterized by high incidence of mammary fibroadenoma Wolfe and Wright, 3 497

of virgin mice of DBA and C57 black strains, comparative study of Tekete, 6 263

transplanted to spleen in rats effect of unilateral castration pregnancy and subsequent castration Biskind Kordan, and Biskind 10 309

Oxalacetic acid, measurements in normal and neoplastic rat tissue LePage 10 393

- metabolism in glycolyzing tumor homogenates

Potter LePage and Pardee 9 547 oxidase and intracellular composition of livers from rats fed aminonzo dyes Potter, Price Miller and Miller

Oxazine dyes, action on tumors in mice Lewis Goland and Sloviter 9 736

- in riro staining and growth inhibition of mouse tumors with Lewis and Goland 7 718

 radioactive distribution and action in tumor bearing mice Sloviter, 9 677

-, retardation of growth of transplantable carcinoma ın mıce fed Rilev, 8 183

Oxidative behavior of malignant and benign tumor and homologous normal tusues Salter Craig and Basett 1 751

--- capacity of tumors Mayer 4 345

 functions of tumors of liver and skin compared to those of tissue of origin Dickens and Weil-Malherbe 3 73

response of normal and neoplastic tiscues to succinate and p-phenylenediamine Rosenthal and Drabl in 4 487

Oxygen pressure effect of variations on tumor transplants Pollack Taylor and Sortomme 2 828

uptake of mammars tumors autogenous to DBA and C3H strains of mice Goldfeder 10 89

Pancreas, islet cell: specific injurious action of alloxan upon Brunschwig and Allen 4 45

Pantothenic acid in cancerous tusues Taylor Pollack Hofer and Williams 2 752

Papilloma See also Fibroma Shope

-, benzpyrene-induced use in chemotherapy investigations in cancer Woodhouse 7 398

formation in benzpyrene-treated mice kinetics of Charles and Luce-Claulen 2 261

-, methylcholanthrene and virus problem Woglom 5 420 of domestic rabbits virus-induced etiological study of cancers arizing from Rogers Kidd and Rous 10 237

 virus-induced in cottontail rabbits effect of x rays upon Syverton, Warren Dascomb and Berry 3 123

Papilloma-to-cancer sequence in viru. induced papillomas in cottontail rabbits failure of methylcholanthrene to acceler ate Syverton Wells and Berry 3 124

Papilloma-to-carcinoma sequence, virus induced I II III Syverton Dascomb Koomen Wells and Berry 10 379 440, 474

Parabiotic mice effect of transplanted granulosa-cell tumor on Wolstenholme 10 344

growth of alien strain tumors in Harris 3 546 - pseudo-hybrid mice reactions to inoculations of tumor C198 Cloudman 3 47

-rats liver regeneration in Bucher Scott and Aub 10 207 Paramecium, abnormal produced by blastogenic agents

Mottram 1 313 effect of methylcholanthrene on viscosity of Butros 8 347

multimicronucleatum behavior after long adaptation to methylcholanthrene Spencer and Melros 1 748

Parathyroid glands, tumors of in rats fed with 2 acetylaminofluorene Heiman and Meisel 6 499 617

Parotid gland, induced tumors of Bauer and Byrne 10 755

Particulate body associated with epithelial cells cultured from mammary carcinomas of mice Porter and Thompson 9 55

Pasteur effect and rhodanese Mendel Rudney and Bomman 6 495

a-Peltatin in rico effects on several enzymatic activities of sarcoma 37 Waravdekar and Leiter 10 247

Peltatins a and β- action on lymphomas and other tumors in mice Greenspan Leiter and Shear 9 597

sarcoma 37 in mice. Le ter Downing Hartwell and Shear 9 597

- compounds related to action on arcoma 37 Leiter and Hartwell 9 62)

effect on evtochrome axid so activity in mouse sarcoma 37 and normal ti un Warasdelar and Leiter 9 625

- isolation properties and eten an of Hartwell and Detts 9 70"

- torigits and Lemate" air charges pre duced by Greenspan and Leiter 9 60

Penicillin amorphous and crestal ne in b ind action of tumor metabolism. Burl. Hesse back and Fischer 7 772

Penis carcinoma etiologic factors in School and Ir and

-, social distribution of cancer of Kennaway and Kennaway, 6 49

n-Peptidase activity of serum as diagnostic test for cancer Mayer, Johnson, and Thompson, 1 751

Peptidases and proteolytic enzymes, activators of, comparison in normal rat livers and hepatomas. Zameenik and Stephenson, 9 3

Permeability of embryonic and malignant cells in tissue culture Cohn and Brues, 3 135

- marine eggs and mammalian erythrocytes, failure of choleic acids of carcinogenic hydrocarbons to alter Lucke, Parpart, and Ricca, 1 709

pH studies of malignant tissues in human beings. Meyer, Kammerling, Amtman, Koller, and Hoffman, 8 513

Pharmacology, role in cancer chemotherapy Philips, 8 386

Phenanthrene derivatives, effect of single injection on mouse tumors Downing, Hartwell, Leiter, and Shear, 9 598 , production of abnormal paramecia by Mottram,

1 313

under investigation in cancer chemotherapy Hartwell and Shear, 7 716

, effect on hepatic vitamin A stores in mice and rats Carruthers, 2 168

Phenazines, preliminary screening for potency in producing damage in sarcoma 37 Shear, Downing, Hartwell, Leiter, MacCardle, Perrault, and Vivian, 9 625

Phenols, conjugation by gastrointestinal cancer patients Abels, Pack, and Rhoads, 3 177

Phenoisulfonephthalein, binding by scrum and by albumin isolated from serum in cancer Huggins, Jensen, Player, and Hospelhorn, 9 753

p-Phenylenediamine See also 4-Dimethylaminonzobenzene derivatives, effects in tissue cultures on malignant lymph nodes Chambers, Cameron, and Kopac, 3 293

, high oxidative response of transplanted melanomas to Hesselbach, Burk, Algire, Fischer, and Legallais, 7 724 , oudative response of normal and neoplastic tissues to Rosenthal and Drabkin, 4 487

Pheochromocytomas in golden hamster Shrader, 6 504 - mice Smith, Gardner, Li, and Kaplan, 9 193

Phosphamidase in neoplasms Gomori, 9 609

Phosphatase See also Glycerophosphatase

-, acid, ictivity in serum in human prostatic carcinoma Herger and Sauer, 2 398

 of gastric contents of patients with carcinoma of stomach Dunlap and Changus, 9 610

-, alkaline, activity changes during early phases of liver regeneration in rat Rosenthal, Rogers, and Fahl, 10 237 , effect of beryllium on Grier, Hongland, and Hood, 9 618

, histochemical localization during carcinogenesis in rats fed 4-dimethylaminorzobenzene Pearson, Novikoff, and

- observations on, in hyperplasia and adenocarcinoma of human endometrium Gusberg and Atkinson, 9 554

studies of, at intervals during carcinogenesis in rits fed 4-dimethylaminoazobenzene Pearson and Morrione,

-, in mouse hepatomas produced by carbon tetrachloride I ee Stowell and Villisina, 9 600

- skin under methylcholanthrene treatment Bicsele and Biesele, 4 751

- scrum inhibition by zinc ion used as diagnostic test Fishman Wayne and Homburger, 9 681

-, phosphoprotein in tumor-bearing rats, affected by growth inhibitor and other factors. I einstein and Volk, 10 96

reaction histochemical in sarcomas 180 and 37 after administration of bacterial polysaccharide Belkin and Bucker, 7 725

Phosphatases, acid and alkaline, in normal and cancerous tissues of hepatic and mammary origin Greenstein, 3 120

--- tumor mast cells Paff. Montagna, and Bloom, 7 798

-, liver, changes in, during administration of 4-dimethylaminorzobenzene Robertson and Kretchmer,

-, new methods for histochemical demon stration of Seligman, Manheimer, and Nachlas, 9 601

-, of plasma and plasma fraction in human cancer Dillard, Pearsall, and Chanutin, 9 661

, serum, in metastatic carcinoma of prostate, effect of castration, estrogen and androgen injection on Huggins and Hodges, 1 293

Phosphate balance, effect of cocarcinogens on Potter, 6 500 bond energy, effects on nucleic acid stability in tumor homogenates LePage, 9 297

—, effect of added, on glutamine desamidation in tumors Greenstein and Leuthardt, 9 548

, metabolism of normal and tumor tissues in tissue culture Brues and Cohn, 1 734

, radioactive, aerobic and anaerobic incorporation by normal and cancer tissue in entro Winzler, Krause, and Slater,

Phospholipid fraction of mouse epidermis, radiophosphorus uptake in, in methylcholanthrene carcinogenesis Costello, Carruthers, Kamen, and Simoes, 6 486, 7 642

oxidation, inhibition by carcinogenic and related compounds Rusch and Kline, 1 465

phosphorus, distribution in mammary glands and mammary tumors of mice Albert, Johnson, and Keller, 9 611

Phospholipids in human neoplasms Buchwald and Hudson, 5 591

of tumor cells and nuclei Haven and Levy, 2 797 -, tricaprylin solution of, effect on 3,4-benzpyrene carcino genesis Weil-Malherbe and Dickens, 6 171

Phosphorus, acid-soluble, lipid, and protein, in normal, pregnancy stimulated, and cancerous mammary glands of inbred mice Albert, Johnson, and Cohan, 10 201

compounds in animal tissues II, IV Schneider and Klug,

5 717, 6 691

-, intracellular distribution in normal rat liver and liver tumors Schneider, 6 685

-, inorganic, release accompanying glycolysis of blood in cancer Bernhard, Rosenbloom, and Eichen, 8 295

· metabolism in various endocrine organs of mice, age and strain differences in Johnson and Albert, 9 612

-, nucleic acid, in normal, pregnancy-stimulated, and cancerous mammary glands of inbred mice Johnson, Albert, and Cohan, 10 227

-, organic, postirradiation changes in levels of, in blood of patients with leukemia Abels, Kenney, Craver, Marinelli, and Rhoads, 1 771

, radioactive, carcinogenic effects compared to x-radiation Brues, Sacher, Finkel, and Lisco, 9 545

-, different turnover rate in different types of nuclei in rabbit liver Marshak, 10 232

-, distribution of doses in leukemic patients Warren, 3 334

, effect on virbility of mouse sarcoma 180 Sugiura, 2 19

-, histological changes produced by single large injec tion in albino rats and C3H mice Grad and Stevens, 9 620, 10 289

-, incorporated in nucleic acids of normal and precancerous livers and of liver tumors Griffin, Cunningham, Brandt, and Kupke, 10 222

-, insoluble, effect when applied interstitially in treatment of mouse mammary adenocarcinoma Allen, Hempelmann, and Womack, 5 239

, metabolic studies on leukemic mice with Scott, 5 365

-, production of malignant tumors in rats by Koletsky, Bonte, and Friedell, 10 129

-, retention in leukemie patients Warren, 3 872 when administered in different chemical

forms Warren and Cowing, 4 113

- -, as therapeutic agent in malignant neoplastic disease Kenney, 2 130
 - -, --, therapy with Hall 8 383
- -, treatment of human leukemia with Warren 1 730 -, ---, uptake and distribution in chicken eggs containing a rapidly growing mammary tumor of a C3H mouse Galinskv, 10 642
- by embryonic and malignant cells in tissue culture Cohn and Brues, 3 135
- nucleic acids in relation to growth Brues, Tracy, and Cohn, 3 136
- in phospholipid fraction of mouse skin in methylcholanthrene carcinogenesis Costello, Carruthers, Kamen, and Simoes, 6 486 7 642
- Phosphorus-containing compounds, distribution of, in mammary glands, and mammary tumors of mice Albert Johnson and Keller, 9 611
- Phosphorylated intermediates in tumor glycolvsis I, II, III LePage, 7 713 8 193, 197, 203
- IV Novikoff, Potter, and LePage, 8 203
- Photochemical formation of carcinogens from skin fats Snapp, Niederman, and Rothman, 10 73
- Phytomonas tumefaciens See Crown gall tumor
- Picric acid, recovery of carcinogenic hydrocarbons from solution by use of Jones and Jamieson 5 341
- Picropodophyllin See Podophyllin
- Pineal, germinoma of identity with germinoma of testis Friedman, 7 363
- Pituitary adenomas spontaneous, rat, cytology of Wolfe and Wright, 7 759
- anterior, comparative histological study in two strains of rats one of which is characterized by high incidence of mam-
- mary fibroadenoma Wolfe and Wright 3 497
 —, effect of estrogens and 1 2,5,6-dibenzanthracene on secretion of mammogenic duct growth factor of Lewis and Turner 1 55
- basophilic tumors, spontaneous, in gonadectomized mice Dickie and Woolley, 9 372
- growth hormone See Hormone, pituitary growth
- , rat, adenoma-like lesions in, relation of age to occurrence and to growth after transplantation Saxton, 1 277
- -, chromophobe adenomatous lesions of Saxton and Graham, 4 168
- tumors in hybrid mice effect of estrogen on incidence of Gardner, 1 345
- mice after high doses of radioactive iodine Gorbman, 9 596
- Pituitary-adrenal cortex mechanism in patients with breast cancer, effect of testosterone on Faloon Owens Broughton and Gorham 10 215
- Placental neutralization of mouse mammary tumor agent Hummel, Little and Eddy, 9 135
- Plant hormones effect on tumor growth Kline and Rusch 3 702
- seedlings, stunting caused by irradiation Quastler, 10 236 tissue excised, influence of crown gall bacterial products and tissue extracts and of yeast extract on in ritro growth of Hildebrandt Riker and Duggar 6 368
- tumor White and Braun 2 597
- tumors See also Crowngall
- of genetic origin, transplantation of White 4 791 Plasma See Blood
- Please! In editorial Woglom 2 846
- Plutonium, radioactive carcinogenic action of Brues I Leo and Finkel 7 48
- Podophyllin active components of in chemotherapy of cancer Hartwell and Shear 7 716
- changes in mitosis in sarcoma cells of mice treated with MacCardle 9 555
- effect in ritro on tumor cells Ormsbee and Comman 7 717
 - on growth of sarcoma 180 on chornoallantoic mem-

- brane of chick embryo Karnof ks Parisette, and Patterson
- piero- comparison of toxicity and pharmacological actions with podophyllotoxin Kelly Ligon Davison and Smith, 9 555
- effect on blood cells and other tissues of rats and mice Kelly, MacCardle and Smith 9 599
- , substances extracted from action on sarcoma S7 in mice Leiter Downing Hartwell and Shear, 9 597
- Podophyllotoxin, action on sarcoma S7 in mice Leiter Downing Hartwell and Shear 9 597
- comparison of toxicity and pharmacological actions with picropodophvllin Kelly Ligon Davi on and Smith 9 555 compounds related to, action on sarcoma 37 Leiter
- and Hartwell 9 625 , effect on blood cells and other thousand rate and mee Kelly, MacCardle and Smith, 9 599
- growth of sarcoma 180 on chorroallanto e membrane of chick embryo Karnofsky, Parisette and Patterson **8** 389
- toxicity and hematologic changes produced by Greenspan and Leiter, 9 626
- Polarographic studies on lipids of epidermis during normal and rapid growth Carruthers and Suntzeff 9 210 600
- Polarographically reducible substance in carcinogerest, further evidence for alteration in structure of Carruthers and Suntzeff 10 209 339
- Polycythemia associated with transplantable luteoma Gottschalk and Furth 9 594
- Polypeptide, tissue recombination with nucleic acid. Lewis Bloom and Smart 9 103
- Polyps See Endometrial
- Polysaccharide content of serum fractions in carcinoma arthritis and infections Shetlar Shetlar Richmond and I ve ctt **10** 681
- levels serum in rats bearing Walker carcinoma 256 Shetlar Erwin and Everett 10 445
- Serratia marcescene causing hemorrhage in moule sar coma nature of Hartwell Shear and Adams 3 122
- and tumor-necrotizing properties of Creech Hamilton Diller Nishimura and Shear 7 716 8 818
- culture filtrate valcular reaction of normal and neoplastic tissues to Algire 6 491
- evtological effects on tumors. Diller and Shear 6 488
- degenerative changes induced in tumor cells by Diller 7 605
- effect of antibody-containing fractions on lethal and tumor necrotizing actions of Creech Hamilton Nishimura and Hankwitz 8 330
- simultaneou, admini tration with adrenal cortex extract on mouse tumor cell and adrenal glands Diller 7 715
- nodinated effect on patients with malignant tumors Sack and Seligman 7 71,
- rectal temperature in rormal and tumor bearing mice. Beck and Fi her 6 and
- sarcoma S7 in i un cultire. Mc Connell Hallett and Shear 7 716
- plasma Berkowitz and Beek 9 10
- primary induced mou e tu ror Siene 1 1
- histochemical plan plata e reaction to
- comps 150 and \$7 after adminimation of Bearn and Bucker 7 725 III II I I prepared leading
- Creech Hankwitz, Nishimum and Wharton 9 150 1 250 - ___ injected alone and in com3 material nal cortical extract effect on adrenal glant of the ב דרישוֹ
- mice Diller Blanch and Beel 8 291 ______ intravascularess tipati apte _____ ated with intrasenous injection of You mer and I'm 9 557

6 198

pathology of human tumors following administration of Reimann, Holloman, Oakley, McConnell, and Shear, 6 489

rhage in mouse surcomus Hartwell Shear, Kahler, and Turner 1 711

Wharton, Hankwitz, Wharton, and Diller, 9 598

beef adrenal extract Beck, Diller, Blauch, and Fisher, 7-725

tumor-necrotizing, effect on apparent systolic blood pressure in mice Beck, Berkowitz, and Seltzer, 8-162

rabbits Beck and Fisher, 6-410

Shear, 7 714, —, large-scale preparation of Perrault and

man Leiter, Sweet, and Shear, 7 715

—— serum in malignance and other pathological conditions Shetlar, Foster, Kelly, Shetlar, Bryan, and Everett, 9 515 —— Shear, immunological relationships with Serratia marcescens culture filtrates Shwartzman, 4 191

tumor-necrotizing, Serratia marcescens cells as source of Perroult and Sheor, 9 626

Porphyrins, affinity of neoplastic, embryonic, and traumatized tissue for Figge and Weiland, 9 549

exerction by hardering glands in relation to actime carcinogenesis in hairless rats. Hueper and Figge, 5 328

—, extraction and identification from red-fluorescent exudates of female genitalia Tigge, Jones, and Wolfe, 4 483

—, fluorescent, in harderian glands, and susceptibility to spontaneous mammary carcinoma in mice Figge, Strong, Strong and Shanbrom, 2 335

—, metabolism in relation to susceptibility to carcinogens Figge 4 465

, possible association between cancer and, in mice Bittner

and Watson, 6 327, 498

Porphyrin-luminescence photosensitization theory of carcino-

genesis Figge, 6 498

Potassium arsenite, effect on growth of sarcoma 180 on choroallantoic membrane of chick embryo Karnofsky,

Parisette, and Patterson, 8 389

Turth, Saxton, and Reiner, 3 729

hirschbaum, 10 108

Content of carcinomas and papillomas of colon Dunham, Nichols, and Brunschwig, 6 233

Nichols, 6 230 Brunschwig, Dunham, and

Zeidman, 9 614 Coman, De Long, and

stomachs Dunham and Brunschwig, 6, 54

epidermal after single application of methylcholanthrene to mice Carruthers and Suntzeff, 3 744

----, isotopic constitution in animal tumors and muscle from tumor bearing animals. Lasnitzki and Brewer, 1 776

Lasutzki and Brewer, 2 494

—, lack of effect on mutual adhesiveness of epithelial cells Zeidman 7 386, 719

----, radioactive, uptake by embryonic and malignant cells in tissue culture. Cohn and Brucs, 3 135

Potential differences in skin of mice during carcinogenesis Burrows Roe, and Schober, 5 524

Precipitin reaction of hydrocarbon-protein conjugates Creech, Oginsky, and Cheever, 7 290

Pregnant mare serum See Blood serum, pregnant mare

Prenatal stimulation to neoplastic growth Smith and Rous, 9 544

Preneoplastic manifestations in mammalian thyroid glauds factors influencing Van Dyke 10 246

Presidential address, April, 1950 Aub, 10 899

Pressure, increased, effect on sarcoma 180 Arkin and Sugiura, 10 272

—, lowered atmospheric, effect on spontaneous or transplanted mouse tumors Rohdenburg, 1 810

Progesterone, antifibromatogenic activity compared to related artificial steroids Lipschutz Bruzzone and Fuenzalida 4 179

—, — effect produced by intermittent action of Iglesias Lipschütz and Nieto, 4 510

—, effect on benign mammary rat tumors Heiman 3 65—, —— development of mammary cancer in mice Burrows and Hoch-Ligeti, 6 608

mammary tumors induced in rats by acetyl aminofluorene Cantarow, Paschkis, and Stasney, 9 595, inactivation in guinea pig liver Dosne, 4 512

— production of carcinogenic agent in degradation of cholesterol to Bischoff and Rupp, 6 403

—, synthetic, antifibromatogenic action of Lipschutz and Grismali, 4 186

—— treatment of uterine and other abdominal fibroids induced in guinea pig by a-estradiol Lipschutz and Mans, 4 18

Progesterone-treated, estrogen-induced uterine and other abdominal fibroids, microscopic structure of Lipschultz and Schwarz, 4,24

Proliferation-stimulating factors, liberation from cells by injury Menkin, 1 548

Proliferation of rabbit marrow cells in ritro, effect of vanthopterin and related agents on Biesele and Berger, 10 686

Promoting phase in stages of carcinogenesis in mice, rats, rabbits, and guinea pigs Shubik, 10 13

Prostatic cancer, studies on I Huggins and Hodges, 1 293
————, urinary ketosteroid content in patients with MeHenry, Semmons, Pearse, and Meyer, 7 594

Goetsch, 7 723 sev steroid balance in Salter, Humm, and

—— carcinoma, metabolic effects of treatment of Aub, Tibbetts, and Nathanson, 7 723

patients with Schilling, Bellin, Gottesman, and Laszlo, 10 239

with skeletal metastases Dunning, Curtis, and Segaloff, 6 256

Protamine-nucleates, dissociation by aromatic diamidines Kopac, 6 491

Protease of plasma in human cancer Dillard and Chanutin, 9 665

Protein and metabolic studies in multiple my cloma Stern and Laszlo, 10 242

—, cancer tissue, specific precipitin antiserums for I, II, III Mann and Welker, 3 193, 196, 6 625

depletion, effect on host response to transplantable Walker curcinoma 256 Green, Benditt, and Humphreys, 10 769

 depletion-repletion, effect on choline deficiency-induced neoplasms Schaefer, Copeland, Salmon, and Hale 10 239, 786

----, dietary, failure to influence liver tumor production with 2-aminofluorene and 2-acety laminofluorene Harris, 7 88
------ diets, low and high, effect on nucleic acids and morphology

of rat liver cells Stowell, 9 548

—, effect of varying content in diet on tumor formation in

mouse Tannenbaum and Silverstone, 7 711
— in diet, effect of varying proportion of, on genesis and

growth of tumors Tannenbaum and Silverstone, 9 162

—, intracellular distribution in livers of rats fed 4-dimethyl

aminoazobenzene Price, Miller, and Miller, 9 563

—, liver, changes in, during administration of 4-dimethylaminoazobenzene Robertson and Kretchmer, 9 564

 metabolism, cross-connections with carbohydrate metabolism in rat liver tumor Zamecnik and Stephenson, 10 251 of normal and malignant tissues use of labeled amino acids in study of-renew Zamecnik, 10 659

phosphorus in normal, pregnancy stimulated, and cancerous mammary glands of inbred mice Albert, Johnson, and

Cohan, 10 201

, plasma, defective formation of, in gastric cancer patients Homburger, Potor, and Young 7 725

-, purified diets varying in content of, effect on 4-dimethyl aminoazobenzene carcinogenesis Harris, Krahl, and Clowes,

synthesis and degradation in rat liver, effect of liver regeneration on Bucher, Loftfield, and Frantz, 9 623

Protein-bound aminoazo dyes formed in livers of rats fed 4dimethylaminoazobenzene, further studies on Miller and Miller, 9 563

- in vivo from 4-dimethylaminoazobenzene and its C-monomethyl derivatives Miller, Miller, Sapp, and Weber, 9 336

 intracellular distribution in livers of rats fed 4-dimethylaminoazobenzene Price, Miller, and Miller 9 563

-, presence and significance in livers of rats fed 4-dimethylaminoazobenzene Miller and Miller 7 468

derivatives of 3,4-benzpyrene formation in skin of mice Miller, 10 232

Protein-chemical aspects of cancer Toennies, 7 193

Protein-hydrocarbon conjugates, chemical and immunological properties of Creech, Jones, and Cheever, 3 133

-, immunological studies of I Creech, Oginsky Cheever, Allen, and Tryon, 7 290, 297, 301

Protein-virus complex, basic, of chicken sarcoma I, isolation of virus from Shemin and Sproul, 2 514

Proteins, basic, of cell nucleus Bloom, Codgell, and Lewis,

, conjugated, spectrographic analysis of Jones and Creech, 3 133

-, cytoplasmic, partial physical and chemical characterization of Barry, 10 694

, relationship of nucleolus to, in different conditions

of growth of rat liver Stowell, 7 724 — in sera of myeloma patients physical chemical studies on Stern, Liszlo, and Krakauer, 9 614

interfacial denaturation of in presence of aromatic diamidines and nucleic acids Kopac, 7 714

hver, effect of azo dyes on Griffin, Nye, and Luck 9 563 of blood, effect of 4-dimethylaminoazobenzene on forma tion of Kline, 3 117

different malignant tissues, relationship to one another Mann and Welker, 6 625

liver of rats fed acetylaminofluorene precancerous changes in Griffin, Cook and Luck 9 617

plasma and plasma fractions in human cancer electrophoretic and chemical studies of Dillard, Pearsall and Chanutin 9 661

rhabdomyosarcoma and normal muscle of mice

I, II Miller, Green Kolb, and Miller 10 141 148

rt liver, turnover of C¹⁴ labeled alanine and glacine in Bucher and Frantz, 10 207

serum Sec Blood serum proteins

Proteolytic enzyme activity in 4-dimethylamino-zobenzene induced liver tumors Zameenik and Stephenson, 6 495

Proteose, changes in rat blood induced by transplantable and primary tumors Winzler and Burk 3 13)

isolation and characterization from human plasma Winzler Devor, and Mehl 6 496

Prothrombin activity in rats with hepatic and other tumors Lield Brumann and Link 4 768

mammary tumors Field 8 172 - concentration in plasma of normal and leukemic rats Sturm 4 35

Protoplasmic structures, visible isolation of Chambers 10 210

Protozoan infections, influence upon transplanted cancer Roskin, 6 363

Pseudomonas aeruginosa fraction damage produced in sarcoma 37 by Jacobs, 10 227

Pteridine analogs, effect on growth of transplantable tumors Greenberg Irish and Gal 10 221

Pteroyl- See Folic acid

Pulmonary See Lung

Purine analogs See also 8-Azaguanine 2 6-Diaminopurine -, effect on growth of transplantable tumors Greenberg Irish, and Gal, 10 221

metabolism in Tetrahymena and its relation to neoplastic tissue Kidder Dewey, Parks, and Woodside 9 610

Purines, antileukemic assays of Skipper Bennett Edwards Bryan Hutchison, Chapman and Bell 10 166

effect of nitrogen mustards on ultraviolet absorption spectrum of Chanutin and Gjessing 6 599

Pyridoxine content of mouse epidermis during methylcholanthrene carcinogenesis Tatum Ritchey Condry and Wicks 6 486

deficiency and epithelial hyperplasia of forestomich of rats and mice Sharpless 3 108

dietary, effect on carcinogenicity of 4-dimethylaminoazobenzene Miller Baumann and Rusch 5 713

-, effect on choline deficiency induced neoplasms. Schnefer

Copeland Salmon and Hale 10 239 786

- production of liver cancer with 4-dimethylaminoazobenzene Miner Miller, Baumann and Rusch 3 296

- tumor growth Kline Rusch Baumann and Lavik 3 825

- in human cancer tissue Ballantyne and McHenry 9 689 neutralization of tumor inhibitory effect of inositol by Keresztesv Laszlo and Leuchtenberger, 6 128

Pyrimidines, anti leukemic assays of Skipper Bennett Ed wards Bryan Hutchison, Chapman and Bell 10 166

, effect on growth of transplantable tumors Greenberg Irish, and Gal 10 221

Pyruvate metabolism by normal and leukemic white cells Abels Jones Craver and Rhoads 4 149

- in tumor homogenates Stoesz Heidelberger and LePage, 10 243

Pyruvic acid, measurements in normal and neoplastic rat tissue LePage 10 393

Quercetin, effect on growth of sarcoma 180 on chorioallantoic membrane of chick embryo Karnofsky Parisette and Pat terson 8 389

Quinine, fixation by neoplastic and non neoplastic ti ues Kelsev and Brunschwig 7 531

Quinones, preliminary screening for potency in producing damage in sarcoma 37 Shear Downing Hartwell Litter MacCardle Perrault and Vivian 9 62;

Radiation See al o Radionetive Radio ensitivity Radion Z-131

background influence on methylcholanthrene carci iogenesis in mice Franks and Meel 10 217 - careinogenesis in hairless rats relation of porplivir i excre

tion of harderian glands to Hueper and Pigge 5 25 changes in levels of organic phosphoru in bland of pa

tients with leukemin following Abels Kenter Crives Marinelli and Rhords 1 771

cosmic influence on cancer inductiva with methal belanthrene Figge 7 721
— death in mice Quartler 9 72

effects on normal and malignant it aminalism to the cett Goldfeder 8 583

- relation to induced rest tance to maligna * gmin !! III Goldfeder 5 59,

gamma production of abnormal parameters by Mitta 1 313

growth inhibition of beans by Quartler P er Stemant and Schertiger 9 733

- induction of mouse lymphod turning by Kap's 7 141

_____, inhibition of plant growth by V Quastler and Baer, 10 601

—, instantaneous dose of, pathological effect of Warren, 6 449

ionizing effects on transplanted lymphosarcoma Hollcroft Lorenz, and Hunstiger, 10 225

— of transplanted Bagg-Jacksen and Yale carcinomas in mice as affected by diet and foster nursing Plant, Tennant, and Oughterson, 2 546

, pile, carcinogenic effect of Henshaw, Rilev, and Stapleton, 7 48

—, repeated doses of, evtologic effects on mouse sarcoma 180 Fogg and Warren, 2 517

, response of analogous mouse mammary carcinomas grown in tissue culture to Goldfeder and Cameron, 8 465, 9 559

—, solar, relation to cancer mortality in North America Apperla, 1 191

—, stunting of plant seedlings by Quastler, 10 236

therapeutic, cytologic effects of Fogg and Warren, 1 649
 therapy of primary ovarian carcinoma Freed and Pendergrass, 8 361

—, ultraviolet, cutaneous neoplastic response elicited by, in hairless rats and their haired litter-mates. Hueper, 1 402

—, — effect of o-nminorzotoluene on carcinogenicity of Rusch and Kline, 3 128

Kusen, Kime, and Ballmann, 0 431

—, —, — on 3,4-benzpyrene I, II, III Allsopp and
Szigeti, 6 14, 22, 24

carcinogenic potency of hydrocarbons

Figelbreth-Holm and Iversen, 7 372

histologic types of cutaneous tumors induced in

mice by Grady, Blum, and Kirby-Smith, 3 128
—, interrupted doses, influence of rest on carcinogenic-

ity of Rusch and Kline, 6 486

duced by Hueper, 2 551

—, nonadditive effect in conjunction with other carcinogens Rusch, Kline and Baumann, 2 183

Bain and Rusch, 3 425

, , , effect of temperature on carcino-

genesis with Bain, Rusch, and Kline, 3 610

——, —— pathological features of tumors induced in mice by

Gridy, Blum, and Kirby-Smith, 1 736

, production of abnormal paramecia by Mottram,
1 313

Blum, 9 545

Smith and Grady, 1 742

Radiation-induced lymphoid tumors, comparative susceptibility of lymphoid tissues of strain C57BL mice to Kaplan, 9 545

---- in strun C57BL mice, effect of thymeetomy, splenectomy, and gonadectomy on Kaplan, 10 228

Radioactive arsenic Sec Arsenic

— Levstine See Levstine — glucose See Glucose

- iodinated trypin blue See Trypin blue

- 10dine See Iodine

--- iodotetrazolium See Iodotetrazolium

— methionine See Methionine oyazine dve See Oyazine dve

- phosphorus See Phosphorus

---- sodium iodide See Sodium iodide

--- compounds localization in tumors Mvers, 9 612 10 234 --- isotopes, use in localization of steroids in normal and can-

cerous tissues Albert, Cohen, Heard, and LeBlond, 7 709
——substances carcinogenic action of, in relation to industrial
cancer Brues Lisco and Finkel 7 48

Radioactivity, distribution following feeding of C14-labeled

2-neetylaminofluorene to rats Morris Weisburger, and Weisburger, 10 620

in tumor-bearing mice, following injection of iodinated radioactive trapan blue Stevens Lee Stewart Quinlin, and Gilson, 9 139

——— uniform in amino acids synthesized from C14O by Thiobacillus thiooxidans Trantz and Feigelman, 9 619

Radiosensitivity, differential, of haploid and diploid prepupae and pupae of Habrobracon Clark and Kelly, 10 348

of normal and malignant cells in culture, comparative studies on I, II, III Halberstaedter, Goldhaber, and Doljanski, 2 28, 4 106, 110

3 127 sarcoma 180 in tissue culture Chambers and Grand,

—— Walker carcinoma 256, effect of cysteine on Straube Patt, Smith, and Tyree, 10 243

—, relation to physiological and cytological characteristics of analogous mammary tumors Goldfeder, 10 219

Radiotherapy See Radiation

Radon seeds, failure to produce tumors in lymph nodes and in endocrine and salivary glands with Franseen, Aub, and Simpson, 1 489

———, production of bone fibrosarcomas with Transeen, Aub, and Simpson, 1 393

Regeneration, liver Sec Liver

- patterns after injury, and carcinogens Howes, 6 298

REIS See Reticuloendothelial immune serum

Renal See Kidney

Reptile tumors Schlumberger and Lucke, 8 657

Resistance, acquired, of ribbit to Brown-Pearce tumor, hereditary eosinophile levels in Casey and Drysdale, 7 728—, to transplantable sarcoma, influence of sev on

Gross, 1 880

——, induced, to malignant growth, in relation to radiation effects and cell viability III Goldfeder, 5 593

Sturm, 1 627 transplantable lymphatic leukemia in rats

barbital, p-dichlorobenzene, amyl acetate, and sovasol on Murphy and Sturm, 3 173

Woglom, 1 629 tumors, nonspecific nature of Eisen and

of host to implanted neoplasm, influence of hormones on Salter, Nathanson, and Wilson, 1 60

— phenomena related to tumor growth, participation of anterior chamber of rabbit eye in Greene, 2 669

— to malignant growth, cell viability as factor in inducing Goldfeder, 3 127

tumor growth, relation of stilbestrol and certain steroids to Howard, Janzen, and Salter, 4 337

Respiration of analogous mouse mammary tumors in ritro Goldfeder, 9 622

Furth, 2 411

on Grant and Krantz, 2 833

Hearon, Schade, Levy, and Burk, 7 713

of origin Dickens and Weil-Malherbe, 3 73

———— Yale carcinoma 1 Belkin and Stern, 3 164
Respiratory behavior of bacteria-free crown-gall tissues White,

— metabolism, comparative, of homologous normal benign, and malignant rabbit tissues Kidd, Winzler, and Burk 4 547

- of chicken tumors and leukoses Burk Sprince Kabat, and Furth 1 732
- 4-dimethylaminoazobenzene-induced liver tumors Burk, Behrens, and Sugiura, 1 733
- Gardner lymphosarcoma Summerson Gilder. and Lee 8 381
- transplantable embryoma of mouse Jackson and Brues, 1 494
- Reticuloendothelial activity in mice of inbred strains Stern 9 554
- · immune serum, effect of strong concentrations on growth of Walker rat sarcoma 319 in vitro Pomerat, 5 724
- Reticuloendothelioma in liver of mice pathology of Gorer. 6 470
- mouse, effect of rate of freezing on survival of Snell and Cloudman, 3 396
- -, organophilic tendencies of Cloudman, 6 503 -, splenic, mouse content of mast cells in Bali 9 553
- transplantable, mouse, used as physiological measure of host-tumor relationship Cloudman, 7 709

Reticulum-cell sarcoma See Sarcoma, reticulum-cell

Retinoblastoma, inheritance of, and eugenics Weller, 1 517

Review Chemical and physical characteristics of preparations containing milk agent virus Barnum and Huseby, 10 523 studies on transformation of mouse epidermis to

squamous-cell carcinoma Carruthers, 10 255 Do tumor proteins contain D amino acids? Miller, 10 65

Hodgkin's disease I, II Hoster Dratman, Craver, and Rolnick, 8 1, 49

Is cancer a communicable disease? Gross, 4 293

- Multiple primary tumors in dogs Mulligan, 4 505 Notes on current literature of cancer research Kennaway, 1 164, 667
- Nucleic acids in relation to tissue growth Davidson and Leslie, 10 587
- Protein-chemical aspects of cancer Toennies, 7 193 Recent experiments with frozen and dried tissue as evidence for virus etiology of tumors Hirschberg and Rusch, 10 335
- studies on corneal metabolism and growth Friedenwald, 10 461
- Thymonucleic acid in tumors Stowell, 5 283
- Treatment of malignant tumors by bacterial toxins as developed by Coley Nauts, Swift, and Coley, 6 205
 - Tumor-producing chemical substances Shabad, 5 405 Tumors of fishes, amphibians, and reptiles Schlumberger and Lucke, 8 657
- in invertebrates Scharrer and Lochhead 10 403 Use of labeled amino acids in study of protein metabolism of normal and malignant tissues Zamecnik 10 659

Rhabdomyoma in pine snakes Ball, 6 134

- Rhabdomyosarcoma, mouse, micromanipulation studies of physiological reactions of muscle elements in Grand, 6 504 , proteins of I, II Miller, Green, Kolb, and Miller 10 141, 148
- -, oxidative capacity of Mayer, 4 345
- , rat tumor 92, Institute of Cancer Research Columbia University New York Lewis 3 867
- transplantable, mouse, free amino acids in, as studied by paper chromatography Roberts and Frankel, 9 645_10 237 , transplanted in C3H mice effect of cortisone on Higgins
- Woods and Bennett, 10 203 - 108 mouse, transamination in Cohen and Hekhuis, 1 620
- Rhodanese activity and tumor metabolism Rosenthal, 9 546 - changes during early phases of liver regeneration in
- rat Rosenthal, Rogers and Tahl 10 287 and Pasteur effect Mendel, Rudney and Bowman 6 495
- Riboflavin deficiency and epithelial hyperplasia in forestomach of rats and mice Sharpless 3 108
- , diet deficient in effect on induction of tumors derived from nervous tissue with methylcholanthrene Russell 5 152
- effect on ability of rat livers to destroy 4-dimethylaminoazobenzene and related compounds in ritro Kensler 9 565

- -choline deficiency induced neoplasms. Schaefer Copeland Salmon and Hale 10 239 786
- liver changes produced in rats by 4-dimethylaminoazobenzene Antopol and Unna, 2 694
- methylcholanthrene carcinogeness of diets containing abundance of Strong and Figge 6 466
- ---- production of liver cancer with 4-dimethal aminoazobenzene Miner, Miller Baumann and Rusch 3 296
- -, hepatic and tumor formation in rats fed azo dies in
- various diets Griffin and Baumann 8 279 - in cancerous tissues Pollack Taylor Taylor and Williams 2 739
- increase in number and growth rate of spontaneou. mammary carcinomas in mice caused by Morris Lippincott and Robertson, 3 129
- intracellular distribution in livers of rats fed 4-dimethylaminoazobenzene Price Miller and Miller 9 563
- —, protection of rats against 4-dimethylaminoazobenzene-induced liver tumors by Miller Miner, Rusch and Bau mann, 1 699
- Kensler, 1 745
- purified diets varying in content of effect on 4-dimethyl aminoazobenzene carcinogenesis Harris Krahl and Clowes
- -, rats fed subprotective level of, effects of egg white and biotin on carcinogenicity of 4-dimethylaminoazobenzene in Kline Miller and Rusch, 5 641
- retention in liver affected by certain diets. Griffin and Baumann, 7 731
- effects of casein and methionine on Griffin Clayton and Baumann 9 82
- -, reversal of 4-monomethylaminoazobenzene inhibition of Lactobacullus cases by Miller, Kingslev and Miller 7 730
- Riboflavin-adenine dinucleotide, reactivating enzyme system responsible for reductive cleavage of 4-dimethylaminonzobenzene in rat liver homogenates Mueller and Miller 10 234

Ribonucleic acid See also Nucleic acids

- and heterochromatin in epidermal carcinogenesis Biesele, 4 737
- ----, chromosome size in normal rat organs in relation to Biesele 4 529
- Ribonucleoprotein-calcium complex, labile in region of liver cell cortex Rosenthal and Lansing 9 619
- Rice, polished diet influence on spontaneous mammars can cers in mice treated with yeast extract Lewisohn Leuchten berger Leuchtenberger Laszlo and Dische 2 818
- Rice-bran extract inhibition of experimental liver cancer in rats by Sugiura and Rhoads 1 S
- Rivanol, screening for tumor inhibitors activity. Hartwell Shear Johnson and Kornberg 6 489
- Roche test for cancer evaluation of Fishman Wayne and Homburger 9 681

Roentgen rays See Y rays

Rous sarcoma See also Sarcoma

- agent effects in ritro of x radiation on Bran Lorenz and Moloney 10 207

 autonomy of as measured by growth of turior in
- anterior chamber of guines pig eves Shrigles 5 59
- cells cultivated in citro-studies on T-II Dolpin ki and Tenenbrum 2 776 3 585
- chicken extochrome c in DuBois and Potter 2 200 respirators metabolism of Bush Spin ce
- Kabat and Furth 1 ~>> - succinic delivdrogenese and extect no exist
- dase in Schreider and Potter 3 353 Sproul and Jobling 1 729
- study of three new duck years to of Duran
- Reynals 7 99 transmis on to adult present of everal variants of Duran Revi als 7 103

-, transplantation into anterior chamber of mouse eye Shrigley, 7 727

virus in foreign species, studies on Duran-Reynals, 1 729

 , infection of turkeys and guinea fowls by, and accompanying variations of virus Duran-Revnals, 3 569 -, reciprocal infection of ducks and chickens with Duran-Reynals, 2 343

, recovery from tumor grown in guines pig eye Shrigley, 6 503

, variation following growth of tumor in anterior chamber of guinea pig eye Shriglev, Greene, and Duran-Reynals, 5 356

Salivary gland anlage tumors Halpert and Tool, 7 346 tumors Halpert, 6 504

-, experimental Franseen, Aub, and Simpson, 1 489

in rats fed with 2-acetylaminofluorene. Heiman and Meisel, 6 499, 617

Saponin, effect on tissue and cancer cells in vitro Butros, 8 221

Sarcoma See also Fibrosarcoma, Lymphosarcoma, Osteogenic sarcoma, Rhabdomy osarcoma, Rous sarcoma, Walker sarcoma 319

2 468

cells, changes in mitosis in, of mice treated with podophyllin and with colchicine derivatives MacCardle, 9 555

, cultured, rat, electron microscope studies of Porter and Thompson, 7 431

- induced in ritro, correlated decreases in glycolysis and inoculation take, upon prolonged subculture Burk, Carle, Hesselbach, Fischer, Shelton, and Schilling, 9 558

, mouse, permerbility and metabolism in tissue culture Cohn and Brues, 3 135

, rat, radiosensitivity of, in tissue culture II, III Doljanski, Goldhaber, and Halberstredter, 4 106, 110

, chicken, factors influencing stability of filtrable agent of

Gottschalk, 6 270

-, methylcholanthrene-induced, containing antigen related to that of leukosis sarcoma agent Gottschalk, 3 649 , dibenzanthracene-induced transplanted, mouse, use in chemotherapy investigations in cancer Woodhouse, 7 398

-, Earle, mouse, inhibiting action of penicillin and streptomy cin preparations on metabolism of Burk, Hesselbach, and **Fischer**, 7 712

-, experimental, of pigeons Murphy and Sturm, 6 11

-, fowl, in nonfiltrable phase, effect of x-rays on transmissibility of Miszurski, Pikovski, Goldhaber, and Doljanski, 5 422

-, induced by hydrocarbons, incidence of primary lung tumors in mice bearing Dunlap and Warren, 2 685

- in mice with extracts of human livers and human cincers Steiner, 2 425

-, mouse, transplantability of Furth, Boon, and Kaliss, 4 1

, intraperitoneal, produced with mouse ascitic fluid Herly, 6 131

— I 916, mouse in ritro effect of podophyllin on Ormsbee and Cornman 7 717

tumor immunity induced with lyophilized tissue of Snell Cloudman, and Woodworth, 8 429

liver, induction in rat with methylcholanthrene and benzpyrene Eisen, 6 421

, methylcholanthrene-induced, mouse, biotin content of Pollack Taylor, Woods, Thompson, and Williams, 2 748 - nicotinic acid content of Taylor, Pollack,

Hofer, and Williams, 2 744 -, pantothenic acid content of Taylor, Pollack,

Hofer, and Williams 2 752 ____, ____, riboflavin content of Pollack, Taylor, Taylor, and Williams 2 739

mouse, action of ovazine dves on Lewis, Goland, and Sloviter, 9 736

, effect of added phosphate on glutamine desamida tion by digests of Greenstein and Leuthardt, 9 548

on host hemoglobin level Taylor and Pollack,

-, in ritro generated strains, in ritro study of cells of Shelton and Earle, 6 502

-, nature of bacterial polysaccharide which causes hemorrhage in Hartwell, Shear, and Adams, 3 122

originating in C3H mouse, immunization of mice of same line against Gross, 3 326

, peritoneal, multiple, rat, from intraperitoneal injection of washed and ground Taenia larvae Dunning and Curtis 6 668

-, Perry, rat, effect of injection and ingestion of amino acids upon appearance, growth, and regression of Beard, 3 122 , Philadelphia I, rat, pre-excisional fixation of tissue in

treatment of Mohs and Guver, 1 49

-, phosphamidase content of Gomori, 9 609 production with light green SF Harris, 7 35 - wheat germ oil Harris, 7 26

- R39, effect of 8-rzaguanine on Sugium, Hitchings, Cavalieri, and Stock, 10 178

3-bis(β-chloroethyl)aminomethyl-4methoxy-methyl-5-hydroxy-6-methyl pyridine dihydrochloride, 2,4,6-tris(1-aziridyl)-s-triazine, and 8-azaguanine on Sugiura and Stock, 10 244

- cortisone and other steroids on Sugiura Stock, Dobriner, and Rhoads, 10 244

-, rat, effect of folic acid and folic acid antagonists on growth of Sugiura and Stock, 9 628

- transplantation on red and white cells in circulating blood and bone marrow Blumenthal, 1 196

- growth in fertile eggs Twombly and Meisel, 6 82

, transplantable, rat, mouse, and rabbit, biotin in West and Woglom, 2 324

, rat, electron microscopy of cells of Porter and Pickels 6 502

relationship to leukosis in chickens I, II Pikovski, Goldhaber, and Doljanski, 7 393, 10 1

, reticulum-cell, produced by methylcholanthrene adsorbed on activated carbon McDonald, 7 305

-, rat, transferred through 12 successive passages Jenney, 1 407

S39, effect of vitamin C on growth of Brunschwig, 3 550 , spindle-cell, methylcholanthrene-induced, influence on induced skin carcinoma Strong, 1 572

-, mouse, induced with herted cholesterol Beck, Kirby, and Peacock, 5 135

-, spontaneous, chicken, transplantability and presence of virus in, in relation to age of tumor-bearing animal Duran-Reynals, 6 529

-, rat, nucleolar vacuoles in fibroblasts from Lewis, 3 531

- T241, effect of 8-nanguanine on Sugiura, Hitchings, Cavalieri, and Stock, 10 178

- 3-bis(β-chloroethyl) aminomethyl-4methoxy-methyl-5-hydroxy-6-methyl pyridine dihydrochloride, 2,4,6-tris(1-aziridy1)-s-trinzine, and 8-aziguinine on Sugiura and Stock, 10 244

- cortisone and other steroids on Sugiura, Stock, Dobriner, and Rhoads, 10 244

virus of Russian encephalitis on Moore and Stock, 10 233

, free amino acids in, as studied by paper chromatography Roberts and Frankel, 9 615

-, transmissible, genetic resistance in fowls to Cole, 1 714 -, transplantable, growth rate of, in relation to latent period and host vascular reaction Algire and Legallais, 7 724

-, induced with 9,10-dimethyl-1,2-benzanthracene in Syrian hamster Crabb, 6 627

-, mouse, effect of climatic environment upon growth of Wallace and Mills, 1 742

-, rat, produced by inoculation of altered normal cells maintained in continuous culture Gey, 1 737

-, studies on morphology of peripheral blood of rats - properties of fraction of B prodigious which probearing Dunning and Reich, 3 266 duces hemorrhage in Hartwell, Shear Kahler and Turner -, vascular reaction to bacterial polysaccharide from Bacillus prodigiosus culture filtrate Algire 6 491 relative toxicity to normal and tumor-bearing mice -, virus induced, chicken Duran-Reynals and Shrigof certain aromatic trivalent arsenicals which induce hislev, 6 535 tological damage in Beck, Perrault, and Gillespie 9 626 - 1, importance of dosage in intradermal immunization spontaneous recovery from in castrated adult and against Gross, 3 770 sevually immature mice Gross 2 571 Sarcoma 37, absence of effect of lysed Trypanosoma cruzi summary of data in first screening of chemical preparations on Belkin, Tobie, Kahler, and Shear, 9 560 agents for potency in producing damage in Shear Hartwell Downing, MacCardle Leiter, Perrault, and Johnson 9 560 -, action of compounds related to podophy llotoxin and to a and β-peltatin on Leiter and Hartwell 9 625 transplantable, influence of hybridization upon susceptibility of mice to Andervont 1 739 - cells, degenerative changes induced in by Serratia marcescens polysaccharide Diller, 7 605 -, Trypanosoma cruzi in treatment of Hauschka content of radioactivity after injection of radioac-7 717 tive iodotetrazolium salt Seligman, Gofstein, and Ruten--, use in first screening and segregation of active from burg 9 366 mactive compounds Peters Hartwell, Dalton, and Shear -, cytological effects of S marcescens polysaccharide on Diller and Shear, 6 488 - of cancer chemotherapeutic -, damage produced by organic compounds in Dalton agents Hartwell and Shear 7 716 and Peters, 6 490 - further screening of active compounds Pseudomonas aeruginosa fraction Shear Armaghan, Dalton, and Hartwell 6 490 Jacobs, 10 227 39 heterologous transplantation of Greene and Murphy effect of adrenal cortical extract on growth of 5 269 Diller, Beck, and Blauch, 8 581 , serum esterases in rats bearing Moulton and Huggins 9 547 — low temperature on morphology and transplantability of Walsh, Greiff, and Blumenthal, 10 726 zymohevase in rats bearing Sibley and Lehninger 9 547 peltatins on cytochrome oxidase activity Sarcoma 180, artificially benign ovidative behavior of of Waravdekar and Leiter, 9 625 Salter, Craig and Bassett, 1 751, 869 sex on acquired resistance to Gross, cell viability as factor in inducing resistance to growth of Goldfeder 3 127 1 880 sımultaneous admınıstratıon of bacterial , changes in carbohy drate metabolism in mice bearpolysaccharide and adrenal cortex extract on cells of Diller 7 715 Abels, Kensler Young and Homburger 7 720 cytochemical studies of nucleoproteins in nuclei of on antibody levels in mice Wharton, 9 628 Leuchtenberger, 9 600 -, experimental study of effect of alloxan-diabetes on effect of 8-azaguanine on Gellhorn Engelman Carrie and Ham, 9 629 Shapiro Graff and Gillespie 10 170 free amino acid content as studied by paper chroma-- Sugiura Hitchinge, Cavalieri, tography Roberts, 9 621, 645 and Stock, 10 178 -, growth of, before and after vascularization Chu 3-bis(β-chloroethyl)aminomethyl-4methoxy methyl 5-hydroxy-6-methyl pyridine dihydrochlo-–, histochemical phosphatase reaction in, after adminride, 246-tris(1-aziridyl) s triazine, and 8-azaguanine on istration of bacterial polysaccharide Belkin and Bueker, Sugiura and Stock 10 244 **7** 725 - cortisone and other steroids on Sugiura histologic evaluation of capacity of chemical agents Stock Dobriner and Rhoads 10 244 to damage MacCardle and Downing 7 717 diet rich in egg white and avidin on implants, study of histogenesis of Chu and Macgrowth of Kensler Wadsworth Sugiura Rhoads Dittmer Cardle, 9 627 and du Vignerud 3 823 - in tissue culture, effect of two necrotizing agents on folic acid and folic acid antagonists on McConnell, Hallett, and Shear, 7 716 growth of Sugiura and Stock 9 628 on enzymatic activities of Waravdekar and Leiter 10 247 - increased pressure on Arkin and Sugium 10 272 -, isolation of fungi from Diller and Fisher, 10 595 – intravenous glycogen administration on rate of growth of Ball 2 823 -, mice bearing, histological changes in adrenal glands lowered atmospheric pressure on growth after injection of Serratia marcescens polysaccharide alone of Rohdenburg 1 310 and in combination with adrenal cortical extract Diller, metabolic products of fungi on viability Blauch, and Beck 8 591 and growth of Stock Sugiura and Rhoads 8 384 mouse, action of substances extracted from podo-- radioactive phosphorus on viability of phyllin on Leiter, Downing Hartwell and Shear, 9 597 Sugium 2 19 -, ---, catheptic activity of Maver and Dunn, 5 591 - reduced temperatures upon growth and -, effect of single injection of colchicine, colchimetabolic changes in riro of Goldfeder 1 220 terminal vitamin B avitamino is with cine derivatives and related compounds on Downing Hartwell, Leiter, and Shear, 9 598 attending low body temperature on growth characteristics of , inhibition by N-iodorcetyl amino acids and Bischoff and Long 1 217 iodoacetamide Friedman and Rutenburg, 9 599 619 - vitamin C on growth of Bru ischrig , sotopic constitution of potassium in Lasnit-3 550 zki and Brewer, 1 776 - antibody levels in mice Wharton 9 (28 - free amino acids in as studied by paper chromato- localization of radioactive compounds in Mvers 9 612 10 234 graphy Roberts and Frankel 9 645 growing in roller tube cultures effect of ritrogen -, transamination in Cohen and Hekhuis 1 620 mustards on Karnofsky Burchenal Ormsbee Comman and Rhoads 7 50 particulate fractions effect of hormones on suc-cinoxidase and glycolysis of Wight and Burk 9 609

, preliminary screening of 1,000 chemical agents for

potency in producing damage in Shear Downing Hartwell Letter MacCardle, Perrault, and Vivian, 9 625

growth on chorioallantoic membrane of chief em bryo effect of various agents on Karnof ky Parisette and Patterson 8 389

- heterologous growth with progression to death of hosts Patti and Moore 10 674

- transplantation of Greene and Murphy, 5 269 -, histochemical phosphatase reaction in, after administration of bacterial polysaccharide Belkin and Bucker, 7 725

 implanted, influence of hormones on host resistance to Salter, Nathanson, and Wilson, 1 60

. in ritro studies on effect of spleen, striated muscle, and kidney on growth of Jones 9 27

-, infected by viccinia virus, histological appearance

of Kritzler, Mulliken, and Turner, 9 74

-, inhibition by ethyleneimine derivatives and related compounds Buckley, Stock, Crossley, and Rhoads, 10 207 -, isolation of fungi from Diller and Fisher, 10 595 -, mouse, catheptic activity of Maver and Dunn,

-, evtologic effects of therapeutic radiation in Fogg and Warren, 1 649, 2 517

—, dehydrogenase studies in Riehl and Lenta,

, effect of inoculation of viruses of influenza herpes, and Russian Far East encephalitis on growth of Moore, 9 611

-, growing on chick chorioallantoic membrane, effect of nitrogen mustards on Karnofsky, Burchenal, Ormsbee, Cornman, and Rhoads, 7 50

-, lactic and malic dehydrogenase in Lenta and Richl, 9 17

, studies on inhibition of Stock, Sugiura, Moore, and Rhoads, 9 598

-, net resistance against growth of Salter and Schlegel, 5 589

, parasitization by vaccine virus and its effect on

tumor growth Turner and Mulliken, 7 774, 8 391 , radiosensitivity in tissue culture Chambers and

-, resistance of cells in tissue culture to growth-inhibiting action of amines Brues and Jackson, 1 557

-, stilbestrol and certain steroids in relation to resistance against growth of Howard, Janzen, and Salter, 4 337

, transplantable, distribution and growth potency of cells in Inhl and Drasher, 7 658

use in rapid test for tumor growth inhibitors Laszlo

and Leuchtenberger, 3 401 211, transplantable, mouse experiments with, in relation to factors affecting number of tumor metastases Zeidman, McCutcheon, and Coman, 10 357

 failure of hyaluronidase to increase invasiveness of Coman, 7 383

256, serum zymohevase in rats bearing Sibley and Lehninger, 9 547

Sarcoma-producing factor extractable from transplanted rat fibrosarcomas Aptekman, King and Lewis, 3 856

Sarcomatous transformation of stroma of mammary carcinomas that stimulated fibroblastic growth in ritro. Ludford and Barlow 5 257

Scars of skin in mice action of methylcholanthrene on Lacassagne and Latarjet, 6 183

Scharlach R, effect on induction of accessory limbs in salamanders Breedis 10 205

Schwannoma, demonstration of active carbonal groups in Seliginan and Ashbel 10 240

Screening, further, of active compounds against surcoma 37 Shear Armaghan Dalton and Hartwell 6 490

-- of chemical agents for capacity to damage tumors in ero Downing 8 385

- compounds against sarcoma 37 Shear Hartwell Downing MicCirdle Leiter Perriult, and Johnson, 9 560

chemotherapeutic agents symposium on Brues, 8 184

compounds against sarcoma 37 Peters Hartwell Dalton and Shear 6 190

population for actual and potential cancer. Schram 10 239

-, preliminary, of 1 000 chemical agents for potency in producing damage in sarcoma 37 Shear, Downing, Hartwell Leiter, MacCardle, Perrault, and Vivian, 9 625

Scrotum, social distribution of cancer of Kennaway and Kennana, 6 49

Sea urchin eggs, hypotonic cytolysis of, effect of x radiation on Grand and Chambers, 3 127

Sebaceous glands and experimental skin carcinogenesis in mice Simpson and Cramer, 3 515

-, role in epidermal carcinogenesis Suntzeff Carruthers and Cowdry, 7 439, 727 8 390

Sebum, human, as vehicle for methylcholanthrene Plaut and Sobel, 9 294

Selenium, liver tumors in rats following cirrhosis caused by Nelson, Fitzhugh, and Calvery, 3 230

Seminoma of testis, identity with germinoma of pineal Tried man, 7 363

Sensitization as first phase in epidermal carcinogenesis. Cramer and Simpson, 5 593

Serological flocculation reaction as indication of malignancy Penn 9 592

study of cytoplasmic fractions from spleens of normal and leukemic mice Dulaney, Goldsmith, Arnesen, and Buxton, 9 217

Serratia marcescens See Polysaccharide

Sertoli-cell tumors of testis, dog, estrogen production by Hug gins and Moulder, 5 510

Serum See Blood

Sesame oil, heated, possible carcinogenicity of Steiner, Steele and Koch, 3 100

Sex difference in conjunctive tumoral reactions of guinea pig toward natural and artificial estrogens Lipschütz, Vargas, and Palma, 1 575

-, effect on acquired resistance to transplantable sarcoma Gross, 1 880

iron assimilation in rat Kletzien, 1 736 - hormones See also Estrogen, Steroids, Testosterone

-, effect on carcinogenic action of 2-acetylaminofluorene Paschkis and Cantarow, 8 390

chromosome size in leukemic and normal lymphocytes of C58 mice Biesele and Gasic, 7 65

- development of dictory cirrhosis in rats

aminofluorene Cantarow, Paschkis, Stasney, and Rothenberg, 6 492, 610

- mammary tumors induced by 2-acetylaminofluorene Cantarow, Stasney, and Paschkis, 8 412 , excretion rates in high and low tumor strains of mice Aub, Karnofsky, and Towne, 1 737

-, secretion by tumors of adrenal cortex of mice Frantz and Kirschbaum, 9 257, 596

-, tumors in rats treated with Stasney, Pischkis, Cantarow, and Rothenberg, 7 356

patients Mellors, Escher, Adair, Farrow, Woodard, and Urban, 8 386, 9 552

organs, accessory, changes in, following appearance of adrenal cortical carcinoma in spaved female mice Woollev and Little, 5 203, 321

Shope papilloma See also Fibroma, Papilloma, Virus , benign, glycolytic and respiratory metabolism of Kidd, Winzler, and Burk 4 547

-, oxidative behavior of Salter, Craig, and Bassett, 1 751, 869

-, rabbit, biotin in West and Woglom, 2 324 -, chemical investigation of keratin and carcinomas deriving from Scherp and Syverton, 9 12

-, failure of hyaluronidase to increase invasiveness of Coman, McCutcheon, and Zeidman, 7 383

- virus, experiments with rabbit skin in citro treated with Coman, 6 602

-, failure of ultraviolet light and x-rays to increase carcinogenicity of Rusch, Kline and Baumann, 2 183

Sinusoidal dilatation occurring in livers of mice with transplanted testicular tumor Wolstenholme and Gardner 10 249

Skin See also Epidermal Sebaceous

- fats, photochemical formation of carcinogens from Snapp, Niederman, and Rothman, 10 73

fluorescence studies of carcinogens in II Simpson and Cramer, 5 449

, methylcholanthrene-treated and normal, calcium in

Lansing and Au, 7 726 -, mouse effect of repeated applications of minute quanti-

ties of mustard gas on Fell and Allsopp, 8 177 -, mast-cell reaction to some organic chemicals I, Π

Larsson and Sylven, 7 676, 680 -, ---, potential differences in, during carcinogenesis Bur-

rows, Roe, and Schober, 5 524 -, scars in action of methylcholanthrene on Lacas-

sagne and Latariet 6 183

pigmented precancerous and cancerous changes in Khanolkar 7 692

-, rabbit high carcinogenicity of 9 10-dimethyl-1,2-benzanthracene for Berenblum, 5 265

-, neoplastic induced in ritro with virus Coman 6 602

- reactivity, local rabbit, to Serratia marcescens Shwartzman 4 191

sensitization by carcinogenically inactive methylcholanthrene to subsequent carcinogenesis Simpson and Cramer

tunnel, for keeping substances in contact with skin Plaut and Kohn-Speyer 3 176

Smegma, horse fluorescent fraction of Sobel and Plaut 9 629

Smoking See also Tobacco

as etiologic factor in disease I Cancer Schrek Baker, Ballard, and Dolgoff, 10 49

- habits, and cancer of mouth and respiratory system Mills and Porter, 10 539

Snakes, pine, melanosarcoma and rhabdomyoma in Ball, 6 134

Sodium azide See Azide

-bicarbonate C14-labeled effect of single dose on pattern of deaths from spontaneous leukemia in Akm mice Skipper Bell and Chapman, 10 362

- cacody late, screening for tumor inhibitory activity Hartwell, Shear Johnson and Kornberg, 6 489

- chloride effect of injection of on in rico electrical resistance of rats Kahler and Buchanan, 9 556

 epidermal after single application of methylcholanthrene to mice Carruthers and Suntzeff 3 744

effect of methylcholanthrene on Suntzeff and Car-

ruthers, 3 431

- fluoride See Fluoride

iodide radioactive distribution of radioactive iodine in rats with and without Walker tumor 256 after injection of Stevens Stewart Quinlin and Meinken, 9 488

active iodine in mice with and without tumor 150911 Stevens Meinken Quinlin and Stewart 10 155

malonate See Malonate

Pentobarbital effect on induced resistance to transplanted

rat leukemia Murphy and Sturm 3 173

radioactive effects on mouse leukemin Frans 6 498 tuchlorocetate inhibition of takes of Flexner-Johling carcinoma in rits by Kline Wisley and Rusch 2 645

Sol-gel reactions action of intracytoplasmic physiological media on Kopae 10 229

Solvents, effect in methylcholanthrene epidermal carcinogenesis Stowell and Cramer 2 193

- on careinogenic action of chemical compounds Bridbury Bachmann and Lewisohn 1 685

fluorescence of certain carcinogens Miller and Baumann 3 223

for methylcholanthrene, comparison of methyl salicylate and benzene as Burdette and Strong 1 939

lipoid, effect of autoxidizability of on sarcogenesis by 3 4-benzpyrene Rusch Mueller and Kline, 5 563 on effectiveness of carcinogenic agents Strait,

Hrenoff, and DeOme 8 231 fluorescence of carcinogens Weil-

Malherbe, 4 102

tumor production by benzpyrene Dickens and Weil-Malherbe 2 560

-, ---, hydrogenation of, affecting 34-benzpyrene carcinogenesis Dickens and Weil-Malherbe 6 161

Sovasol, effect on induced resistance to transplanted rat leukemia Murphy and Sturm 3 173

Specific gravity of mouse blood and plasma, effect of tumornecrotizing polysaccharide of Serratia marcescens on Berkowitz and Beck 9 560

Spectroscopic study of biological extracts I, II Dobriner Lavin, and Rhoads 2 79, 95

Spectroscopy, microabsorption of cells studies with reflecting ultraviolet misroscope Viellors 10 232

Spleen, dried effect on production of liver tumors with 4dimethylaminoazobenzene Goldfeder 6 487

extract beef effect on dbrB mouse tumor cells as shown by growth of transplants and by cytological examination Macfarlane Schmock, and Nadeau 8 438

mitosis in small intestine of mouse Fardon Prince and Berning 8 531

- respiration of normal liver and dbrB adenocarcinoma during storage at 4°C Suter and McDevitt, 8 500

-, from lymphoma-bearing patients effects on lymphatic system of experimental animals. Storer and Lushbaugh 9 108

in ritro studies on effect of on sarcoma 180 and mammars carcinoma in mice Jones 9 27

of normal and leukemic mice antigenic properties of nu cles segregated from Arnesen Goldsmith and Dulanes

role in development of mouse leukemia McEndy Boon and Furth, 4 377

Splenectomy, effect on development of mammary tumors in mice containing the milk agent Benni on 9 543

- hepatic lesions produced by 2-acetylaminofluorene Stasnev Paschkis and Cantarow, 10 283 - incidence of radiation induced lymphoid tu

mors in strain C57BL mice Kaplan 10 228

Spreading factor in human carcinomas McCutcheon and Coman 7 379

Squamous-cell carcinoma See Carcinoma squamou -cell growths of skin solitary localized Willis 4 630

Stages of carcinogenesis See Carcinogenesia

Staphylococcus aureus extract effects on mouse carcinomas in citro and in ciro studies on Kelly and McDowell 8 495

Statistics See Human cance

Steroids See also Hormones Sex hormone

, artificial antifibromatogenic activity compared to pro gesterone Lip chutz Bruzzone and Fuenzalida 4 179 excretion in gastric cancer Dobriner Lieberman Abels Homburger Reifenstein and Rhoad 9 25

feeal excretion of in mice with and without mammars tumor milk agent Samuel Bittner and Samuels 7 722 histological alterations in mammary concers in potients

treated with Finerson Kennedy and Nathanson 9 1 1
— in induction of cancer Gardner 7

-relation to tumor growth re-istance. Howard Janze i and Salter 4 SS7

localization in normal and careeron the ues by use of ridioactive Lotope and hi tool emical methods. Albert Cohen Heard and LeBlond 7 ~0 .

lymphoid tumors in mice receiving Gardner Douglands

and Williams 4 75

—— prevention of estrogen induced fibromyoepithelioma of utricular bed in male guinea pigs by Lipschütz Yanine Schwarz Bruzzone Acuña and Silberman 5 515

relation of antifibromatogenic action to molecular structure and to various actions of these hormones Lipschütz Vera and Gonzales 2 204

----, urmary balance in prostatic disease Salter, Humm and Goetsch 7 723

Sterol, synthesis by tumor bearing rats. Norris and Troescher, 1 110

Stilbamidine, dissociation of protamine nucleates and destruction of tumor cells in tissue culture by Kopac 6 491

brune of chick embryo Karnofsky, Parisette, and Patterson, 8 389

----- screening for tumor-inhibitory activity. Hartwell, Shear, Johnson, and Kornberg, 6 589

Stilbenes, preliminary screening for potency in producing damage in sarcoma 37 Shear, Downing, Hartwell Leiter, Maccardle Perrault, and Vivian 9 625

—, slight carcinogenic activity of Dodds, Lawson, and Williams, 5 485

under investigation in cancer chemotherapy Hartwell and Shear, 7 716

Stilbestrol, diethyl-, effect of dietary pseudohypophysectomy on mammary gland and mammary tumor development in mice receiving Ball, Huseby, and Visscher, 6 493

Rockefeller Institute Leukemin strain Murphy and Sturm, 9 88

——, ——, succinoxidase and glycolysis of tumor particulate fractions. Wight and Burk, 9 609

Woolley and Little 6 491

—, , —, strain differences in response to and induction of mammary and bladder cancer Dunning, Curtis, and Seguloff 7 511

—, effect on advanced mammary cancer Nathanson, 6 484—, —— growth and persistence of transplanted testicular tumors. Gordner, 5 497

lar tumors Gardner, 5 497

— in relation to tumor growth resistance Howard, Janzen, and Salter, 4 337

——, metabolic effects of treatment of prostatic carcinoma by Aub, Tibbetts and Nathanson, 7 723

---- therapy, effects of, and metabolic studies in patients with carcinoma of prostate Schilling, Bellin, Gottesman, and Laszlo, 10 239

Stilbestrol-induced mammary cancer in rats, effect of added dietary tryptophan on Dunning Curtis, and Maun, 10 213, 319

hydrate on Dunning, Curtis, and Maun, 9 354, 608
tissue growth in chick genital tract, impairment of, by folic acid antagonists Hertz, 9 550

Stilbestrol-treated mice, ultraviolet absorption studies on interstitul-cell lipoid of testis in Tirminger, 10 216

Stomach cancer See Gastric cancer

Streptomycin preparations, inhibiting action on tumor metabolism Burk, Hesselbach, and Fischer, 7 712

Strontium, radioactive carcinogenic action of Brues, Lisco, and I inkel, 7 48

Submicroscopic particles of normal and leukemic mouse organs preparation and properties of Alfin-Slater, Larack, and Petermann, 9 215

Succinate, oxidative response of normal and neoplastic tissues to Rosenthal and Drabkin 4 487

Succinic acids, substituted use in chemotherapy of cancer Woodhouse 7 398

- dehy drogenase changes during growth and differentiation in tissues of newborn rat Potter Schneider, and Liebl, 5 21 - in cancer tissue Schneider and Potter, 3 353

ruthers and Suntzeff 6 456 7 9

---- inhibition by 4-dimethylaminoazobenzene derivatives Potter and DuBois 3 153

benzene Potter 2 688

Succinoxidase activity liver changes in during 4-dimethyl aminoazobenzene-induced liver tumor development. Hoch-Ligeti, 7-148

and intracellular composition of livers from rats fed aminoazo dives. Potter, Price. Miller, and Miller, 10, 28

—— effect of hormones on, in tumor particulate fractions Wight and Burk 9 609

of rat liver, effect of several aminoazo dves on Potter, Price Miller and Miller, 9 616

— studies of liver cells of mice fed carbon tetrachloride Kretchmer, Tsuboi, and Barnum 7 714

— system, deficiency in human cancer Roskelley, Horwitt, and Salter, 3 131

3 303 tumor extracts Albaum and Potter,

Sudan black, use in color reactions with malignant scrum Weiss, 10 247

Sugar See Carbohydrate

Sulfanilamide, production of tumors in experimental animals with Hacrem, 1 744

Sulfatase, new methods for histochemical demonstration of Seligman, Manheimer, Cohen, and Nachlas, 9 601 10 240

Sulfhydryl compounds, effect on growth of Walker rat carcinoma 256 Brunschwig, Arnold, and Idgcomb, 6 560

— content of serum, effect of methy lbis(β-chloroethyl)amine on Shacter and Shimkin, 10 240

Thompson, 6 494

- reduction of methylene blue Black, 7 592

Sulfhydryl-containing enzymes, inhibition by split products of 4-dimethylaminoazobenzene Potter, 2 688

Sulfonamides, effect on cancer susceptibility and reproduction in mice Figge, Wolfe, and Figge, 9 630

Saxton, and Reiner, 3 729

—, preliminary screening for potency in producing damage in sarcoma 37 Shear, Downing, Hartwell, Leiter, Mac-Cardle, Perrault, and Vivian, 9 625

—— under investigation in cancer chemotherapy Hartwell and Shear, 7 716

Sulfur metabolism, effects of aromatic hydrocarbons on Crabtree, 6 553

—, organic, dictary availability of, effect on reaction of mice to methylcholanthrene Mider and White, 1 784

Sun, relation to cancer mortality in North America Apperly, 1 191

Sunlight, as causal factor in cancer of the skin Blum, 5 592 Suramin, effect on mice with transplanted lymphosarcomas Williams, 6 314

----, screening for tumor-inhibitory activity Hartwell, Shear, Johnson, and Kornberg, 6 489

Surgery See also Chemosurgery

---, results of, in cancer of stomach Meyer, 1 736

Susceptibility See Genetic susceptibility, Inheritance

—, inherited, to mammary cancer in mice, genetics and linkage relationships of Bittner, 4 779

ment of mammary tumors in mice Warner, Reinhard, and Goltz, 5 584

---, ---- spontaneous mammary cancer in mice, observations on Bittner, 4 159

to cancer and multiple primary malignant tumors Warren and Ehrenreich, 4 554

 mammary cancer relation to growth rates of inbred strains of mice Howard 1 503

-tumor C198, mice, effect of parabiosis on Cloudman, 3 47

tumors induced in mice I, II Burdette and Strong, 3 13 318

Swordtail fish species, genetics and pathology of melanomas in hybrid offspring of two species of Gordon and Nigrelli,

, structural and functional characteristics of spontaneous thy roid tumors in Gorbman and Gordon 9 605

Sympathicoblastoma cultivated in ritro, characteristics of Murray and Stout, 6 501

Synthetic functions of tumors of liver and skin compared to those of tissue of origin Dickens and Weil-Malherbe, 3 73

Syphilis, influence in cancer of cervix uteri Harding, 2 59

Tactoid structures, action of mitotic poisons on Kopac, 9 555 Tadpoles See also Frogs

permanent and normal, growth and regression of frog kidnes carcinoma transplanted into tails of Briggs and Grant, 3 613

Taenia larvae, washed and ground, peritoneal rat sarcoma from intraperitoneal injection of Dunning and Curtis 6 668

Tar, coal, effect on induction of accessory limbs in salamanders Breedis 10 205

Temperature, effect upon ultraviolet carcinogenesis with wave lengths 2,800-3,400 Å Bain Rusch, and Kline, 3 610

environmental, and spontaneous tumors in mice Fuller, Brown, and Mills, 1 130

effect on genesis of skin cancers induced with methylcholanthrene and upon growth of transplantable sarcoma in mice Wallace and Mills, 1 742

- incidence and course of spontaneous tumors in C3H mice Wallace Wallace and Mills, 4 279 5 47 high rhythmic exposure to production of profound changes in bacteria by Spencer and Melrov 9 602

-, low, and drying, experiments with, as evidence for virus etiology of tumors-reciew Hirschberg and Rusch, 10 335 -, assay of mouse mammary carcinoma maintained at for mammary tumor milk agent Bittner and Imagawa 10 739

 behavior in tissue culture of tumor cells subjected to Sano and Smith 2 32

 body, caused by terminal vitamin B avitaminosis, influence on growth characteristics of sarcoma 180 Bischoff and Long 1 217

-, effects on methylcholanthrene fibrosarcomas in rats Hill, Rutledge, Ware Schultz and Livingston 3 841 , conditions required to produce prolonged state of mouse at Bischoff, 2 370

, effect on dbrB mouse tumor cells as shown by growth of transplants and by cytological examination Macfarlane, Schmock and Nadeau 8 438

 formation of spontaneous mammary carcinoma in mice Tannenbaum and Silverstone 6 499 9 403 growth and metabolic changes of sarcoma 180 grown in riro Goldfeder 1 220

morphology and transplantability of

sarcoma 37 Walsh Greiff, and Blumenthal, 10 726

plastic tissue Blumenthal Walsh and Greiff 10 205 or high, production of abnormal paramecia by exposure to Mottram 1 313

storage at effect on viability of several avian lymphoid tumor strains Burmester 10 708

studies on effect of Ariel Bishop Warren and Stendman, 3 448, 454 464 471

, technic for production in body of albino rats Hill, Ware and Schultz 3 839

, rate of lowering to freezing effect on survival of fourteen transplantable tumors of mice Snell and Cloudman 3 396

Teratoid tumors, extragenital and gonadal comparative mor phogenesis of Triedman 10 218

Teratoma, mouse, effect of rate of freezing on survival of Snell and Cloudman 3 396

, ovarian, bilateral in mouse Fawcett, 10 705

Teropterin See Folic acid

Testicular changes resembling early interstitial-cell tumors mouse, after long-continued injections of pregnant mare serum Pfeiffer and Hooker, 3 762

germinoma, identity with germinoma of pineal Friedman 7 363

tumors See also Interstitual-cell

-, dog estrogen production by Huggins and Moulder

 studies of I Huggins and Eichelberger 4 447 - in mice of several strains receiving triphenvlethylene Gardner 3 92

-, interstitial-cell dog spontaneous Hooker, Pfeiffer and DeVita 5 590

paper chromatography Roberts and Frankel 9 645 - transplanted sinusoidal dilatation occurring

in livers of mice with Wolstenholme and Gardner 10 249 -, Levdig cell, induced experimentally in rat Twombly Meisel, and Stout, 9 596

-, transplanted experimental alteration of Hooker Pfeiffer and Strong 7 723

cellular alteration and decreased growth in Hooker 10 225

, lipid-rich, in dog Huggins Rus-ell and Moulder 6 484

morphology and development in mice receiving estrogen Hooker and Pfeiffer 2 759

-, mouse effects of pregnant mare serum upon course of development of Pfeiffer and Hooker 3 124

- —, relation of ectopy of testis to Hamilton 1 974
- — spontaneous maturation and regression of Fried man 7 719

- mouse Gardner 3 757

- -- transplantable some influence of hormones on growth and persistence of Gardner 5 497 590

-, -- spontaneous in moule Hooker Strong and Pfeiffer 6 503

Testis-like tubules of ovaries of aged rats Engle 6 578

Testosterone See also Endocrine Hormones Sex hormones -, effect on benign mammary rat tumors Heiman 3 65 - concentration of vitamin 1 in blood of cancer patients Danish and Klopp 10 211

growth of deer antlers Aub and Willocki 6 501

- incidence of mouse leukemia Murphy 4 622 - pituitari adrenal cortex mechanism in pa tients with breast cancer Faloon Owens Broughton and Gorham 10 215 - x ray induced leukemia in mice Gardner

10 219 - incidence of mammary tumors and structure of mam

mary glands in mice treated with estrogen plu. Gardner propionate effect on adrenals and incidence of mammars

cancer in RIII mou e Heiman 4 31 - meidence of mammars career in mice

Heiman 5 426 - spontaneous primars liver

tumors in mice Schenken and Burns 3 695 - mouse mammary tumors. Iones 1 787

therapy effect on excretion of hormone in patients with metastatic mammary carcinoma Seguloff Coppedge Schlos er Horwitt, Gordon and Muri on 9 505 10 240

- metabolic findings in patients with mars mary carcinoma Laszlo Schulman Bellin Gotte-man and Schilling 10 250

Testosterone-induced comb growth effect of carei loge is o Paschkis and Cantarow 10 234

Tetrahymena, purine metabolism in relation to neoplastic ti sue Kidder Dewey Parks and Woodside 9 610

Tetrazolium salt, tissue respiration studies and tumor visualization with Black, Kleiner, and Speer 10 204

-, vielding blue pigment on reduction, use in demonstration of enzymes in normal and neoplastic tissues. Rutenburg, Gofstein and Seligman 9 601 10 113

Theclin, carcinogenic effect in mice Bischoff, Long Rupp, and Clarke 2 52

effect on incidence of mouse leukemin Murphy, 4 622 , failure to produce tumors in lymph nodes and in endocrine at d salivary glands with Franseen, Aub, and Simpson,

Therapy See also Chemotherapy, Hormones, Radiation, Surgery, etc

of cancer, use of betatron in Quastler, 6 483

experimental cancer with toxing Roskin, 6 363

Thermal coagulation See Heat congulation

Thiamine deficiency, relative, in cancer patients Roskelley, Schlegel, and Salter, 5 589

deprivation, effect on appearance growth rate, and course of Jensen rat sarcoma Jones, 2 697

, diet deficient in, effect on induction of tumors derived from nervous tissue with methylcholanthrene Russell, 5 152 -, thy roid supplemented by, effect of feeding on growth and glycolysis of Walker sarcoma 319 in rats Beck and Krantz,

— tolerance, parenteral, in cancer patients Roskellev, Schlegel, and Salter, 6 496

Thiazine dyes, in riro staining and growth inhibition of mouse tumors with Lewis and Goland, 7 718

, retardation of growth of transplantable carcinoma in mice fed Riley, 8 183

Thiobacillus thiooxidans, use in biosynthesis of amino acids uniformly labeled with C14 Frantz and Feigelman, 9 619

Thiosalicylic acid, effect on 4-dimethylaminoazobenzene carcinogenesis Harris and Clowes, 9 565

Thiouracil, effect on carcinogenic action of acetylamino-fluorene Paschkis, Cantaron, and Stasney, 7 781

carcinoma induced by 2-acety laminofluorene Paschkis, Cantarow, and Stasney, 8 257

4-dimethylaminoazobenzene carcinogenesis

Harris and Clowes, 9 565

- mammary tumor incidence and thyroid tissue growths in lungs of mice after prolonged ingestion of Morris, Dubnik, and Dalton, 6 492

, thyroidal and vascular changes in mice following chronic treatment with Gorbman, 7 746

Thiouracil-induced nodular hyperplasia of thyroid glands Laqueur, 9 247

Thiourea, mammary tumor incidence and thyroid tissue growths in lungs of mice after prolonged ingestion of Morris, Dubnik, and Dalton, 6 492

-, thyroidal and vascular changes in mice following chronic treatment with Gorbman, 6 492, 7 746

Thorium dioxide See Thorotrast

Thorotrast crystals, failure to produce tumors in lymph nodes and in endocrine and salivary glands with Franseen, Aub, and Simpson, 1 489

-, production of bone fibrosarcomas with Franseen, Aub, and Simpson, 1 393

, effect on normal and estrinized tumor-bearing rats Heiman, 2 25

, use in visualization of progress of liver injury and development of hepatoma during treatment with carbon tetra-chloride or azo dves in mice Wilson, Leduc, and Corner,

Thymectomy, effect on incidence, latent period and type of leukemin in high leukemin strains of mice Law and Miller,

- of ridiation-induced lymphoid tumors in strun C57BL mice Kaplan, 10 228

Thymidine reversal of aminopterin effect on Drosophila red no, ster Goldsmith and Harnly, 10 220

Thymonucleic acid See Desoxyribonucleic acid

Thymus, role in development of mouse leukemin McLinds Boon and Furth, 4 377

Thyroid activity, relation to liver tumor induction with 2acetylaminofluorene Leathem and Barken, 10 231

changes in mice following chronic treatment with goitro gens and carcinogens Gorbman 7 746

function, role in ovarian tumor formation in intrasplenic ovarian grafts Miller and Gardner, 10 233

glands, active role in hypothermic states in rabbit Ariel

and Warren, 3 454 -, changes induced by prolonged feeding of thiourea

Gorbman, 6 492

-, mammalian, factors influencing prencoplastic mani festations in van Dyke, 10 246

nodular hyperplasm induced by thiouracil in Laqueur, 9 247

growth center, question of van Dyke, 9 631

- hormone, influence on formation of induced skin tumors in mice Silverstone and Tannenbrum, 9 684

— supplemented by vitamin Bi, effect of feeding on growth and glycolysis of Walker sarcoma 319 in rats Beek and Krantz, 1 188

tumors, benign and malignant, collection of radioactive iodine by Rawson, Skanse, Fluharty, and Marinelli, 8 382 -, spontaneous, in swordtail fish species, structural and functional characteristics of Gorbman and Gordon, 9 605

Thyroxin, effect on Walker carcinoma 256 Herbut, Kraemer. and Jacksen, 10 224

, labeled with radioactive iodine, distribution in C3H and C57 mice Gross and Schwartz, 10 222

Tissue constituents See Biochemical constituents

- culture, agent of fowl leukosis in Doljanski and Pikovski, 2 626

-, behavior of tumor cells subjected to reduced temperatures in Sano and Smith, 2 32

-, cell types of fish melanotic tumors compared with mammalian melanomas in Grand, Gordon, and Cameron, 1 660

, characteristics of sympathicoblastoma in Murray and Stout, 6 501

comparative studies on radiosensitivity of normal and malignant cells in I, II, III Halberstaedter, Goldhaber, and Doljanski, 2 28, 4 106, 110

, continuous, retardation of growth and metabolism of normal and malignant cells in Hanks, Gey, and Barrett, 7 728

transplantable rat sarcoma produced by inoculation of altered normal cells maintained in Gev. 1 737 -, cultural and cytological characteristics of human tumors in Royle, 6 225
—, effect of N,N-dimethyl-p-phenylenediamine in, on

rat liver tumors induced by 1-dimethylaminoazobenzene Cameron, Kopac, and Chambers, 3 281

n I, II Ludford and Barlow, 4 691 5 257

- split products of 4-dimethylaminoazobenzene on liver tumors in Kopac, Cameron, and Chambers, 3 290

- N,N,N',N'-tetramethy l-o-pheny lenedi amine and other compounds on malignant lymph nodes in

Chambers, Cameron, and Kopac, 3 203 McConnell, Hallett, and Shear, 7 716

, electron microscope study of chicken tumor cells

in Claude, Porter, and Pickels, 7 121

experiments on action of mustard gas on living cells

Fell and Allsopp, 8 145

biological action of methylbis(β-chlorobiological products | Tell and Allsopp,

, further observations on conversion of normal into malignant cells in Gev and Gey, 7 729

-, growth of Walker rat sarcoma 319 in, effect of strong concentrations of reticuloendothelial immune serum on Pomerat, 5 721

Subject Index -, human lymph nodes of Hodgkin's disease grown in of Brown-Pearce tumor, as occation of blood cell factors Grand and Cameron, 3 133 with Casev, Pearce and Rosahn 2 284 - neoplasms in I, II Coman, 2 618, 3 526 induced fowl tumors further investigation on -, increased activity of Hodgkin's disease factor by Murphy and Sturm 1 609 serial transplants in Grand and Cameron, 6 502 mammary cancer associated with source of milk -, induction of neoplasia with virus in Coman, 6 602 agent Bittner 7 741 — , morphological features of rat sarcoma cells in Porter and Thompson, 7 431 normal and neoplastic tissue effect of low temperatures on Blumenthal, Walsh and Greiff 10 205 -, nucleolar vacuoles in normal and malignant fibro-- sarcoma 37 effect of low temperatures on Walh blasts grown in Lewis, 3 531 Greiff, and Blumenthal 10 726 of blood cells bone marrow, and my ocardium from - spontaneous sarcomas and fibromas of chiclens in leukotic fowls Doljanski and Pikovski 1 205 relation to age of tumor-bearing animal Duran Revnals - cancer tissue, use of perforated cellophane as 6 529 solid substrate for heterologous clot in Evans, Earle, Duchesne Edward, Wilson Likely, and Schilling 9 558 Transplantation See also Anterior chamber of eve -human and animal tumors effect of heptylaldeand separation of components from mixed rat mammary hyde bisulfite and of 2,4 6-trimethylpyridine on Cameron, tumor Dunning Curtis and Maun, 5 644 Kensler, and Chambers, 4 495 , changes in two inbred strains of lung tumors in mice various tumors effect of nitrogen mustards on occurring in course of Breedis Robertson, Olenkop and harnofsky, Burchenal, Ormsbee, Cornman, and Rhoads Furth, 2 116 7 50 experiments genetic character of neoplastic cells as deter--, permeability and metabolism of embryonic and mined in Furth, Boon, and Kaliss 4 1 malignant cells in Cohn and Brues, 3 135 use of mouse eve in Greene 7 491 -, phosphate metabolism of normal and tumor tissues heterologous, aid to diagnosis and classification of human in Brues and Cohn, 1 734 tumors Greene, 6 502 -, place in cancer chemotherapy screening program ocular, as practical test for cancer Schilling Snell Ormsbee and Cornman, 8 384 and Favata 9 592 procedures, recently developed, applicable to study -, ---, of Brown-Pearce tumor Greene 9 728 of nutrition of normal and malignant cells Earle Sanford, - cancer of childhood Eichwald 8 273 Evans, Schilling, and Likely, 9 593 –, ––– embryonic mammalian tissues. Greene 3 809 -, -- human cancers Greene and Lund, 4 352 , radiosensitivity of sarcoma 180 in Chambers and —, — fibrosarcoma Greene 2 649
—, — pseudomyvoma peritonei int Grand, 3 127 - pseudomyxoma peritonei into mice and - of rhabdomy osarcoma rat tumor 92 Lewis, 3 867 rats Zondek Mandl, Sulman Brezezinski and Tietz 3 198 roller tube, observations on Brown-Pearce car-- mouse and rat tumors Greene and Murphy cinoma in Favorite and Cheever 1 136 5 269 Rous sarcoma cells in I II Doljanski and Tenebaum 2 776 3 585 - — tumors induced in ritro Greene 6 396 — tumors by intravenous inoculation of chick - studies of cells of seven in ritro generated strains of C3H mouse sarcomas Shelton and Earle 6 502 embryo Bender, Friedgood and Lee 9 61 557 - with 2 6-diaminopurine and related substances homoio-, of spontaneous tumors into mice bearing spon Biesele Berger and Hitchings 10 204 taneous tumors Blumenthal 2 56 , homologous intra-ocular characteristics of growth of elements in origin of neoplasms Nettleship, 7 721 adenomatous lesions of rat hypophysis following Saxton and Tissues See Adrenal, Anterior chamber Bladder Blood, Brain, Cell, Cervical, Chromosome, Colon, Corneal Cyto-plasmic Ear Embryonic, Eosinophil Epidermal Epithelial Erythrocytes, Eye, Gastric Genital, Gonad, Hair Har-Graham 4 168 - into tails of permanent and normal tadpoles, growth and regression of frog kidney carcinoma after Briggs and Grant derian glands, Human Hypophysis Hypothalamus Intes--, intra-ocular, of heterologous tissues Morris, McDonald tine kidnev Leukovtes Liver, Lung Lymph, Mammary, Mitochondria Muscle Myocardium, Nervous system Nu-clei, Nucleoli, Oral, Organs, Ovarian, Pancreas, Parathyroid, and Mann 10 36 -malignant lymphomas of mouse dog and man in heterologous species Lushbaugh and Steiner, 9 299 Parotid Pineal, Pituitari, Placenta, Prostatic, Salvary Scrotum Sebaceous Skin Spleen, Testicular Thymus, -, intrasplenic, of ovaries effect on ovarian tumor produc tion in mice Li and Gardner 7 549 Thyroid, Tracheal Urine, Uterine, Utricular, Vaginal intratracheal with Brown Pearce carcinoma Bronk and different mouse, sensitivity to 9 10-dimethyl-1 2-benz-Appel 9 228 anthracene Engelbreth-Holm and Rask-Nielsen 7 129 of adrenal cortical carcinoma Woollev and Little 6 712 Tobacco, excessive use in many patients with oral and tongue avian tumors into anterior chamber of guinea pig eve Shriglev, Greene and Duran Revnals 7 15 lesions Abels Rekers Martin and Rhoads 2 381 embryonal nephromas in rabbit Greene 3 434 mosaic virus tactoids action of mitotic poisons on Kopac, 9 555 kidney carcinoma from adult frogs to tadpoles smoke, effects of breathing on mice Lorenz, Stewart Briggs, 2 309 - leukemia arising in hybrid mice Kirschbaum and Daniel, and Nelson, 3 123 turs production of tumors by Flory, 1 262 Strong 1 785 - mouse neuroblastoma C1300 to homologous lio-ts Tongue carcinomas in monkeys Steiner, Kluver and Brun-Eichwald Evans and Browning 10 483 schwig 2 704 plant tumors of genetic origin White 4 791 Toxin, bacterial, Coley streatment reviewed in light of modern rat and mouse tumors effects on red and white cells in circulating blood and bone marrow Blumenthal 1 196 research Nauts Swift and Coley, 6 205 therapy of experimental cancer Roskin, 6 363 - Rous sarcoma into anterior clamber of mouse eve

tumors fetal tissues and regenerating liver Cohen and Hekhuis 1 620 Transplantability and secondary effects of induced granulosacell tumors and luteoma in mice Furth 6 503

Tracheal tumors in mice after high doses of radioactive iodine

Transamination in liver from rats fed 4-dimethylaminoazo-

benzene Cohen, Hekhuis and Sober 2 405

Gorbman, 9 596

deLong and Coman 10 513 ovarian mammary tumor incidence i i eastrate a door

spontaneous primary liver tumors in C3H mice

tumors continued serial in volk sac effect on em

relative susceptibility of various organs to

Shriglev 7 727

Burns and Schenken 5 387

bryo of Taylor and Carmichael 9 498

- eastrate male mice following Husebs Smith and Bittner 6 3%
- serial in tissue culture increased activity of Hodgkin's di case factor after Grand and Cameron 6 502
- ——, intra-ocular of frog carcinoma for 14 generations Schlumberger and I ucke 9 52
- tissue, as means for testing materials for carcinogenic action Smith 9 592 712
- —— to interior chamber of guinea pig eves as measure of autonomy of Rous sarcoma Shrigley, 5 593
- Transplants, mouse-grown of egg-cultivated mouse mammars carcinoma, stromal malignance in Taylor and Carmichael, 7.78
- _____, normal and neoplastic, vascular reaction of mouse to Algire and Chalkley, 5 387
- ovarian, intrisplenic and intripancientic tumorigenesis in influenced by age of host and ovaries. Li and Gardner, 10 162
- 7, 5, ..., in castrated mice, tumors in I and Gardner,
- —, tumor, in check pouch of hamster, growth rate of Lutz, Fulton, Patt, and Handler, 10 231
- tumor agent in Hummel and Little, 9 137
- Trauma, mechanical attempts to localize tumor metastases in long bones by Saphir, Appel, and Levinthal, 5 722
- , role in epidermal carcinogenesis Cramer and Simpson, 5 793
- ----, single, role in epidermal carcinogenesis Simpson, 7 726 Treatment See Therapy
- Tributyrin diets, production of gastric lesions in rats by Salmon and Copeland, 9 545
- Tricaprylin solutions of cholesterol and phospholipids, effect on 3,4 benzpyrene carcinogenesis Weil-Malherbe and Dickens, 6 171
- —, with and without cholesterol, influence of use as solvent upon effectiveness of carcinogenic agents. Strut, Hrenoff, and DeOme, 8 231
- Trichoma tumor of hair analge Wallace and Halpert, 10 246
 Tricthyleneimino-s-triazine See Ethyleneimine derivatives
- 2,4,6-Trimethylpyridine, action on tissue cultures of human
- and animal tumors Cameron, Kensler, and Chambers, 4 495 Triphenylethylene, distribution in mamma and in mammary cancer induced by it Perry, Strut, and McCawley, 3 378
- ---, spectrochemical study of assay in tissues of animals treated with it Strait, McCawley, and Perry, 3 370
- —, testicular tumors in mice of several strains receiving Gurdner, 3 92
- Triphenylmethane dyes, retardation of growth of transplantable carcinoma in mice fed Riley, 8 183
- Triphenyl tetrazolium chloride See Tetrazolium salt
- 2,4,6-Tris(1-aziridyl)-s-triazine, effect on carcinoma, sarcoma, osteogenic sarcoma, lymphosarcoma, and melanoma in animals Sugiura and Stock, 10 214
- Triterpenoids of sebum producing organs, possible role in carcinogenesis Sobel and Plaut, 9 629
- Trypan blue, effect of prolonged administration on immunity of rabbits to Brown-Pearce carcinoma Saphir and Appel, 3 767
- in tumor bearing mice after injection of Stevens, Lee, Stewart, Quinlin, and Gilson, 9 139
- Trypanosoma cruzi in treatment of mouse tumors Hauschka, 7 717
- Belkin Tobie, Kahler and Shear, 9 760
- Tryptophan, added and diet effect on occurrence of 2-acctvl-ammofluorene-induced liver and bladder cancer in rats Dunning Curtis and Maun 10 213, 454
 - mant its cancer in rats. Dunning, Curtis, and Maun, 10 21: 319

- Tryptophan-acid reaction, application to serum of milignanes Riegel and Beatts, 10 495
- Tubercle bacilli extracts, effect on induced tumors of rat Djanian, Shanklin, and Butros, 9 520
- Tumor activity, enzyme inhibitors of serum in relation to West 10 248
- cells chicken, electron microscope study of Claude Porter, and Pickels, 7 121
- ——, effect of virus of Γastern equine encephalomychitis on Gev and Bang 10 219
- formation, dependence on composition of restricted diet as well as on degree of restriction Tannenbaum, 5 590, 616 degree of caloric restriction Tannen
- brum, 5 590, 609
 ——genesis and growth II, III, IV Transenbrum and Silver-
- stone, 2 460, 468 9 162

 homoiotransplants, growth enhancement in mice following injections of homogenates and ultrafiltration sediments of mouse tissues. Kaliss, Jonas, and Avnet, 10 228
- —— inciter See Milk agent —— inhibitor studies I Kline Wasley, and Rusch, 2 645
- lipoid antigen, clinical evaluation of Hall, Penn, Dowdy, and Bellamy, 10 223
- —— lipoids, as antigens Penn, 10 235
- I Hoster, McBee, Rolnick, van Winkle, and Hoster, 10 530
- —— metabolism and rhodanese activity Rosenthal, 9 546 —— mitrogen, potential sources of Sherman, Morton, and Mider, 10 374
- production by injection of fractions of mamimulian tumors Stasney, Cantarow, and Paschkis, 10 775
- —— proteins, p-amino acid content of—review Miller, 10 65 tissue, affinity for porphyrins and metalloporphyrins Figge and Weiland, 9 549
- fluoroncetate Potter and Busch, 10 353
- factors affecting rate of annerobic gly colysis LePage, 10 77 —, fungi associated with Diller, 10 212
- ———, further report on yolk sac cultivation of Taylor, Carmichael, and Norris, 8 264
- red, ethyl violet, and Janus green Taylor and Galinsky, 9 622
- transplantation across strain barriers, significance of the anterior chamber in Eichwald, 10 214, 483
- Tumor-bearing rats, catalase studies in Appleman, Skavinski, and Stein, 10 498
- ----, liver catalase of Dounce and Shanewise, 10 103
- Tumor-damaging compounds, in riro effects on enzymatic activities of sarcoma 37 Waravdek ir and Leiter, 10 247
- Tumor-inhibiting agent produced by Aspergillus fumigatus Reilly and Stock, 10 236
- agents, physiological studies on II Beck and I ischer,
 6 410
- Tumorigenesis and nuclear differentiation Schultz, 7 41
 —— in intrasplenic and intrapancreatic ovarian grafts, influence of age of host and ovaries on Li and Gardner, 10 162
- Tumors See Adamantinoma, Adenocarcinoma, Adenoma, Adrenal, Amphibian, Anlage, Bagg-Jacksen, Bladder, Bonc, Brain, Brown-Pearce, Cancer, Carcinoma, Cervical, Chloro leukemia, Chondrosarcoma, Chorioepithelioma, Colon, Craniopharyngioma, Crown gall, Drosophila, Far, Embryoma, I pendymoblastoma, Epidermal, Lpithelial, Frythromelanoma, Eye, Tibroadenoma, Fibroma, I ibromyoepithelioma, I ibrosarcoma, Fish, Flexner-Johling, I owl, Frog, Gastrie, Germinoma, Globlastoma, Goldfish, Granulosa, Guinea pig, Hamster, Harding-Passey, Hemangioblastoma, Hodgkin s, Human, Hystioeytoma, Interstitual cell, Invertebrates, Jensen, Kidney, Leiomyoma, Leukemia, Liver, Lung, I uteoma, Lymph, I ymphoblastoma, Lymphoid,

Lymphoma, Lymphosarcoma, Malignant Mammary, Melanoma, Mesenchymal, Mesothelioma, Methylcholanthrene-induced Monkeys, Mussel, Myeloma, Neoplasm Nephroblastoma, Nephroma, Neuro-, Oral Osteogenic, Ovarian Papilloma Parathyroid, Parotid, Penis, Pheochromocytoma, Pineal, Pituitary, Plant Prostatic, Reptile Reticuloendothelioma Retinoblastoma, Rhabdomyoma, Rhabdomyosarcoma, Rous, Salivary, Sarcoma, Schwannoma Scrotum, Seminoma Sertoli, Shope Skin, Sympathicoblastoma, Teratoma, Testicular, Thyroid, Tracheal, Trichoma, Uterine Vaginal, Walker Watts Yale

— animal codehydrogenase I content of Schlenk 6 495 — in intrasplenic ovarian transplants in castrated mice Li and Gardner, 7 38

_____ invertebrates—review Scharrer and Lochhead,

— rats treated with pituitary growth hormone I II, III Moon Simpson, Li and Evans 10 297, 364, 549

----- induced by intramuscular moculation of cell-containing leukotic material, histogenesis of Pikovski and Doljanski 10 1

induction with acetylaminofluorene in five strains of rats
 Dunning, Curtis, and Madsen 7 134

— local and pulmonary adenomas methylcholanthreneinduced, possible linkage in noninbred mice Jaffe, 7 117

— malignant, in rats, produced with radioactive phosphorus Koletsky Bonte, and Friedell, 10 129

—, mammalian, fractions producing tumors when injected Stasney, Cantarow and Paschkis 10 775

, —, growth in fertile eggs Twombly and Meisel 6 82 —, mouse explanted to chornoallantoic membrane of chick embry o growth and histology of Karnofsky Patterson, and Ridgway 10 228

———, in riro staining of Lewis and Goland 7 718
——— of forestomach in mice treated with single subcutaneous injection of methylcholanthrene histopathologic and genetic study of Bagshaw and Strong 9 603

- spontaneous and transplanted mouse cultivation in solk

sacs Taylor, Hungate, and Taylor 3 537

In hybrids between two inbred lines of rats roles of longevity and genetic specificity in occurrence of Dunning and Curtis, 6 61

perature, on incidence and course of Wallace, Wallace and Mills 5 47

-, - malignant rat transplantation and separation of components of Dunning Curtis and Maun, 5 644

transplanted, blood pressure measurements in unanesthetized mice bearing Algire 9 623

Algire 9 616

growth affected by metabolite analogs Greenberg Irish, and Gal, 10 221

——, organophilic tendencies of Cloudman 7 585

Turkeys, infection by Rous sarcoma virus Duran Reynals
3 569

Tyrosinase activity in ritro influence of normal and cancer blood on Mary, 9 114

Ulcero-papillomas See Gastric

Potter 2 CSS

Ultraviolet radiation See Radiation

Underfeeding See Caloric restriction

Uracil, effect of nitrogen mustards on ultraviolet absorption spectrum of Chanutin and Gjessing 6 599

Uranium See Radioactive substances

Urea derivatives, mechanism of action on normal and tumor tissues Grant and Krantz 2 833

— in epidermal carcinogenesis. Roberts and Frinkel 9-735

— in epidermal carcinogenesis. Roberts and Frinkel 9-735

— synthesis in tumors of hyer and skin compared to that in tissue of origin. Dickens, and Weil Malherba, 3-73

Urease, inhibition by irradiated benzipyrene Mueller and

Rusch 3 113 split products of 1 dimethylamine ir bearene

Urethan, carcinogenic action on rats Jaffe 7 107

derivatives induction of lung tumors in mice by Larsen and Heston 5 592 6 500 7 726 10 230

early changes in lungs of rats treated with Rosin 9 583
effect on growth of sarcoma 180 on chorioallantoic membrane of chick embryo Karnofsky Parizette and Patterson 8 389

Chapman, 9 158

Kırschbaum 10 108

baugh 9 199 Walker rat carcinoma 256 Green and Linh-

--- Instopathologic study of mode of inhibition of cellular proliferation by Green and Lushbaugh, 9 199

unhibiting effect on development of lymphatic leularing

inhibiting effect on development of lymphatic leukemia in rats. Murphy and Sturm 7 417

response of mice to simultaneous application together with methylcholanthrene Jaffe 7 529

-, — mouse myelogenous leukemia to Kirschbaum and Lu 7 720

Bass and Feigelson, 8 503

Urethan-induced pulmonary tumors cytogenesis of Mostofi and Larsen, 9 544

Uricase, in livers and in isolated liver cell nuclei of rats bearing transplanted tumors. Lan. 4, 37

two transplanted rat tumors and in isolated nuclei of tumor cells Lan 4 42

Urine, human abortifacient substance in Ross and Dorfman 1 158

---, fluorescence of correlation with benign and malignant growth Rabinowitz 9 672

---- of cancer patients failure to find carcinogens in Bowman and Mottshaw, 1 808

Uterine cervical carcinomas in estrogen- and androgen treated hybrid mice Pan and Gardner 8 337

— tumors induction by methylcholanthrene Pan and Gard ner 8 613

——— malignant in untreated mice of PM stock Gardner and Pan 8 241

Uterus adenocarcinoma of in endocrine-imbalanced femalerat Pfeiffer, 9 549

and uterine cervix induction of malignant tun or of by

methylcholanthrene Pan and Gardner 9 510 tumors of in untreated and lym "e-

utreated mice Gardner and Pan 9 549
Utricular bed, fibromy oppithelioms of in male gui ea paninduction and prevention of Tipschütz, lance Silvare

Bruzzone Acuna and Silberman 5 515
Vacuoles nucleolar in living normal and malignant Chatta

Vacuoles nucleolar in living normal and mangrate living Lewis 3 531

Vaginal carcinomas in e trogen and ai drogen treated labrid mice Pan and Cardner 8 357

Cardner and Pan 8 241

7 702

Vanadate collisial reaction series forwarfen a cersix Centrell 2 200

Vascular charges in time I II is completed on the pair person desires on C3 7-46 configuration for the transfer to the Alpha D II.

 reaction of mouse to normal and neoplastic transplants and younds Algire and Chalkles 5 587

normal and neoplastic tissues to bacterial polysaccharide from Barillus prodigiosus culture filtrate Algire, 6 391

Vascularization, growth of sarcoma 37 before and after Chu. 10 210

Vasodilators, effect on mice with transplanted lymphosarcomas Williams 6 314

"Viral" hepatitis associated with Hodgkin's disease. Hoster, Zanes and von Harm, 9 473 624

Virus See also Chicken tumor agent Filtrable agent, Milk agent, Papilloma, Rous sarcoma, Shope papilloma

contaminating, freeing transplanted line I mouse leukemin from Taylor and MacDowell 9 144

-, Lastern equine encephalomyelitis, effect on normal and tumor cells studied in tissue culture and by electron microscopy Gey and Bang 10 219
— ctiology of cancer Gross 4 293

- fowl tumors Percock, 6 311

- tumors, recent experiments with frozen and dried tissue as evidence for-review Hirschberg and Rusch, 10 335

-, fibroma, rabbit, immunological factors that influence neoplastic effects of Duran-Reynals, 5 25

—, filtrable, produced when mammalian tumors grow in fertile eggs? Twombly and Meisel 6 82

—, human influenza (type A), effect on incidence of lung tumors in mice Steiner and Loosli, 10 242, 385

- infections, effect on neoplastic diseases Bierman, Hammon, Fddie, Meyer, and Shimkin, 10 203

-, lack of evidence for, in human leukemia Thiersch, 6 691 , lymphocystis, fish, shown by osmiophilic granules of ev toplasmic inclusions in lymphocystis tumor cells Weissenberg, 9 537

, lymphopenia-causing, found in mice after injection with tumor tissue and cell free filtrates of lymphosarcoma T 86157 (MB) de Bruyn, 9 395

-, neoplasia induced in citro with Coman, 6 602

, neoplastic, enduring partnership with tumor cells Kidd,

-, presence in spontaneous sarcomas and fibromas of chickens in relation to age of tumor-bearing animal Duran-Reynals, 6 529

problem, methylcholanthrene papillomas and Woglom, 5 420

- Rous sarcoma, influence of mammalian environments on tissue specificities of Shrigley, 7 575

-, isolation from basic virus-protein complex Shemin, Sproul, and Jobling, 1 729, 2 514

, recovery from tumor grown in guinea pig eye Shriglev, 6 503

, variation following growth of tumor in anterior chamber of guinen pig eye Shrigley, Greene, and Duran-Reynals, 5 356

, Russian encephalitis, effect of infection with, on different types of transplantable tumors Moore and Stock, 10 233 sarcoma, reciprocal effects of natural immune bodies from chickens and ducks on Duran-Revnals and King, 7 21

, Shope, joint action with chemical carcinogen to induce cancer Rous and Rogers, 10 238

—, vaccinia, influence on tumor growth of parasitization of sarcoma 180 by Turner and Mulliken, 7 774, 8 391

Virus-enzyme theory of carcinogenesis Potter, 3 358

Virus-induced papilloma-to-carcinoma sequence I, II, III, Syverton, Discomb, Koomen, Wells, and Berry, 10 379

pipillomas on cottontal rabbits effect of x-rays upon Syverton Warren Dascomb and Berry, 3 128

 failure of methylcholanthrene to accelerate papilloma to-cancer sequence in Syserton, Wells, and Berry 3 121

 of domestic rabbits, etiological study of cancers arising from Rogers Kidd and Rous 10 237

transplantable chicken sarcomas Durin-Reynals and Shriglev, 6 535

Virus-infected (vaccinia) sarcoma 180 histological appearance of Kritzler, Mulliken, and Turner, 9 71

Viruses, influence on plant cells Woods and du Buy 8 391 of influenza, herpes and Russian Far Last encephalitis effect of inoculation of, on growth of transplantable mouse tumor Moore, 9 611

producing lymphoid tumors and osteopetrosis propagation by serial passage in chickens. Burmester and Cottral

7 669

-, tumor inducing reciprocal infections of ducks and chickens with Duran-Revnals, 2 343

Viscosity, increased, of cells of induced tumors Guver and Claus 2 16

Vitamin content of mouse epidermis during methylcho-lanthrene enremogenesis Tatum, Ritchey, Cowdry, and Wicks, 6 486

A and toxic action of dibenzanthracene on tissues Goerner and Goerner, 3 833

concentration in blood of cancer patients, effects of testosterone and estrogens on Danish and Klopp, 10 211

stores, hepatic, in mice and rats, effect of carcinogens on Carruthers, 2 168

analogs, effect on growth of transplantable tumors Greenberg Irish, and Gal, 10 221

B See B vitamins

- B₁ See Thiamine

- B. See Riboflavin

- B. Sec Pyridovine

- B₁, effect on proliferation of rabbit marrow cells in ritro Biesele and Berger, 10 686

C See Ascorbic acid

Vitamins, changes during epidermal carcinogenesis—renew Carruthers, 10 255

Walker carcinoma 256, adenosinetriphosphatase in Potter and Liebl, 5 18

, p amino acid oxidase, uricase, and choline oxidase in subcutaneous transplants of I an, 4 42

-, analysis for phosphorylated intermediates of glycolysis LePage, 8 193 - -, biotin content of Pollack, Taylor, Woods,

Thompson, and Williams, 2 748 -, citric acid content of Haven, Randall, and

Bloor, 7 725, 9 90

-, cultivation in yolk sacs Taylor, Hungate, and Taylor, 3 537

-, cytochrome c in DuBois and Potter, 2 200 -, cytologic effects of therapeutic radiation in Fogg and Warren, 1 649

, distribution of radioactive iodine in rats with and without, after injection of radioactive sodium iodide Stevens, Stewart, Quinlin, and Meinken, 9 488

-, DPN-cytochrome reductase content of Rhian and Potter, 7 714

-, effect of 8-azaguanine on Sugiura, Hitchings, Cavalieri, and Stock, 10 178

- 3-bis(\$-chloroethyl)aminomethyl 4methoxy-methyl-5-hydroxy-6-methyl pyridine dihydrochloride, 2,4,6-tris(1-aziridy1)-s triazine, and 8-azaguanine on Sugium and Stock 10 244

cortisone and other steroids on Sugiura, Stock, Dobriner, and Rhoads, 10 244

- cysteine on radiosensitivity of Straube, Patt, Smith, and Tyrce, 10 243

- 4-dimethy laminostilbene on growth of Green and Lushbaugh, 9 692

- hepbisul and thyroxin on Herbut, Kraemer, and Jackson, 10 224

intravenous gly cogen administration on rate of growth of Ball, 2 823

- nitrogen mustard on Boyland, 8 388 - --- plant hormones on growth of Klinc

and Rusch 3 702

 protein depletion on host response Xanthene dyes, in circ staining and growth inhibition of mouse tumors with Lewis and Goland 7 718 to Green, Benditt, and Humphreys, 10 769 dr.l inhibitors on growth of Brunschwig, Arnold and , retardation of growth of transplantable carcinoma in mice fed Rilev, 8 183 Edgcomb, 6 560 Xanthine, effect on methylcholanthrene carcinogenesis of diets transplantation on red and white containing abundance of Strong and Figge 6 466 cells of circulating blood and bone marrow Blumenthal dehydrogenase in normal and cancerous tissues of hepatic 1 196 and mammary origin Greenstein 3 120 - --- urethan on Green and Lushbaugh, oxidase activity in livers of mice of cancer-usceptible and 9 199 cancer-resistant strains Figge and Strong 1 779 on total lipid content of rats Mider. -, studies on during carcinogenesis by 4-dimethyl-Sherman, and Morton 9 222 aminoazobenzene Westerfeld Richert and Hilfinge- 10 486 water content of livers McEwen and Haven 1 148 Xanthopterin, effect on proliferation of rabbit marrow cells in -, glvcogen in Ball, Schott, and Samuels 2 146 ritro Biesele and Berger, 10 686 , inhibition of succinoxidase system by extracts X-radiation, carcinogenic effects compared to Pr Brues of Albaum and Potter, 3 303 Sacher, Finkel, and Lisco 9 545 -, lipid content of blood and adrenals of rats - effect in ritro on agent of chicken tumor I (Rous sar-coma) Bryan, Lorenz and Molonev 10 207 bearing Bloor, Haven, and Randall 9 548 lipids of carcass, blood plasma, and adrenal of on hypotonic cytolysis of sea urchin eggs. Grand and rats bearing Haven, Bloor, and Randall, 9 511 Chambers 3 127 nicotinic acid content of Taylor, Pollack, - mammarı tumor transplants observed ın rım Hofer, and Williams, 2 744 Merwin, Algire and Kaplan, 9 620 nucleic acids and other phosphorus compounds thymonucleic acid content of transplantable in Schneider and Klug 6 691 mouse and rat mammary carcinomas Stowell 5 169 -, oxidative response to succinate and p-— tumor incidence in Drosophila ridanogaster phen lenediamine Rosenthal and Drabkin, 4 487 Hartung 2 837 , pantothenic acid content of Taylor, Pollack -, local, and lymphoid tumor induction in mice Kaplan Hofer and Williams, 2 752 -, phospholipids of cells and nuclei of Haven and effect upon development of various parts of voung Levy, 2 797 mouse Brunst Barnett, and Figge, 10 206 -, riboflavin content of Pollack, Taylor Taylor, -, nucleic acid content in intestines of rats after. Elv and and Williams, 2 739 Ross, 8 285 , role of cellular fractions in transplantation of -, prolonged, effect on Congo red index of rabbits Hoch-Tourtellotte and Storer, 10 783 Ligeti 1 28 -, serum polysaccharide levels in rats bearing -, stimulating effect on tail development of voung axolotl Shetlar, Erwin and Everett, 10 445 Brunst, Sheremetieva-Brunst Barnett, and Figge 10 206 size and synthetic activity of chromosomes of X-ray-induced granulosa-cell tumors and luteomas mouse transplants of Biesele, 4 540 transplantability and secondary effects of Furth 6 503 , source of tumor nitrogen in rats bearing. Shertransplantable ovarian tumors morphological and biolog man and Mider, 9 615 ical characteristics of Bali and Furth 9 449 621 , succinic dehydrogenase and cytochrome ovidase in Schneider and Potter, 3 353 X-rays See also Radiation , synthesis of sterols by rats bearing. Norris and effect on cell outgrowth in tissue cultures of berzpyreneinduced sarcoma and normal rat fibroblasts. Halberstaedter Troescher 1 410 Goldhaber, and Doljanski, 2 28 , transplanted, n amino acid oxidase, uricase, - frog carcinoma studied by direct microscopic and choline oxidase in livers and in isolated liver cell nuclei of examination of intra-ocular transplants. Lucke and Schlumrats bearing Lan, 4 37 berger 10 231 Walker carcinosarcoma 256 See Walker carcinoma 256 growth of sarcoma 180 on choroallantoic mem Walker sarcoma 319, rat, effect of feeding thyroid supplebrane of chick embryo Karnofsky Parisette and Patterson mented by vitamin B, on growth and gly colysis of Beck and Arantz, 1 188 - onion root tipe Levine 5 107 — strong concentrations of - - transmissibility of fowl sarcoma in its non reticuloendothelial immune serum on growth of Pomerat, filterable phase Miszurski Pikovski Goldhaber, and Dol janski 5 422 mechanism of action of urea derivatives on transmitted mouse leukemia Flors Furth Grant and Krantz, 2 833 Saxton, and Reiner 3 729 Water content of epidermis of mice undergoing methylchotransplantability of induced fowl tumors Murphy and Sturm 1 609 lanthrene carcinogenesis Suntzeff and Carruthers, 6 574 - liver, effect of carcinocarcoma 256 on McEwen virus induced papillomas on cottontail rabbits and Haven 1 148 Syverton Warren Dascomb and Berry 3 129 - factors affecting in ritro evtocidal action of Schrek 6 498 - testicular tumors Huggins and Eichelberger, further studies on effect on tumor of known genetic con 4 447 stitution Reinhard, Warner and Goltz, 1 653 Watts sarcoma, effect of vitamin C on growth of Brunschwig genetic factors affecting evergism with methylclo-3 550 lanthrene in induction of leul emia Mixer and Kirschbaum Wheat germ oil, failure to induce sarcoma in rats Brues, 7 719 Marble and Riegel, 1 815 in ritro reaction of cells to Schrek 9 759 , induction of sarcoma following injection of induction of mouse lymphomas by Sacher and Brues Harris 1 751 7 26 9 620 - - ovarian tumors by Furth and Boon Wilms' tumor See Nephroblastoma Wood smoke, investigation into possible carcinogenic activity 7 241

6 485

Airschbaum and Mixer 9 582

of Dickens and Weil Malherbe 2 680

factors Sulman and Sulman 6 366

soot, careinogenicity of, from chimney of smoked sausage

Writing, correct usage Please! An Editorial Woglom 2 846

- leukemogenic action in mice. Mixer and Kinchhaum

mechanism of induction of ovarian tumors by Lick

- --- synergistic action with estrogen in inducing thymic lymphosarcoma of mice Kirschbaum 10 229
- various mouse tissues Knowlton and Widner, 10 59
- XYZ factor from Brown-Pearce carcinoma, experiments with Cases, 1 134
- Potter, 2 290 -, --, evtochrome c in DuBois and
- , effect of pyridoxine on growth of
- Kline, Rusch, Brumann, and Lavik, 3 825
- and foster nursing Plant, Tennant, and Oughterson, 2 546

 Hekhuis, 1 620

 Transamination in Cohen and
- —————, oxidative capacity of Mayer, 4 345
 ————————, succinic dehydrogenase and cytochrome oxidase in Schneider and Potter, 3 353
- Yeast and yeast extract, inhibition of experimental liver cancer in rats by Sugium and Rhoads, 1 3
- extract, action on transplanted and spontaneous malignant tumors Lewisohn, Leuchtenberger, Leuchtenberger, Laszlo, and Bloch, 1 799
- mary cancers in mice treated with Lewisohn, Leuchtenberger, Leuchtenberger, Laszlo, and Dische, 2 818
- flower tissue Hildebrandt, Riker, and Duggar, 6 368

- tenberger, 3 401
- --- feeding effect on 4-dimethylaminoazobenzene-induced liver cancer and cirrhosis Sugium and Rhoads 2 453
- frictions, protection against carcinogenic action of 4-di methylaminouzobenzene by Sugiuri, Kensler, and Rhonds 3 130
- Yolk injection technic, relations to chick tissues of tumors produced by Hungate, Taylor, and Thompson, 4 289—sac See also Transplantation

- cultivation of tumors Taylor, Hungate, and Taylor,
- michael, and Norris, 8 264
- ______, mouse mammary tumors grown in, effect on chicks Armstrong and Ham, 7 481
- Yttrium, radioactive, carcinogenic action of Brues, Lisco, and Finkel, 7 48
- Brues, Finkel, and Grundhauser, 7 721
- Zinc chloride in chemosurgery of rat cancers Mohs and Guyer, 1 49
- Zymohexase, serum, in cancer Sibley and Lehninger, 9 547

- Strain of Mice Observations on Cytology, General Morphology, and Transmission Am J Cancer, 37 400-413, 1939
- 16 POTTER, J S, TAYLOR, M J, and MACDOWELL, E C Transfer of Acquired Resistance to Transplantable Leukemia in Mice Proc Soc Exper Biol & Med, 37 655-56, 1938
- 17 MACDOWELL, E. C., POTTER, J. S., and TAYLOR, M. J. Influence of Transplantation upon Immunological Properties of Leukemic Cells. Proc. Nat. Acad. Sc., 25, 416-20, 1939.
- 18 Kirschbaum, A, Judd, Sister T, Geisse, N, and Mixer H W Unpublished data
- 19 FARBER, S Some Observations on the Effect of Folic Acid Antagonists on Acute Leukemia and Other Forms of Incurable Cancer Blood, 4 160-67, 1949
- 20 FORKNER, C E, and Scott, T F M Arsenic as a Therapeutic Agent in Chronic Myeloid Leukemia, Preliminary Report J A M A, 97 3-5, 1931
- 21 PATERSON, E, HADDOW, A, APTHOMAS, I, and WATERNSON, J M Leukemia Treated with Urethane Compared with Deep X-ray Therapy Lancet, 1 677-82, 1946